

thm_2Equotient_2ERES_EXISTS_UNIQUE_RESPECTS_REGU
 (TMHn-
 wkk5GvWFurmEEJGb6ceFA3jBkUunctL)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$
 of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$
 of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

Definition 7 We define $c_2Ecombin_2EW$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0f \in ((A_27b^{A_27a})^{A_27a}).(\lambda V1x \in 2.V1x$

Definition 8 We define $c_2Equotient_2ERespects$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(c_2Ecombin_2EW A_27a A_27b$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t$

Definition 10 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x))$

Definition 11 We define $c_2Ebool_2ERES_FORALL$ to be $\lambda A_27a : \iota.(\lambda V0p \in (2^{A_27a}).(\lambda V1m \in (2^{A_27a}).$

Definition 12 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A$
 of type $\iota \Rightarrow \iota$.

Definition 13 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 14 We define $c_2Ebool_2ERES_EXISTS$ to be $\lambda A_27a : \iota.(\lambda V0p \in (2^{A_27a}).(\lambda V1m \in (2^{A_27a}).$

Definition 15 We define $c_2Equotient_2ERES_EXISTS_EQUIV$ to be $\lambda A_27a : \iota.(\lambda V0R \in ((2^{A_27a})^{A_27a}).$

Definition 16 We define `c_2Ebool_2ERES_EXISTS_UNIQUE` to be $\lambda A_27a : \iota. (\lambda V0p \in (2^{A_27a}). (\lambda V1m \in$

Assume the following.

$$True \tag{1}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \end{aligned} \tag{3}$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \tag{4}$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{5}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg (\\ & p V0t)))))) \end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty A_27a \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}). \\ & (\forall V1x \in A_27a. ((p (ap (ap (c_2Ebool_2EIN A_27a) V1x) (ap (\\ & c_2Equotient_2Erespects A_27a 2) V0R))) \Leftrightarrow (p (ap (ap V0R V1x) V1x)))))) \end{aligned} \tag{7}$$

Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty A_27a \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}). \\ & (\forall V1m \in (2^{A_27a}). ((p (ap (ap (c_2Equotient_2ERES_EXISTS_EQUIV \\ & A_27a) V0R) V1m)) \Leftrightarrow ((p (ap (ap (c_2Ebool_2ERES_EXISTS A_27a) (\\ & ap (c_2Equotient_2Erespects A_27a 2) V0R)) (\lambda V2x \in A_27a. (\\ & ap V1m V2x)))) \wedge (p (ap (ap (c_2Ebool_2ERES_FORALL A_27a) (ap (c_2Equotient_2Erespects \\ & A_27a 2) V0R)) (\lambda V3x \in A_27a. (ap (ap (c_2Ebool_2ERES_FORALL \\ & A_27a) (ap (c_2Equotient_2Erespects A_27a 2) V0R)) (\lambda V4y \in \\ & A_27a. (ap (ap c_2Emin_2E_3D_3D_3E (ap (ap c_2Ebool_2E_2F_5C (\\ & ap V1m V3x)) (ap V1m V4y))) (ap (ap V0R V3x) V4y)))))))))) \end{aligned} \tag{8}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}). (\forall V1f \in \\ & (2^{A.27a}). ((p\ (ap\ (ap\ (c.2Ebool.2ERES_FORALL\ A.27a)\ V0P)\ V1f))) \Leftrightarrow \\ & (\forall V2x \in A.27a. ((p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V2x)\ V0P)) \Rightarrow \\ & (p\ (ap\ V1f\ V2x)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}). (\forall V1f \in \\ & (2^{A.27a}). ((p\ (ap\ (ap\ (c.2Ebool.2ERES_EXISTS_UNIQUE\ A.27a)\ \\ & V0P)\ V1f))) \Leftrightarrow ((p\ (ap\ (ap\ (c.2Ebool.2ERES_EXISTS\ A.27a)\ V0P)\ (\lambda V2x \in \\ & A.27a. (ap\ V1f\ V2x)))) \wedge (p\ (ap\ (ap\ (c.2Ebool.2ERES_FORALL\ A.27a)\ \\ & V0P)\ (\lambda V3x \in A.27a. (ap\ (ap\ (c.2Ebool.2ERES_FORALL\ A.27a)\ V0P)\ \\ & (\lambda V4y \in A.27a. (ap\ (ap\ c.2Emin.2E.3D.3D.3E\ (ap\ (ap\ c.2Ebool.2E.2F.5C \\ & (ap\ V1f\ V3x))\ (ap\ V1f\ V4y))))\ (ap\ (ap\ (c.2Emin.2E.3D\ A.27a)\ V3x)\ V4y)))))))))) \end{aligned} \quad (10)$$

Theorem 1

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0R \in ((2^{A.27a})^{A.27a}). \\ & (\forall V1P \in (2^{A.27a}). ((p\ (ap\ (ap\ (c.2Ebool.2ERES_EXISTS_UNIQUE \\ & A.27a)\ (ap\ (c.2Equotient.2ERespects\ A.27a\ 2)\ V0R))\ V1P)) \Rightarrow (p\ (\\ & ap\ (ap\ (c.2Equotient.2ERES_EXISTS_EQUIV\ A.27a)\ V0R)\ V1P)))))) \end{aligned}$$