

# thm\_2Equotient\_list\_2EALL\_EL\_PRS (TMb- NcWgfMLmU7R5tDr1gwBKKekPz693kXkS)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_27E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F$

**Definition 7** We define  $c\_2Ecombin\_2E\_2K$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0x \in A\_27a.(\lambda V1y \in A\_27b.V0x))$

**Definition 8** We define  $c\_2Ecombin\_2E\_2S$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.(\lambda V0f \in ((A\_27c^{A\_27b})^{A\_27a})$

**Definition 9** We define  $c\_2Ecombin\_2E\_2I$  to be  $\lambda A\_27a : \iota.(ap (ap (c\_2Ecombin\_2E\_2S A\_27a (A\_27a^{A\_27a})) A\_27a$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (1)$$

Let  $c\_2Elist\_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Elist\_2EMAP A\_27a A\_27b \in (((ty\_2Elist\_2Elist A\_27b)^{(ty\_2Elist\_2Elist A\_27a)})^{(A\_27b^{A\_27a})}) \quad (2)$$

Let  $c\_2Elist\_2EEVERY : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2EEVERY A\_27a \in ((2^{(ty\_2Elist\_2Elist A\_27a)})^{(2^{A\_27a})}) \quad (3)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ECONS\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27a}) \quad (4)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ENIL\ A\_27a \in (ty\_2Elist\_2Elist\ A\_27a) \quad (5)$$

**Definition 10** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

**Definition 11** We define  $c\_2Equotient\_2EQUOTIENT$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).\lambda$

**Definition 12** We define  $c\_2Equotient\_2E\_2D\_2D\_3E$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda A\_27d : \iota.\lambda V0f$

Assume the following.

$$True \quad (6)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p\ V0t) \Leftrightarrow (p\ V0t)))) \quad (7)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (8)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (9)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((ap\ (c\_2Ecombin\_2EI\ A\_27a)\ V0x) = V0x)) \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & (\forall V0f \in (A\_27b^{A\_27a}).((ap\ (ap\ (c\_2Elist\_2EMAP\ A\_27a\ A\_27b)\ V0f)\ (c\_2Elist\_2ENIL\ A\_27a)) = (c\_2Elist\_2ENIL\ A\_27b))) \wedge (\forall V1f \in \\ & (A\_27b^{A\_27a}).(\forall V2h \in A\_27a.(\forall V3t \in (ty\_2Elist\_2Elist\ A\_27a).((ap\ (ap\ (c\_2Elist\_2EMAP\ A\_27a\ A\_27b)\ V1f)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V2h)\ V3t)) = (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27b)\ (ap\ V1f\ V2h))\ (ap\ (ap\ (c\_2Elist\_2EMAP\ A\_27a\ A\_27b)\ V1f)\ V3t)))))) \quad (11) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow ((\forall V0P \in (2^{A.27a}).((p\ (ap \\
& (ap\ (c.2Elist.2EVERY\ A.27a)\ V0P)\ (c.2Elist.2ENIL\ A.27a))) \Leftrightarrow True)) \wedge \\
& (\forall V1P \in (2^{A.27a}).(\forall V2h \in A.27a.(\forall V3t \in (ty.2Elist.2Elist \\
& A.27a).((p\ (ap\ (ap\ (c.2Elist.2EVERY\ A.27a)\ V1P)\ (ap\ (ap\ (c.2Elist.2ECONS \\
& A.27a)\ V2h)\ V3t))) \Leftrightarrow ((p\ (ap\ V1P\ V2h)) \wedge (p\ (ap\ (ap\ (c.2Elist.2EVERY \\
& A.27a)\ V1P)\ V3t)))))))))
\end{aligned} \tag{12}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(ty.2Elist.2Elist\ A.27a)}). \\
& (((p\ (ap\ V0P\ (c.2Elist.2ENIL\ A.27a))) \wedge (\forall V1t \in (ty.2Elist.2Elist \\
& A.27a).((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A.27a.(p\ (ap\ V0P\ (ap\ (ap\ ( \\
& c.2Elist.2ECONS\ A.27a)\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty.2Elist.2Elist \\
& A.27a).(p\ (ap\ V0P\ V3l))))))
\end{aligned} \tag{13}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \forall V0R \in ((2^{A.27a})^{A.27a}).(\forall V1abs \in (A.27b^{A.27a}). \\
& (\forall V2rep \in (A.27a^{A.27b}).((p\ (ap\ (ap\ (ap\ (c.2Equotient.2EQUOTIENT \\
& A.27a\ A.27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3a \in A.27b.((ap\ V1abs \\
& (ap\ V2rep\ V3a)) = V3a))))))
\end{aligned} \tag{14}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& nonempty\ A.27c \Rightarrow \forall A.27d.nonempty\ A.27d \Rightarrow (\forall V0f \in (A.27c^{A.27a}). \\
& (\forall V1g \in (A.27d^{A.27b}).(\forall V2h \in (A.27b^{A.27c}).(\forall V3x \in \\
& A.27a.((ap\ (ap\ (ap\ (ap\ (c.2Equotient.2E.2D.2D.3E\ A.27a\ A.27b\ A.27c \\
& A.27d)\ V0f)\ V1g)\ V2h)\ V3x) = (ap\ V1g\ (ap\ V2h\ (ap\ V0f\ V3x)))))))))
\end{aligned} \tag{15}$$

**Theorem 1**

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \forall V0R \in ((2^{A.27a})^{A.27a}).(\forall V1abs \in (A.27b^{A.27a}). \\
& (\forall V2rep \in (A.27a^{A.27b}).((p\ (ap\ (ap\ (ap\ (c.2Equotient.2EQUOTIENT \\
& A.27a\ A.27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3l \in (ty.2Elist.2Elist \\
& A.27b).(\forall V4P \in (2^{A.27b}).((p\ (ap\ (ap\ (c.2Elist.2EVERY \\
& A.27b)\ V4P)\ V3l)) \Leftrightarrow (p\ (ap\ (ap\ (c.2Elist.2EVERY\ A.27a)\ (ap\ (ap\ (ap \\
& (c.2Equotient.2E.2D.2D.3E\ A.27a\ 2\ A.27b\ 2)\ V1abs)\ (c.2Ecombin.2EI \\
& 2))\ V4P))\ (ap\ (ap\ (c.2Elist.2EMAP\ A.27b\ A.27a)\ V2rep)\ V3l)))))))))
\end{aligned}$$