

# thm\_2Equotient\_\_list\_2EALL\_\_EL\_\_RSP (TM-NxH2EYYS4UjrSVV1xe7zqRscpFSN4MA7T)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D` to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 3** We define `c_2Ebool_2E_2T` to be  $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define `c_2Ebool_2E_21` to be  $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

**Definition 5** We define `c_2Ebool_2E_2F_5C` to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

**Definition 6** We define `c_2Equotient_2EQUOTIENT` to be  $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1$

**Definition 7** We define `c_2Ebool_2E_2F` to be  $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 8** We define `c_2Ebool_2E_2E` to be  $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Let `ty_2Elist_2Elist` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let `c_2Elist_2EEVERY` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EEVERY A_27a \in ((2^{(ty_2Elist_2Elist A_27a)})^{(2^{A_27a})}) \quad (2)$$

Let `c_2Elist_2ECONS` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (3)$$

Let `c_2Elist_2ENIL` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (4)$$

Let  $c\_2Elist\_2ELIST\_REL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Elist\_2ELIST\_REL\ A\_27a\ A\_27b \in (((2^{(ty\_2Elist\_2Elist\ A\_27b)})^{(ty\_2Elist\_2Elist\ A\_27a)})^{(2^{A\_27b})^{A\_27a}}) \quad (5)$$

**Definition 9** We define  $c\_2Equotient\_2E\_3D\_3D\_3D\_3E$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R1 \in ((2^{A\_27a})^{A\_27a})$

Assume the following.

$$True \quad (6)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (7)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (8) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (( \\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (9) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\ & p\ V0t)))))) \quad (10) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow ((\forall V0P \in (2^{A\_27a}).((p\ (ap \\ & (ap\ (c\_2Elist\_2EVERY\ A\_27a)\ V0P)\ (c\_2Elist\_2ENIL\ A\_27a))) \Leftrightarrow True)) \wedge \\ & (\forall V1P \in (2^{A\_27a}).(\forall V2h \in A\_27a.(\forall V3t \in (ty\_2Elist\_2Elist \\ & A\_27a).((p\ (ap\ (ap\ (c\_2Elist\_2EVERY\ A\_27a)\ V1P)\ (ap\ (ap\ (c\_2Elist\_2ECONS \\ & A\_27a)\ V2h)\ V3t))) \Leftrightarrow ((p\ (ap\ V1P\ V2h)) \wedge (p\ (ap\ (ap\ (c\_2Elist\_2EVERY \\ & A\_27a)\ V1P)\ V3t)))))) \quad (11) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{(ty\_2Elist\_2Elist\ A\_27a)}). \\ & (((p\ (ap\ V0P\ (c\_2Elist\_2ENIL\ A\_27a))) \wedge (\forall V1t \in (ty\_2Elist\_2Elist \\ & A\_27a).((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A\_27a.(p\ (ap\ V0P\ (ap\ (ap\ ( \\ & c\_2Elist\_2ECONS\ A\_27a)\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist \\ & A\_27a).(p\ (ap\ V0P\ V3l)))))) \quad (12) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0R \in ((2^{A\_27b})^{A\_27a}). (\forall V1a \in A\_27a. (\forall V2as \in \\
& \quad (ty\_2Elist\_2Elist\ A\_27a). (\forall V3b \in A\_27b. (\forall V4bs \in \\
& \quad (ty\_2Elist\_2Elist\ A\_27b). (((p\ (ap\ (ap\ (ap\ (c\_2Elist\_2ELIST\_REL \\
& \quad A\_27a\ A\_27b)\ V0R)\ (c\_2Elist\_2ENIL\ A\_27a))\ (c\_2Elist\_2ENIL\ A\_27b))) \Leftrightarrow \\
& \quad True) \wedge (((p\ (ap\ (ap\ (ap\ (c\_2Elist\_2ELIST\_REL\ A\_27a\ A\_27b)\ V0R) \\
& \quad (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V1a)\ V2as))\ (c\_2Elist\_2ENIL\ A\_27b))) \Leftrightarrow \\
& \quad False) \wedge (((p\ (ap\ (ap\ (ap\ (c\_2Elist\_2ELIST\_REL\ A\_27a\ A\_27b)\ V0R) \\
& \quad (c\_2Elist\_2ENIL\ A\_27a))\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27b)\ V3b)\ V4bs))) \Leftrightarrow \\
& \quad False) \wedge ((p\ (ap\ (ap\ (ap\ (c\_2Elist\_2ELIST\_REL\ A\_27a\ A\_27b)\ V0R) \\
& \quad (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V1a)\ V2as))\ (ap\ (ap\ (c\_2Elist\_2ECONS \\
& \quad A\_27b)\ V3b)\ V4bs))) \Leftrightarrow ((p\ (ap\ (ap\ V0R\ V1a)\ V3b)) \wedge (p\ (ap\ (ap\ (ap\ (c\_2Elist\_2ELIST\_REL \\
& \quad A\_27a\ A\_27b)\ V0R)\ V2as)\ V4bs))))))))) \\
& \hspace{15em} (13)
\end{aligned}$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0R \in ((2^{A\_27a})^{A\_27a}). (\forall V1abs \in (A\_27b)^{A\_27a}). \\
& \quad (\forall V2rep \in (A\_27a)^{A\_27b}). ((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27a\ A\_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3l1 \in (ty\_2Elist\_2Elist \\
& \quad A\_27a). (\forall V4l2 \in (ty\_2Elist\_2Elist\ A\_27a). (\forall V5P1 \in \\
& \quad (2^{A\_27a}). (\forall V6P2 \in (2^{A\_27a}). (((p\ (ap\ (ap\ (ap\ (ap\ (c\_2Equotient\_2E\_3D\_3D\_3D\_3E \\
& \quad A\_27a\ 2)\ V0R)\ (c\_2Emin\_2E\_3D\ 2))\ V5P1)\ V6P2)) \wedge (p\ (ap\ (ap\ (ap\ (c\_2Elist\_2ELIST\_REL \\
& \quad A\_27a\ A\_27a)\ V0R)\ V3l1)\ V4l2))) \Rightarrow ((p\ (ap\ (ap\ (c\_2Elist\_2EEVERY\ A\_27a) \\
& \quad V5P1)\ V3l1)) \Leftrightarrow (p\ (ap\ (ap\ (c\_2Elist\_2EEVERY\ A\_27a)\ V6P2)\ V4l2))))))))) \\
\end{aligned}$$