

# thm\_2Equotient\_\_list\_2EAPPEND\_\_PRS (TMXuP52z7oe5jsJ3T63ebyzg3XZfSex6Jq9)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let  $ty\_2Elist\_2E\_list : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2E\_list A0) \quad (1)$$

Let  $c\_2Elist\_2E\_APPEND : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2E\_APPEND A\_27a \in (((ty\_2Elist\_2E\_list A\_27a)^{(ty\_2Elist\_2E\_list A\_27a)})^{(ty\_2Elist\_2E\_list A\_27a)}) \quad (2)$$

Let  $c\_2Elist\_2E\_MAP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Elist\_2E\_MAP A\_27a A\_27b \in (((ty\_2Elist\_2E\_list A\_27b)^{(ty\_2Elist\_2E\_list A\_27b)})^{(A\_27b^{A\_27a})}) \quad (3)$$

Let  $c\_2Elist\_2E\_CONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2E\_CONS A\_27a \in (((ty\_2Elist\_2E\_list A\_27a)^{(ty\_2Elist\_2E\_list A\_27a)})^{A\_27a}) \quad (4)$$

Let  $c\_2Elist\_2E\_NIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2E\_NIL A\_27a \in (ty\_2Elist\_2E\_list A\_27a) \quad (5)$$

**Definition 3** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow p Q)$  of type  $\iota$ .

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})))$

**Definition 5** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.$

**Definition 6** We define  $c\_2Equotient\_2EQUOTIENT$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).\lambda V$

Assume the following.

$$True \tag{6}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p V0t)) \Leftrightarrow (p V0t))) \tag{7}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \tag{8}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow ((\forall V0l \in (ty\_2Elist\_2Elist \\ & A\_27a).((ap (ap (c\_2Elist\_2EAPPEND A\_27a) (c\_2Elist\_2ENIL A\_27a)) \\ & V0l) = V0l) \wedge (\forall V1l1 \in (ty\_2Elist\_2Elist A\_27a).(\forall V2l2 \in \\ & (ty\_2Elist\_2Elist A\_27a).(\forall V3h \in A\_27a.((ap (ap (c\_2Elist\_2EAPPEND \\ & A\_27a) (ap (ap (c\_2Elist\_2ECONS A\_27a) V3h) V1l1)) V2l2) = (ap (ap \\ & (c\_2Elist\_2ECONS A\_27a) V3h) (ap (ap (c\_2Elist\_2EAPPEND A\_27a) \\ & V1l1) V2l2)))))))))) \end{aligned} \tag{9}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ( \\ & (\forall V0f \in (A\_27b^{A\_27a}).((ap (ap (c\_2Elist\_2EMAP A\_27a A\_27b) \\ & V0f) (c\_2Elist\_2ENIL A\_27a)) = (c\_2Elist\_2ENIL A\_27b)) \wedge (\forall V1f \in \\ & (A\_27b^{A\_27a}).(\forall V2h \in A\_27a.(\forall V3t \in (ty\_2Elist\_2Elist \\ & A\_27a).((ap (ap (c\_2Elist\_2EMAP A\_27a A\_27b) V1f) (ap (ap (c\_2Elist\_2ECONS \\ & A\_27a) V2h) V3t)) = (ap (ap (c\_2Elist\_2ECONS A\_27b) (ap V1f V2h)) \\ & (ap (ap (c\_2Elist\_2EMAP A\_27a A\_27b) V1f) V3t)))))))))) \end{aligned} \tag{10}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in (2^{(ty\_2Elist\_2Elist A\_27a)}). \\ & (((p (ap V0P (c\_2Elist\_2ENIL A\_27a))) \wedge (\forall V1t \in (ty\_2Elist\_2Elist \\ & A\_27a).((p (ap V0P V1t)) \Rightarrow (\forall V2h \in A\_27a.(p (ap V0P (ap (ap ( \\ & c\_2Elist\_2ECONS A\_27a) V2h) V1t)))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist \\ & A\_27a).(p (ap V0P V3l)))))) \end{aligned} \tag{11}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ( \\ & \forall V0R \in ((2^{A\_27a})^{A\_27a}).(\forall V1abs \in (A\_27b^{A\_27a}). \\ & (\forall V2rep \in (A\_27a^{A\_27b}).((p (ap (ap (ap (c\_2Equotient\_2EQUOTIENT \\ & A\_27a A\_27b) V0R) V1abs) V2rep)) \Rightarrow (\forall V3a \in A\_27b.((ap V1abs \\ & (ap V2rep V3a)) = V3a)))))) \end{aligned} \tag{12}$$

**Theorem 1**
$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0R \in ((2^{A\_27a})^{A\_27a}).(\forall V1abs \in (A\_27b^{A\_27a}). \\ & (\forall V2rep \in (A\_27a^{A\_27b}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\ & \quad A\_27a\ A\_27b)\ V0R)\ V1abs)\ V2rep))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist \\ & \quad A\_27b).(\forall V4m \in (ty\_2Elist\_2Elist\ A\_27b).((ap\ (ap\ (c\_2Elist\_2EAPPEND \\ & \quad A\_27b)\ V3l)\ V4m) = (ap\ (ap\ (c\_2Elist\_2EMAP\ A\_27a\ A\_27b)\ V1abs)\ (ap \\ & \quad (ap\ (c\_2Elist\_2EAPPEND\ A\_27a)\ (ap\ (ap\ (c\_2Elist\_2EMAP\ A\_27b\ A\_27a) \\ & \quad V2rep)\ V3l))\ (ap\ (ap\ (c\_2Elist\_2EMAP\ A\_27b\ A\_27a)\ V2rep)\ V4m)))))))))) \end{aligned}$$