

thm_2Equotient__list_2ELIST__QUOTIENT (TMS771xsoZFiLPkQNcKceQuSMBh25JZ5KJe)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ecombin_2EK` to be $\lambda A. \lambda 27a : \iota. \lambda A. \lambda 27b : \iota. (\lambda V0x \in A. \lambda V1y \in A. \lambda V0x) (A. \lambda 27b. V0x)$

Definition 3 We define `c_2Ecombin_2ES` to be $\lambda A. \lambda 27a : \iota. \lambda A. \lambda 27b : \iota. \lambda A. \lambda 27c : \iota. (\lambda V0f \in ((A. \lambda 27c^{A. \lambda 27b})^{A. \lambda 27a}))$

Definition 4 We define `c_2Ecombin_2EI` to be $\lambda A. \lambda 27a : \iota. (\text{ap } (\text{ap } (\text{c_2Ecombin_2ES } A. \lambda 27a) (A. \lambda 27a^{A. \lambda 27a})) A. \lambda 27a)$

Definition 5 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. P x) \text{ then } (\lambda x. x \in A \wedge P x)$ of type $\iota \Rightarrow \iota$.

Definition 6 We define `c_2Ebool_2E_3F` to be $\lambda A. \lambda 27a : \iota. (\lambda V0P \in (2^{A. \lambda 27a}). (\text{ap } V0P) (\text{ap } (\text{c_2Emin_2E_40 } A. \lambda 27a)))$

Let `ty_2Elist_2Elist` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty_2Elist_2Elist } A0) \quad (1)$$

Let `c_2Elist_2ECONS` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. \lambda 27a. \text{nonempty } A. \lambda 27a \Rightarrow \text{c_2Elist_2ECONS } A. \lambda 27a \in (((\text{ty_2Elist_2Elist } A. \lambda 27a)^{(\text{ty_2Elist_2Elist } A. \lambda 27a)})^{A. \lambda 27a}) \quad (2)$$

Definition 7 We define `c_2Ebool_2E_2T` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2)) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x))$

Let `c_2Elist_2ENIL` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. \lambda 27a. \text{nonempty } A. \lambda 27a \Rightarrow \text{c_2Elist_2ENIL } A. \lambda 27a \in (\text{ty_2Elist_2Elist } A. \lambda 27a) \quad (3)$$

Let `c_2Elist_2EMAP` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. \lambda 27a. \text{nonempty } A. \lambda 27a \Rightarrow \forall A. \lambda 27b. \text{nonempty } A. \lambda 27b \Rightarrow \text{c_2Elist_2EMAP } A. \lambda 27a \ A. \lambda 27b \in (((\text{ty_2Elist_2Elist } A. \lambda 27b)^{(\text{ty_2Elist_2Elist } A. \lambda 27a)})^{(A. \lambda 27b^{A. \lambda 27a})}) \quad (4)$$

Let $c_2Elist_2ELIST_REL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Elist_2ELIST_REL \\ & A_27a A_27b \in (((2^{(ty_2Elist_2Elist A_27b)})^{(ty_2Elist_2Elist A_27a)})^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (5)$$

Definition 8 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 9 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 10 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.$

Definition 11 We define $c_2Equotient_2EQUOTIENT$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27b}).\lambda$

Definition 12 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 13 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.$

Definition 14 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_7E$

Assume the following.

$$True \quad (6)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\ & V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \end{aligned} \quad (7)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in \\ & A_27a.(p V0t) \Leftrightarrow (p V0t))) \end{aligned} \quad (9)$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \quad (10)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (11)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (12)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (13)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (14)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((ap (c_2Ecombin_2El A_27a) V0x) = V0x)) \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\ & (\forall V0f \in (A_27b^{A_27a}).((ap (ap (c_2Elist_2EMAP A_27a A_27b) V0f) (c_2Elist_2ENIL A_27a)) = (c_2Elist_2ENIL A_27b))) \wedge (\forall V1f \in \\ & (A_27b^{A_27a}).(\forall V2h \in A_27a.(\forall V3t \in (ty_2Elist_2Elist \\ & A_27a).((ap (ap (c_2Elist_2EMAP A_27a A_27b) V1f) (ap (ap (c_2Elist_2ECONS \\ & A_27a) V2h) V3t)) = (ap (ap (c_2Elist_2ECONS A_27b) (ap V1f V2h)) \\ & (ap (ap (c_2Elist_2EMAP A_27a A_27b) V1f) V3t)))))) \quad (18) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist A_27a)}). \\ & (((p (ap V0P (c_2Elist_2ENIL A_27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist \\ & A_27a).((p (ap V0P V1t)) \Rightarrow (\forall V2h \in A_27a.(p (ap V0P (ap (ap (\\ & c_2Elist_2ECONS A_27a) V2h) V1t)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\ & A_27a).(p (ap V0P V3l)))))) \quad (19) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0l \in (ty_2Elist_2Elist \\ & A_27a).((V0l = (c_2Elist_2ENIL A_27a)) \vee (\exists V1h \in A_27a.(\\ & \exists V2t \in (ty_2Elist_2Elist A_27a).(V0l = (ap (ap (c_2Elist_2ECONS \\ & A_27a) V1h) V2t)))))) \quad (20) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0a0 \in A_27a. (\forall V1a1 \in \\ & \quad (ty_2Elist_2Elist\ A_27a). (\forall V2a0_27 \in A_27a. (\forall V3a1_27 \in \\ & \quad (ty_2Elist_2Elist\ A_27a). (((ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V0a0) \\ & \quad V1a1) = (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V2a0_27)\ V3a1_27))) \Leftrightarrow ((V0a0 = \\ & \quad V2a0_27) \wedge (V1a1 = V3a1_27)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0a1 \in (ty_2Elist_2Elist \\ & \quad A_27a). (\forall V1a0 \in A_27a. (\neg((c_2Elist_2ENIL\ A_27a) = (ap\ (\\ & \quad ap\ (c_2Elist_2ECONS\ A_27a)\ V1a0)\ V0a1)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0a1 \in (ty_2Elist_2Elist \\ & \quad A_27a). (\forall V1a0 \in A_27a. (\neg((ap\ (ap\ (c_2Elist_2ECONS\ A_27a) \\ & \quad V1a0)\ V0a1) = (c_2Elist_2ENIL\ A_27a)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0R \in ((2^{A_27b})^{A_27a}). (\forall V1a \in A_27a. (\forall V2as \in \\ & \quad (ty_2Elist_2Elist\ A_27a). (\forall V3b \in A_27b. (\forall V4bs \in \\ & \quad (ty_2Elist_2Elist\ A_27b). (((p\ (ap\ (ap\ (ap\ (c_2Elist_2ELIST_REL \\ & \quad A_27a\ A_27b)\ V0R)\ (c_2Elist_2ENIL\ A_27a))\ (c_2Elist_2ENIL\ A_27b))) \Leftrightarrow \\ & \quad True) \wedge (((p\ (ap\ (ap\ (ap\ (c_2Elist_2ELIST_REL\ A_27a\ A_27b)\ V0R) \\ & \quad (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V1a)\ V2as))\ (c_2Elist_2ENIL\ A_27b))) \Leftrightarrow \\ & \quad False) \wedge (((p\ (ap\ (ap\ (ap\ (c_2Elist_2ELIST_REL\ A_27a\ A_27b)\ V0R) \\ & \quad (c_2Elist_2ENIL\ A_27a))\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27b)\ V3b)\ V4bs))) \Leftrightarrow \\ & \quad False) \wedge (((p\ (ap\ (ap\ (ap\ (c_2Elist_2ELIST_REL\ A_27a\ A_27b)\ V0R) \\ & \quad (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V1a)\ V2as))\ (ap\ (ap\ (c_2Elist_2ECONS \\ & \quad A_27b)\ V3b)\ V4bs))) \Leftrightarrow ((p\ (ap\ (ap\ V0R\ V1a)\ V3b)) \wedge (p\ (ap\ (ap\ (ap\ (c_2Elist_2ELIST_REL \\ & \quad A_27a\ A_27b)\ V0R)\ V2as)\ V4bs))))))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0R \in ((2^{A_27a})^{A_27a}). (\forall V1abs \in (A_27b^{A_27a}). \\ & \quad (\forall V2rep \in (A_27a^{A_27b}). ((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\ & \quad A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3a \in A_27b. ((ap\ V1abs \\ & \quad (ap\ V2rep\ V3a)) = V3a)))))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0R \in ((2^{A_27a})^{A_27a}). (\forall V1abs \in (A_27b^{A_27a}). \\ & \quad (\forall V2rep \in (A_27a^{A_27b}). ((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\ & \quad A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3a \in A_27b. (p\ (ap\ (ap \\ & \quad V0R\ (ap\ V2rep\ V3a))\ (ap\ V2rep\ V3a)))))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c.2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3r \in A_27a.(\forall V4s \in \\
& A_27a.((p\ (ap\ (ap\ V0R\ V3r)\ V4s)) \Leftrightarrow ((p\ (ap\ (ap\ V0R\ V3r)\ V3r)) \wedge ((p\ (ap\ (ap\ V0R\ V4s)\ V4s)) \wedge ((ap\ V1abs\ V3r) = (ap\ V1abs\ V4s)))))))))) \\
& \hspace{15em} (27)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c.2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3r \in (ty_2Elist_2Elist \\
& \quad A_27a).(\forall V4s \in (ty_2Elist_2Elist\ A_27a).((p\ (ap\ (ap\ (ap \\
& (c.2Elist_2ELIST_REL\ A_27a\ A_27a)\ V0R)\ V3r)\ V4s)) \Leftrightarrow ((p\ (ap\ (ap \\
& (ap\ (c.2Elist_2ELIST_REL\ A_27a\ A_27a)\ V0R)\ V3r)\ V3r)) \wedge ((p\ (ap \\
& (ap\ (ap\ (c.2Elist_2ELIST_REL\ A_27a\ A_27a)\ V0R)\ V4s)\ V4s)) \wedge ((ap \\
& (ap\ (c.2Elist_2EMAP\ A_27a\ A_27b)\ V1abs)\ V3r) = (ap\ (ap\ (c.2Elist_2EMAP \\
& \quad A_27a\ A_27b)\ V1abs)\ V4s)))))))))) \\
& \hspace{15em} (28)
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (29)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (30)$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \\
& \hspace{15em} (31)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \\
& \hspace{15em} (32)
\end{aligned}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (33)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (\\
& (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee (\neg(\\
& p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\
& \quad ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \\
& \hspace{15em} (34)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r)))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (\\
& \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))
\end{aligned} \tag{38}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow (\\
& \forall V0R \in ((2^{A.27a})^{A.27a}). (\forall V1abs \in (A.27b^{A.27a}). \\
& (\forall V2rep \in (A.27a^{A.27b}). ((p (ap (ap (ap (c.2Equotient.2EQUOTIENT \\
& A.27a A.27b) V0R) V1abs) V2rep)) \Rightarrow (p (ap (ap (ap (c.2Equotient.2EQUOTIENT \\
& (ty.2Elist.2Elist A.27a) (ty.2Elist.2Elist A.27b)) (ap (c.2Elist.2ELIST_REL \\
& A.27a A.27a) V0R)) (ap (c.2Elist.2EMAP A.27a A.27b) V1abs)) (ap \\
& (c.2Elist.2EMAP A.27b A.27a) V2rep))))))
\end{aligned}$$