

thm_2Equotient__list_2ELIST__REL__REL
(TMabLkaK5SnRJpEzsC7CGeNqdG6rVCbvDHu)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ecombin_2EK` to be $\lambda A.27a : \iota. \lambda A.27b : \iota. (\lambda V0x \in A.27a. (\lambda V1y \in A.27b. V0x))$

Definition 3 We define `c_2Ecombin_2ES` to be $\lambda A.27a : \iota. \lambda A.27b : \iota. \lambda A.27c : \iota. (\lambda V0f \in ((A.27c^{A.27b})^{A.27a}))$

Definition 4 We define `c_2Ecombin_2EI` to be $\lambda A.27a : \iota. (\text{ap } (\text{ap } (\text{c_2Ecombin_2ES } A.27a) (A.27a^{A.27a})))$

Let `ty_2Elist_2Elist` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty_2Elist_2Elist } A0) \quad (1)$$

Let `c_2Elist_2EMAP` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a. \text{nonempty } A.27a \Rightarrow \forall A.27b. \text{nonempty } A.27b \Rightarrow \text{c_2Elist_2EMAP } A.27a \ A.27b \in (((\text{ty_2Elist_2Elist } A.27b)^{(\text{ty_2Elist_2Elist } A.27a)})^{(A.27b^{A.27a})}) \quad (2)$$

Definition 5 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (\text{ap } P \ x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p (\text{ap } P \ x)))$ of type $\iota \Rightarrow \iota$.

Definition 6 We define `c_2Ebool_2E_3F` to be $\lambda A.27a : \iota. (\lambda V0P \in (2^{A.27a}). (\text{ap } V0P) (\text{ap } (\text{c_2Emin_2E_40 } A.27a) P))$

Let `c_2Elist_2ECONS` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a. \text{nonempty } A.27a \Rightarrow \text{c_2Elist_2ECONS } A.27a \in (((\text{ty_2Elist_2Elist } A.27a)^{(\text{ty_2Elist_2Elist } A.27a)})^{A.27a}) \quad (3)$$

Definition 7 We define `c_2Ebool_2E_2T` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2)) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x))$

Let `c_2Elist_2ENIL` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a. \text{nonempty } A.27a \Rightarrow \text{c_2Elist_2ENIL } A.27a \in (\text{ty_2Elist_2Elist } A.27a) \quad (4)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (13)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (14)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((ap (c_2Ecombin_2El A_27a) V0x) = V0x)) \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\ & (\forall V0f \in (A_27b^{A_27a}).((ap (ap (c_2Elist_2EMAP A_27a A_27b) V0f) (c_2Elist_2ENIL A_27a)) = (c_2Elist_2ENIL A_27b))) \wedge (\forall V1f \in \\ & (A_27b^{A_27a}).(\forall V2h \in A_27a.(\forall V3t \in (ty_2Elist_2Elist \\ & A_27a).((ap (ap (c_2Elist_2EMAP A_27a A_27b) V1f) (ap (ap (c_2Elist_2ECONS \\ & A_27a) V2h) V3t)) = (ap (ap (c_2Elist_2ECONS A_27b) (ap V1f V2h)) \\ & (ap (ap (c_2Elist_2EMAP A_27a A_27b) V1f) V3t)))))) \quad (18) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist A_27a)}). \\ & (((p (ap V0P (c_2Elist_2ENIL A_27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist \\ & A_27a).((p (ap V0P V1t)) \Rightarrow (\forall V2h \in A_27a.(p (ap V0P (ap (ap (\\ & c_2Elist_2ECONS A_27a) V2h) V1t)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\ & A_27a).(p (ap V0P V3l)))))) \quad (19) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0l \in (ty_2Elist_2Elist \\ & A_27a).((V0l = (c_2Elist_2ENIL A_27a)) \vee (\exists V1h \in A_27a.(\\ & \exists V2t \in (ty_2Elist_2Elist A_27a).(V0l = (ap (ap (c_2Elist_2ECONS \\ & A_27a) V1h) V2t)))))) \quad (20) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0a0 \in A_27a. (\forall V1a1 \in \\ (ty_2Elist_2Elist\ A_27a). (\forall V2a0_27 \in A_27a. (\forall V3a1_27 \in \\ (ty_2Elist_2Elist\ A_27a). (((ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V0a0) \\ V1a1) = (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V2a0_27)\ V3a1_27)) \Leftrightarrow ((V0a0 = \\ V2a0_27) \wedge (V1a1 = V3a1_27))))))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0a1 \in (ty_2Elist_2Elist \\ A_27a). (\forall V1a0 \in A_27a. (\neg((c_2Elist_2ENIL\ A_27a) = (ap\ (\\ ap\ (c_2Elist_2ECONS\ A_27a)\ V1a0)\ V0a1)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0a1 \in (ty_2Elist_2Elist \\ A_27a). (\forall V1a0 \in A_27a. (\neg((ap\ (ap\ (c_2Elist_2ECONS\ A_27a) \\ V1a0)\ V0a1) = (c_2Elist_2ENIL\ A_27a)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0R \in ((2^{A_27b})^{A_27a}). (\forall V1a \in A_27a. (\forall V2as \in \\ (ty_2Elist_2Elist\ A_27a). (\forall V3b \in A_27b. (\forall V4bs \in \\ (ty_2Elist_2Elist\ A_27b). (((p\ (ap\ (ap\ (ap\ (c_2Elist_2ELIST_REL \\ A_27a\ A_27b)\ V0R)\ (c_2Elist_2ENIL\ A_27a))\ (c_2Elist_2ENIL\ A_27b))) \Leftrightarrow \\ True) \wedge (((p\ (ap\ (ap\ (ap\ (c_2Elist_2ELIST_REL\ A_27a\ A_27b)\ V0R) \\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V1a)\ V2as))\ (c_2Elist_2ENIL\ A_27b))) \Leftrightarrow \\ False) \wedge (((p\ (ap\ (ap\ (ap\ (c_2Elist_2ELIST_REL\ A_27a\ A_27b)\ V0R) \\ (c_2Elist_2ENIL\ A_27a))\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27b)\ V3b)\ V4bs))) \Leftrightarrow \\ False) \wedge ((p\ (ap\ (ap\ (ap\ (c_2Elist_2ELIST_REL\ A_27a\ A_27b)\ V0R) \\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V1a)\ V2as))\ (ap\ (ap\ (c_2Elist_2ECONS \\ A_27b)\ V3b)\ V4bs))) \Leftrightarrow ((p\ (ap\ (ap\ V0R\ V1a)\ V3b)) \wedge (p\ (ap\ (ap\ (ap\ (c_2Elist_2ELIST_REL \\ A_27a\ A_27b)\ V0R)\ V2as)\ V4bs))))))))))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0R \in ((2^{A_27a})^{A_27a}). (\forall V1abs \in (A_27b)^{A_27a}). \\ (\forall V2rep \in (A_27a)^{A_27b}). ((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\ A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3r \in A_27a. (\forall V4s \in \\ A_27a. ((p\ (ap\ (ap\ V0R\ V3r)\ V4s)) \Leftrightarrow ((p\ (ap\ (ap\ V0R\ V3r)\ V3r)) \wedge ((p\ (ap \\ (ap\ V0R\ V4s)\ V4s)) \wedge ((ap\ V1abs\ V3r) = (ap\ V1abs\ V4s)))))))))) \end{aligned} \quad (25)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (26)$$

Assume the following.

$$(\forall V0A \in 2.((p \vee 0A) \Rightarrow ((\neg(p \vee 0A)) \Rightarrow \text{False}))) \quad (27)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p \vee 0A) \vee (p \vee 1B))) \Rightarrow \text{False}) \Leftrightarrow ((p \vee 0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p \vee 1B)) \Rightarrow \text{False})))) \quad (28)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p \vee 0A)) \vee (p \vee 1B))) \Rightarrow \text{False}) \Leftrightarrow ((p \vee 0A) \Rightarrow ((\neg(p \vee 1B)) \Rightarrow \text{False})))) \quad (29)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p \vee 0A)) \Rightarrow \text{False}) \Rightarrow (((p \vee 0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (30)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \vee 0p) \Leftrightarrow (p \vee 1q) \Leftrightarrow (p \vee 2r))) \Leftrightarrow (((p \vee 0p) \vee ((p \vee 1q) \vee (p \vee 2r))) \wedge (((p \vee 0p) \vee ((\neg(p \vee 2r)) \vee (\neg(p \vee 1q)))) \wedge (((p \vee 1q) \vee ((\neg(p \vee 2r)) \vee (\neg(p \vee 0p)))) \wedge ((p \vee 2r) \vee ((\neg(p \vee 1q)) \vee (\neg(p \vee 0p)))))))))) \quad (31)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \vee 0p) \Leftrightarrow (p \vee 1q) \wedge (p \vee 2r)) \Leftrightarrow (((p \vee 0p) \vee ((\neg(p \vee 1q)) \vee (\neg(p \vee 2r)))) \wedge (((p \vee 1q) \vee (\neg(p \vee 0p))) \wedge ((p \vee 2r) \vee (\neg(p \vee 0p)))))))) \quad (32)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \vee 0p) \Leftrightarrow (p \vee 1q) \vee (p \vee 2r)) \Leftrightarrow (((p \vee 0p) \vee (\neg(p \vee 1q))) \wedge (((p \vee 0p) \vee (\neg(p \vee 2r))) \wedge ((p \vee 1q) \vee ((p \vee 2r) \vee (\neg(p \vee 0p)))))))) \quad (33)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \vee 0p) \Leftrightarrow (p \vee 1q) \Rightarrow (p \vee 2r)) \Leftrightarrow (((p \vee 0p) \vee (p \vee 1q)) \wedge (((p \vee 0p) \vee (\neg(p \vee 2r))) \wedge ((\neg(p \vee 1q)) \vee ((p \vee 2r) \vee (\neg(p \vee 0p)))))))) \quad (34)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p \vee 0p) \Leftrightarrow (\neg(p \vee 1q))) \Leftrightarrow (((p \vee 0p) \vee (p \vee 1q)) \wedge ((\neg(p \vee 1q)) \vee (\neg(p \vee 0p)))))) \quad (35)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0R \in ((2^{A_27a})^{A_27a}). (\forall V1abs \in (A_27b^{A_27a}). \\ & (\forall V2rep \in (A_27a^{A_27b}). ((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\ & \quad A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep))) \Rightarrow (\forall V3r \in (ty_2Elist_2Elist \\ & \quad A_27a). (\forall V4s \in (ty_2Elist_2Elist\ A_27a). ((p\ (ap\ (ap\ (ap \\ & (c_2Elist_2ELIST_REL\ A_27a\ A_27a)\ V0R)\ V3r)\ V4s)) \Leftrightarrow ((p\ (ap\ (ap \\ & (ap\ (c_2Elist_2ELIST_REL\ A_27a\ A_27a)\ V0R)\ V3r)\ V3r)) \wedge ((p\ (ap \\ & (ap\ (ap\ (c_2Elist_2ELIST_REL\ A_27a\ A_27a)\ V0R)\ V4s)\ V4s)) \wedge ((ap \\ & (ap\ (c_2Elist_2EMAP\ A_27a\ A_27b)\ V1abs)\ V3r) = (ap\ (ap\ (c_2Elist_2EMAP \\ & \quad A_27a\ A_27b)\ V1abs)\ V4s)))))))))) \end{aligned}$$