

thm_2Equotient_list_2ESOME_EL_PRS
(TMF5bXGP45qBh5H1m6SQ1nDkAeCcMmow2kz)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Definition 7 We define $c_2Ecombin_2E_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

Definition 8 We define $c_2Ecombin_2E_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a})$

Definition 9 We define $c_2Ecombin_2E_2EI$ to be $\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2E_2ES A_27a (A_27a^{A_27a}) A_27a$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $c_2Elist_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Elist_2EMAP \\ & A_27a A_27b \in (((ty_2Elist_2Elist A_27b)^{(ty_2Elist_2Elist A_27a)})^{(A_27b^{A_27a})}) \end{aligned} \quad (2)$$

Definition 10 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t$

Let $c_2Elist_2EEXISTS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2EEXISTS A_27a \in ((2^{(ty_2Elist_2Elist A_27a)})^{(2^{A_27a})}) \quad (3)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0P \in (2^{A_27a}).((p\ (ap \\
& (ap\ (c_2Elist_2EEXISTS\ A_27a)\ V0P)\ (c_2Elist_2ENIL\ A_27a))) \Leftrightarrow \\
& \quad False)) \wedge (\forall V1P \in (2^{A_27a}).(\forall V2h \in A_27a.(\forall V3t \in \\
& \quad (ty_2Elist_2Elist\ A_27a).((p\ (ap\ (ap\ (c_2Elist_2EEXISTS\ A_27a) \\
& \quad V1P)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V2h)\ V3t)))) \Leftrightarrow ((p\ (ap\ V1P\ V2h)) \vee \\
& \quad (p\ (ap\ (ap\ (c_2Elist_2EEXISTS\ A_27a)\ V1P)\ V3t))))))
\end{aligned} \tag{13}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist\ A_27a)}). \\
& ((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A_27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist \\
& \quad A_27a).((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A_27a.(p\ (ap\ V0P\ (ap\ (ap\ (\\
& \quad c_2Elist_2ECONS\ A_27a)\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\
& \quad A_27a).(p\ (ap\ V0P\ V3l))))))
\end{aligned} \tag{14}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3a \in A_27b.((ap\ V1abs \\
& \quad (ap\ V2rep\ V3a)) = V3a))))))
\end{aligned} \tag{15}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0f \in (A_27c^{A_27a}). \\
& \quad (\forall V1g \in (A_27d^{A_27b}).(\forall V2h \in (A_27b^{A_27c}).(\forall V3x \in \\
& \quad A_27a.((ap\ (ap\ (ap\ (ap\ (c_2Equotient_2E_2D_2D_3E\ A_27a\ A_27b\ A_27c \\
& \quad A_27d)\ V0f)\ V1g)\ V2h)\ V3x) = (ap\ V1g\ (ap\ V2h\ (ap\ V0f\ V3x)))))))))
\end{aligned} \tag{16}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\
& \quad A_27b).(\forall V4P \in (2^{A_27b}).((p\ (ap\ (ap\ (c_2Elist_2EEXISTS \\
& \quad A_27b)\ V4P)\ V3l)) \Leftrightarrow (p\ (ap\ (ap\ (c_2Elist_2EEXISTS\ A_27a)\ (ap\ (ap\ (\\
& \quad ap\ (c_2Equotient_2E_2D_2D_3E\ A_27a\ 2\ A_27b\ 2)\ V1abs)\ (c_2Ecombin_2EI \\
& \quad 2))\ V4P))\ (ap\ (ap\ (c_2Elist_2EMAP\ A_27b\ A_27a)\ V2rep)\ V3l)))))))))
\end{aligned}$$