

thm_2Equotient_option_2ENONE__RSP (TM- RcV79s5aNdZ48GYQjJLF6KZ4XtvcU7hW6)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p \Rightarrow p \Rightarrow Q)$ of type ι .

Definition 3 We define `c_2Ebool_2ET` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2)) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x))$

Definition 4 We define `c_2Ebool_2E_21` to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A_27a}))))$

Definition 5 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V2t \in 2. V2t))))$

Definition 6 We define `c_2Equotient_2EQUOTIENT` to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1R \in ((2^{A_27b})^{A_27b}). \text{inj_o } (V0R = V1R)$

Definition 7 We define `c_2Ebool_2EF` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V0t \in 2. V0t))$.

Let `ty_2Eone_2Eone` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2Eone_2Eone} \tag{1}$$

Let `ty_2Esum_2Esum` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty } (\text{ty_2Esum_2Esum } A0 \ A1) \tag{2}$$

Let `c_2Esum_2EABS_sum` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow \forall A_27b. \text{nonempty } A_27b \Rightarrow \text{c_2Esum_2EABS_sum } A_27a \ A_27b \in ((\text{ty_2Esum_2Esum } A_27a \ A_27b)^{((2^{A_27b})^{A_27a})^2}) \tag{3}$$

Definition 8 We define `c_2Esum_2EINL` to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27a. (\text{ap } (\text{c_2Esum_2EABS_sum } A_27a \ A_27b) V0e)$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (4)$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Eoption_2Eoption_ABS\ A.27a \in ((ty_2Eoption_2Eoption\ A.27a)^{(ty_2Esum_2Esum\ A.27a\ ty_2Eone_2Eone)}) \quad (5)$$

Definition 9 We define $c_2Eoption_2ESOME$ to be $\lambda A.27a : \iota. \lambda V0x \in A.27a.(ap\ (c_2Eoption_2Eoption_ABS\ A.27a)\ (V0x))$

Definition 10 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x.x \in A.\lambda y.p\ (ap\ P\ x))) \text{ of type } \iota \Rightarrow \iota.$

Definition 11 We define c_2Eone_2Eone to be $(ap\ (c_2Emin_2E_40\ ty_2Eone_2Eone)\ (\lambda V0x \in ty_2Eone_2Eone.\ V0x))$

Definition 12 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E\ V0t))$

Definition 13 We define c_2Esum_2EINR to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0e \in A.27b.(ap\ (c_2Esum_2EABS\ A.27a\ A.27b)\ (V0e))$

Definition 14 We define $c_2Eoption_2ENONE$ to be $\lambda A.27a : \iota.(ap\ (c_2Eoption_2Eoption_ABS\ A.27a)\ (V0))$

Definition 15 We define $c_2Ebool_2E_3F$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A.27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40\ V0P)\ (V0))))$

Definition 16 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.(ap\ (c_2Ebool_2E_7E\ V2t)\ (V1t2))))))$

Definition 17 We define $c_2Eoption_2EOPTREL$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0R \in ((2^{A.27b})^{A.27a}).\lambda V1x \in A.27b.(ap\ (c_2Eoption_2Eoption_ABS\ A.27a)\ (V0R\ V1x))$

Assume the following.

$$True \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0R \in ((2^{A.27a})^{A.27a}). \\ & (\forall V1x \in A.27a.(\forall V2y \in A.27a.(((p\ (ap\ (ap\ (ap\ (c_2Eoption_2EOPTREL\ A.27a\ A.27a)\ V0R)\ (c_2Eoption_2ENONE\ A.27a))\ (c_2Eoption_2ENONE\ A.27a))) \Leftrightarrow True) \wedge (((p\ (ap\ (ap\ (ap\ (c_2Eoption_2EOPTREL\ A.27a\ A.27a)\ V0R)\ (ap\ (c_2Eoption_2ESOME\ A.27a)\ V1x))\ (c_2Eoption_2ENONE\ A.27a))) \Leftrightarrow \\ & False) \wedge (((p\ (ap\ (ap\ (ap\ (c_2Eoption_2EOPTREL\ A.27a\ A.27a)\ V0R)\ (c_2Eoption_2ENONE\ A.27a))\ (ap\ (c_2Eoption_2ESOME\ A.27a)\ V2y))) \Leftrightarrow \\ & False) \wedge ((p\ (ap\ (ap\ (ap\ (c_2Eoption_2EOPTREL\ A.27a\ A.27a)\ V0R)\ (ap\ (c_2Eoption_2ESOME\ A.27a)\ V1x))\ (ap\ (c_2Eoption_2ESOME\ A.27a)\ V2y))) \Leftrightarrow (p\ (ap\ (ap\ V0R\ V1x)\ V2y)))))))))) \end{aligned} \quad (7)$$

Theorem 1

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \forall V0R \in ((2^{A.27a})^{A.27a}).(\forall V1abs \in (A.27b)^{A.27a}). \\ & (\forall V2rep \in (A.27a)^{A.27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT\ A.27a\ A.27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (p\ (ap\ (ap\ (ap\ (c_2Eoption_2EOPTREL\ A.27a\ A.27a)\ V0R)\ (c_2Eoption_2ENONE\ A.27a))\ (c_2Eoption_2ENONE\ A.27a)))))) \end{aligned}$$