

# thm\_2Equotient\_option\_2EOPTION\_MAP\_RSP (TMKReZ3T9viNbHQZsxHvkKiouiScVYgWUkc)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2E$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F))$

**Definition 7** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 8** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40 A\_27a P))))$

**Definition 9** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))))$

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Eoption\_2Eoption A0) \quad (1)$$

Let  $c\_2Eoption\_2EOPTION\_MAP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Eoption\_2EOPTION\_MAP A\_27a A\_27b \in (((ty\_2Eoption\_2Eoption A\_27b)^{(ty\_2Eoption\_2Eoption A\_27a)})^{(A\_27b^{A\_27a})}) \quad (2)$$

**Definition 10** We define  $c\_2Equotient\_2E\_3D\_3D\_3D\_3E$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R1 \in ((2^{A\_27a})^{A\_27b})$

**Definition 11** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))))$

**Definition 12** We define  $c\_2Equotient\_2EQUOTIENT$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).\lambda$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (3)$$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \quad (4)$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \quad (5)$$

**Definition 13** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27a.(ap\ (c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b)\ V0e)$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS\ A\_27a \in ((ty\_2Eoption\_2Eoption\ A\_27a)^{(ty\_2Esum\_2Esum\ A\_27a\ ty\_2Eone\_2Eone)}) \quad (6)$$

**Definition 14** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.(ap\ (c\_2Eoption\_2Eoption\_ABS\ A\_27a)\ V0x)$

**Definition 15** We define  $c\_2Eone\_2Eone$  to be  $(ap\ (c\_2Emin\_2E40\ ty\_2Eone\_2Eone)\ (\lambda V0x \in ty\_2Eone\_2Eone)\ V0x)$

**Definition 16** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27b.(ap\ (c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b)\ V0e)$

**Definition 17** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota.(ap\ (c\_2Eoption\_2Eoption\_ABS\ A\_27a)\ (\lambda V0x \in A\_27a)\ V0x)$

**Definition 18** We define  $c\_2Eoption\_2EOPTREL$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A\_27b})^{A\_27a}).\lambda V1x \in A\_27b.(ap\ (c\_2Eoption\_2Eoption\_ABS\ A\_27a)\ V0R)$

Assume the following.

$$True \quad (7)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (( \\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0opt \in (ty\_2Eoption\_2Eoption \\ A\_27a).((V0opt = (c\_2Eoption\_2ENONE\ A\_27a)) \vee (\exists V1x \in A\_27a. \\ (V0opt = (ap\ (c\_2Eoption\_2ESOME\ A\_27a)\ V1x)))))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ (\forall V0f \in (A\_27b^{A\_27a}).(\forall V1x \in A\_27a.((ap\ (ap\ (c\_2Eoption\_2EOPTION\_MAP \\ A\_27a\ A\_27b)\ V0f)\ (ap\ (c\_2Eoption\_2ESOME\ A\_27a)\ V1x)) = (ap\ (c\_2Eoption\_2ESOME \\ A\_27b)\ (ap\ V0f\ V1x)))))) \wedge (\forall V2f \in (A\_27b^{A\_27a}).((ap\ (ap\ (c\_2Eoption\_2EOPTION\_MAP \\ A\_27a\ A\_27b)\ V2f)\ (c\_2Eoption\_2ENONE\ A\_27a)) = (c\_2Eoption\_2ENONE \\ A\_27b)))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\ nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0R1 \in ( \\ (2^{A\_27a})^{A\_27a}).(\forall V1abs1 \in (A\_27c^{A\_27a}).(\forall V2rep1 \in \\ (A\_27a^{A\_27c}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ A\_27a\ A\_27c) \\ V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A\_27b})^{A\_27b}).(\forall V4abs2 \in \\ (A\_27d^{A\_27b}).(\forall V5rep2 \in (A\_27b^{A\_27d}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\ A\_27b\ A\_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (\forall V6f \in (A\_27b^{A\_27a}). \\ (\forall V7g \in (A\_27b^{A\_27a}).(\forall V8x \in A\_27a.(\forall V9y \in \\ A\_27a.(((p\ (ap\ (ap\ (ap\ (ap\ (c\_2Equotient\_2E\_3D\_3D\_3D\_3E\ A\_27a \\ A\_27b)\ V0R1)\ V3R2)\ V6f)\ V7g)) \wedge (p\ (ap\ (ap\ V0R1\ V8x)\ V9y))) \Rightarrow (p\ (ap\ ( \\ ap\ V3R2\ (ap\ V6f\ V8x)\ (ap\ V7g\ V9y)))))))))))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0R \in ((2^{A\_27a})^{A\_27a}). \\ (\forall V1x \in A\_27a.(\forall V2y \in A\_27a.(((p\ (ap\ (ap\ (ap\ (c\_2Eoption\_2EOPTREL \\ A\_27a\ A\_27a)\ V0R)\ (c\_2Eoption\_2ENONE\ A\_27a))\ (c\_2Eoption\_2ENONE \\ A\_27a))) \Leftrightarrow True) \wedge (((p\ (ap\ (ap\ (ap\ (c\_2Eoption\_2EOPTREL\ A\_27a\ A\_27a) \\ V0R)\ (ap\ (c\_2Eoption\_2ESOME\ A\_27a)\ V1x))\ (c\_2Eoption\_2ENONE\ A\_27a))) \Leftrightarrow \\ False) \wedge (((p\ (ap\ (ap\ (ap\ (c\_2Eoption\_2EOPTREL\ A\_27a\ A\_27a)\ V0R) \\ (c\_2Eoption\_2ENONE\ A\_27a))\ (ap\ (c\_2Eoption\_2ESOME\ A\_27a)\ V2y))) \Leftrightarrow \\ False) \wedge ((p\ (ap\ (ap\ (ap\ (c\_2Eoption\_2EOPTREL\ A\_27a\ A\_27a)\ V0R)\ ( \\ ap\ (c\_2Eoption\_2ESOME\ A\_27a)\ V1x))\ (ap\ (c\_2Eoption\_2ESOME\ A\_27a) \\ V2y))) \Leftrightarrow (p\ (ap\ (ap\ V0R\ V1x)\ V2y)))))))))) \end{aligned} \quad (13)$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& \quad nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0R1 \in ( \\
& \quad (2^{A\_27a})^{A\_27a}).(\forall V1abs1 \in (A\_27c^{A\_27a}).(\forall V2rep1 \in \\
& \quad (A\_27a^{A\_27c}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ A\_27a\ A\_27c) \\
& \quad V0R1\ V1abs1\ V2rep1))) \Rightarrow (\forall V3R2 \in ((2^{A\_27b})^{A\_27b}).(\forall V4abs2 \in \\
& \quad (A\_27d^{A\_27b}).(\forall V5rep2 \in (A\_27b^{A\_27d}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27b\ A\_27d)\ V3R2)\ V4abs2)\ V5rep2))) \Rightarrow (\forall V6a1 \in (ty\_2Eoption\_2Eoption \\
& \quad A\_27a).(\forall V7a2 \in (ty\_2Eoption\_2Eoption\ A\_27a).(\forall V8f1 \in \\
& \quad (A\_27b^{A\_27a}).(\forall V9f2 \in (A\_27b^{A\_27a}).(((p\ (ap\ (ap\ (ap\ (ap \\
& \quad (c\_2Equotient\_2E\_3D\_3D\_3E\ A\_27a\ A\_27b)\ V0R1)\ V3R2)\ V8f1)\ V9f2))) \wedge \\
& \quad (p\ (ap\ (ap\ (ap\ (c\_2Eoption\_2EOPTREL\ A\_27a\ A\_27a)\ V0R1)\ V6a1)\ V7a2)))) \Rightarrow \\
& \quad (p\ (ap\ (ap\ (ap\ (c\_2Eoption\_2EOPTREL\ A\_27b\ A\_27b)\ V3R2)\ (ap\ (ap\ (c\_2Eoption\_2EOPTION\_MAP \\
& \quad A\_27a\ A\_27b)\ V8f1)\ V6a1))\ (ap\ (ap\ (c\_2Eoption\_2EOPTION\_MAP\ A\_27a \\
& \quad A\_27b)\ V9f2)\ V7a2)))))))))))))
\end{aligned}$$