

thm_2Equotient__option_2ESOME__PRS
(TMdnjFjPjvPxsVTbviCE9QNeU5voPYXkGoG)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_7E$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \tag{1}$$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ **then** (the $(\lambda x.x \in A \wedge p x)$) of type $\iota \Rightarrow \iota$.

Definition 4 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone))$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 6 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 7 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 8 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \tag{2}$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \tag{3}$$

Definition 10 We define c_2Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap (c_2Esum_2EABS$
Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty_2Eoption_2Eoption A0) \quad (4)$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Eoption_2Eoption_ABS A_27a \in ((ty_2Eoption_2Eoption A_27a)^{(ty_2Esum_2Esum A_27a ty_2Eone_2Eone)}) \quad (5)$$

Definition 11 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota. (ap (c_2Eoption_2Eoption_ABS A_27a) (c_2Eoption_2ENONE A_27a))$

Definition 12 We define c_2Esum_2EINL to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27a. (ap (c_2Esum_2EABS$

Definition 13 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap (c_2Eoption_2Eoption_MAP$

Let $c_2Eoption_2EOPTION_MAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Eoption_2EOPTION_MAP A_27a A_27b \in (((ty_2Eoption_2Eoption A_27b)^{(ty_2Eoption_2Eoption A_27a)})^{(A_27b^{A_27a})}) \quad (6)$$

Definition 14 We define $c_2Equotient_2EQUOTIENT$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda$

Assume the following.

$$True \quad (7)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (8)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow ((\forall V0f \in (A_27b^{A_27a}). (\forall V1x \in A_27a. ((ap (ap (c_2Eoption_2EOPTION_MAP A_27a A_27b) V0f) (ap (c_2Eoption_2ESOME A_27a) V1x)) = (ap (c_2Eoption_2ESOME A_27b) (ap V0f V1x)))))) \wedge (\forall V2f \in (A_27b^{A_27a}). ((ap (ap (c_2Eoption_2EOPTION_MAP A_27a A_27b) V2f) (c_2Eoption_2ENONE A_27a)) = (c_2Eoption_2ENONE A_27b)))))) \quad (9)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}). (\forall V1abs \in (A_27b^{A_27a}). (\forall V2rep \in (A_27a^{A_27b}). ((p (ap (ap (ap (c_2Equotient_2EQUOTIENT A_27a A_27b) V0R) V1abs) V2rep)) \Rightarrow (\forall V3a \in A_27b. ((ap V1abs (ap V2rep V3a)) = V3a)))))) \quad (10)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\ & \quad (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\ & A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3x \in A_27b.((ap\ (c_2Eoption_2ESOME \\ & A_27b)\ V3x) = (ap\ (ap\ (c_2Eoption_2EOPTION_MAP\ A_27a\ A_27b)\ V1abs) \\ & \quad (ap\ (c_2Eoption_2ESOME\ A_27a)\ (ap\ V2rep\ V3x)))))))))) \end{aligned}$$