

thm_2Equotient__pair_2EPAIR__QUOTIENT (TMMti4dtsMLZyTA8qpiBGsgopXZH83s845a)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2ET` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2))) (\lambda V 0x \in 2. V 0x)) (\lambda V 1x \in 2. V 1x)$

Definition 3 We define `c_2Ecombin_2EK` to be $\lambda A. \lambda 27a : \iota. \lambda A. \lambda 27b : \iota. (\lambda V 0x \in A. 27a. (\lambda V 1y \in A. 27b. V 0x))$

Definition 4 We define `c_2Ecombin_2ES` to be $\lambda A. \lambda 27a : \iota. \lambda A. \lambda 27b : \iota. \lambda A. \lambda 27c : \iota. (\lambda V 0f \in ((A. 27c^{A. 27b})^{A. 27a}))$

Definition 5 We define `c_2Ecombin_2EI` to be $\lambda A. \lambda 27a : \iota. (\text{ap } (\text{ap } (\text{c_2Ecombin_2ES } A. 27a (A. 27a^{A. 27a})) A. 27a))$

Definition 6 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (\text{ap } P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge P x))$ of type $\iota \Rightarrow \iota$.

Definition 7 We define `c_2Ebool_2E_3F` to be $\lambda A. \lambda 27a : \iota. (\lambda V 0P \in (2^{A. 27a}). (\text{ap } V 0P (\text{ap } (\text{c_2Emin_2E_40 } A. 27a))))$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \forall A 1. \text{nonempty } A 1 \Rightarrow \text{nonempty } (\text{ty_2Epair_2Eprod } A 0 A 1) \tag{1}$$

Let `c_2Epair_2ESND` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \forall A. 27b. \text{nonempty } A. 27b \Rightarrow \text{c_2Epair_2ESND } A. 27a A. 27b \in (A. 27b)^{(\text{ty_2Epair_2Eprod } A. 27a A. 27b)} \tag{2}$$

Let `c_2Epair_2EFST` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \forall A. 27b. \text{nonempty } A. 27b \Rightarrow \text{c_2Epair_2EFST } A. 27a A. 27b \in (A. 27a)^{(\text{ty_2Epair_2Eprod } A. 27a A. 27b)} \tag{3}$$

Definition 8 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p P \Rightarrow p Q)$ of type ι .

Definition 9 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A-27a}). (ap (ap (c_2Emin_2E_3D (2^{A-27a})))$

Definition 10 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. (ap (c_2Emin_2E_3D (2^{A-27a})))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A-27b})^{A-27a}}) \quad (4)$$

Definition 11 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap (c_2Emin_2E_3D (2^{A-27a})))$

Definition 12 We define $c_2Epair_2E_23_23$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda A_27d : \iota. \lambda V0f \in (A_27a \times A_27b \times A_27c \times A_27d) \Rightarrow (c_2Emin_2E_3D (2^{A-27a}))$

Definition 13 We define $c_2Equotient_2EQUOTIENT$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A-27a})^{A-27a}). \lambda V0f \in (A_27a \times A_27b) \Rightarrow (c_2Emin_2E_3D (2^{A-27a}))$

Definition 14 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in ((A_27c)^{A-27a}). \lambda V0x \in A_27a. \lambda V0y \in A_27b. (ap (c_2Emin_2E_3D (2^{A-27a})))$

Definition 15 We define $c_2Equotient_pair_2E_23_23_23$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda A_27d : \iota. \lambda V0f \in (A_27a \times A_27b \times A_27c \times A_27d) \Rightarrow (c_2Emin_2E_3D (2^{A-27a}))$

Definition 16 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2. V0t))$.

Definition 17 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. (ap (c_2Emin_2E_3D (2^{A-27a})))$

Definition 18 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F V0t))$

Assume the following.

$$True \quad (5)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (6)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p\ V0t) \Leftrightarrow (p\ V0t))) \quad (7)$$

Assume the following.

$$(\forall V0t \in 2. (((p\ V0t) \Rightarrow False) \Rightarrow (\neg (p\ V0t)))) \quad (8)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg (p\ V0t)) \Rightarrow ((p\ V0t) \Rightarrow False))) \quad (9)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (10)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (11)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (12)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (14)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((ap (c_2Ecombin_2E1 A_27a) V0x) = V0x)) \quad (15)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27b.(\forall V2a \in A_27a.(\forall V3b \in A_27b.(((ap (ap (c_2Epair_2E_2C A_27a A_27b) V0x) V1y) = (ap (ap (c_2Epair_2E_2C A_27a A_27b) V2a) V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b))))))) \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\forall V0x \in (ty_2Epair_2Eprod A_27a A_27b).(\exists V1q \in A_27a.(\exists V2r \in A_27b.(V0x = (ap (ap (c_2Epair_2E_2C A_27a A_27b) V1q) V2r)))))) \quad (17)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow \forall A_27c.nonempty A_27c \Rightarrow \forall A_27d.nonempty A_27d \Rightarrow (\forall V0f \in (A_27b^{A_27a}).(\forall V1g \in (A_27d^{A_27c}).(\forall V2x \in A_27a.(\forall V3y \in A_27c.(((ap (ap (ap (c_2Epair_2E_23_23 A_27a A_27c A_27b A_27d) V0f) V1g) (ap (ap (c_2Epair_2E_2C A_27a A_27c) V2x) V3y)) = (ap (ap (c_2Epair_2E_2C A_27b A_27d) (ap V0f V2x)) (ap V1g V3y))))))) \quad (18)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3a \in A_27b.((ap\ V1abs \\
& \quad (ap\ V2rep\ V3a)) = V3a))))))
\end{aligned} \tag{19}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3a \in A_27b.(p\ (ap\ (ap \\
& \quad V0R\ (ap\ V2rep\ V3a))\ (ap\ V2rep\ V3a))))))
\end{aligned} \tag{20}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3r \in A_27a.(\forall V4s \in \\
& A_27a.((p\ (ap\ (ap\ V0R\ V3r)\ V4s)) \Leftrightarrow ((p\ (ap\ (ap\ V0R\ V3r)\ V3r)) \wedge ((p\ (ap\ (\\
& \quad (ap\ V0R\ V4s)\ V4s)) \wedge ((ap\ V1abs\ V3r) = (ap\ V1abs\ V4s))))))))))
\end{aligned} \tag{21}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0R1 \in (\\
& \quad (2^{A_27c})^{A_27a}).(\forall V1R2 \in ((2^{A_27d})^{A_27b}).(\forall V2a \in \\
& \quad A_27a.(\forall V3b \in A_27b.(\forall V4c \in A_27c.(\forall V5d \in A_27d. \\
& ((p\ (ap\ (ap\ (ap\ (ap\ (c_2Equotient_pair_2E_23_23_23\ A_27a\ A_27b \\
& \quad A_27c\ A_27d)\ V0R1)\ V1R2)\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2a)\ \\
& \quad V3b))\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27c\ A_27d)\ V4c)\ V5d))) \Leftrightarrow ((p\ (ap\ (\\
& \quad ap\ V0R1\ V2a)\ V4c)) \wedge (p\ (ap\ (ap\ V1R2\ V3b)\ V5d))))))
\end{aligned} \tag{22}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{23}$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{24}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))
\end{aligned} \tag{25}$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow (p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (26)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (27)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(\\ & p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee (\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\ & (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\ & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (\\ & \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ & (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \end{aligned} \quad (32)$$

Theorem 1

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow \forall A.27b.nonempty \ A.27b \Rightarrow \forall A.27c. \\ & nonempty \ A.27c \Rightarrow \forall A.27d.nonempty \ A.27d \Rightarrow (\forall V0R1 \in (\\ & (2^{A.27a})^{A.27a}).(\forall V1abs1 \in (A.27c^{A.27a}).(\forall V2rep1 \in \\ & (A.27a^{A.27c}).((p \ (ap \ (ap \ (ap \ (c.2Equotient_2EQUOTIENT \ A.27a \ A.27c) \\ & V0R1) \ V1abs1) \ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A.27b})^{A.27b}).(\forall V4abs2 \in \\ & (A.27d^{A.27b}).(\forall V5rep2 \in (A.27b^{A.27d}).((p \ (ap \ (ap \ (ap \ (c.2Equotient_2EQUOTIENT \\ & A.27b \ A.27d) \ V3R2) \ V4abs2) \ V5rep2)) \Rightarrow (p \ (ap \ (ap \ (ap \ (c.2Equotient_2EQUOTIENT \\ & (ty.2Epair_2Eprod \ A.27a \ A.27b) \ (ty.2Epair_2Eprod \ A.27c \ A.27d)) \\ & (ap \ (ap \ (c.2Equotient_pair_2E.23.23.23 \ A.27a \ A.27b \ A.27a \ A.27b) \\ & V0R1) \ V3R2)) \ (ap \ (ap \ (c.2Epair_2E.23.23 \ A.27a \ A.27b \ A.27c \ A.27d) \\ & V1abs1) \ V4abs2)) \ (ap \ (ap \ (c.2Epair_2E.23.23 \ A.27c \ A.27d \ A.27a \ A.27b) \\ & V2rep1) \ V5rep2)))))))))) \end{aligned}$$