

thm_2Equotient__pair_2ESND__RSP (TMKHv7sVmvvr7WjxYTxy1FShpEG6D7tM4m8)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow Q)$ of type ι .

Definition 3 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 5 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Definition 6 We define $c_2Equotient_2EQUOTIENT$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V$

Definition 7 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$.

Definition 8 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND A_27a A_27b \in (A_27b)^{(ty_2Epair_2Eprod A_27a A_27b)} \tag{2}$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \tag{3}$$

Definition 9 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2E$
 Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (4)$$

Definition 10 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27$

Definition 11 We define $c_2Equotient_pair_2E_23_23_23$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda A_27d : \iota.$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0x \in (ty_2Epair_2Eprod\ A_27a\ A_27b).(\exists V1q \in A_27a. \\ (\exists V2r \in A_27b.(V0x = (ap (ap (c_2Epair_2E_2C\ A_27a\ A_27b) \\ V1q)\ V2r)))))) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0x \in A_27a.(\forall V1y \in A_27b.((ap (c_2Epair_2ESND\ A_27a \\ A_27b) (ap (ap (c_2Epair_2E_2C\ A_27a\ A_27b) V0x) V1y)) = V1y))) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0R1 \in (\\ (2^{A_27c})^{A_27a}).(\forall V1R2 \in ((2^{A_27d})^{A_27b}).(\forall V2a \in \\ A_27a.(\forall V3b \in A_27b.(\forall V4c \in A_27c.(\forall V5d \in A_27d. \\ ((p (ap (ap (ap (ap (c_2Equotient_pair_2E_23_23_23\ A_27a\ A_27b \\ A_27c\ A_27d) V0R1) V1R2) (ap (ap (c_2Epair_2E_2C\ A_27a\ A_27b) V2a) \\ V3b)) (ap (ap (c_2Epair_2E_2C\ A_27c\ A_27d) V4c) V5d)))) \Leftrightarrow ((p (ap (\\ ap\ V0R1\ V2a)\ V4c)) \wedge (p (ap (ap\ V1R2\ V3b)\ V5d)))))))))) \end{aligned} \quad (7)$$

Theorem 1

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0R1 \in (\\ (2^{A_27a})^{A_27a}).(\forall V1abs1 \in (A_27c^{A_27a}).(\forall V2rep1 \in \\ (A_27a^{A_27c}).((p (ap (ap (ap (c_2Equotient_2EQUOTIENT\ A_27a\ A_27c) \\ V0R1) V1abs1) V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A_27b})^{A_27b}).(\forall V4abs2 \in \\ (A_27d^{A_27b}).(\forall V5rep2 \in (A_27b^{A_27d}).((p (ap (ap (ap (c_2Equotient_2EQUOTIENT \\ A_27b\ A_27d) V3R2) V4abs2) V5rep2)) \Rightarrow (\forall V6p1 \in (ty_2Epair_2Eprod \\ A_27a\ A_27b).(\forall V7p2 \in (ty_2Epair_2Eprod\ A_27a\ A_27b). \\ (p (ap (ap (ap (ap (c_2Equotient_pair_2E_23_23_23\ A_27a\ A_27b \\ A_27a\ A_27b) V0R1) V3R2) V6p1) V7p2)) \Rightarrow (p (ap (ap\ V3R2\ (ap (c_2Epair_2ESND \\ A_27a\ A_27b) V6p1)) (ap (c_2Epair_2ESND\ A_27a\ A_27b) V7p2)))))))))) \end{aligned}$$