

thm\_2Equotient\_\_pair\_2EUNCURRY\_\_PRS  
(TMGV3EoWwCJ3FdWWPPfAXCMVUSctcJvY91s)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

**Definition 3** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$  then (the  $(\lambda x.x \in A \wedge p (ap P x))$ ) of type  $\iota \Rightarrow \iota$ .

**Definition 4** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40 A\_27a P))))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \tag{1}$$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2ESND A\_27a A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod A\_27a A\_27b)}) \tag{2}$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EFST A\_27a A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod A\_27a A\_27b)}) \tag{3}$$

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a} P)) (c\_2Emin\_2E\_3D (2^{A\_27a} P))))$

**Definition 6** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c^{A\_27b})^{A\_27a})$

**Definition 7** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 8** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))))$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (4)$$

**Definition 9** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2E$

**Definition 10** We define  $c\_2Epair\_2E\_23\_23$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda A\_27d : \iota.\lambda V0f \in (A\_27$

**Definition 11** We define  $c\_2Equotient\_2EQUOTIENT$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).\lambda$

**Definition 12** We define  $c\_2Equotient\_2E\_2D\_2D\_3E$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda A\_27d : \iota.\lambda V0f$

Assume the following.

$$True \quad (5)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (6)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow (\forall V0x \in (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b).(\exists V1q \in A\_27a.(\exists V2r \in A\_27b.(V0x = (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V1q)\ V2r)))))) \quad (7)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c.nonempty\ A\_27c \Rightarrow (\forall V0f \in ((A\_27c^{A\_27b})^{A\_27a}).(\forall V1x \in A\_27a.(\forall V2y \in A\_27b.((ap\ (ap\ (c\_2Epair\_2EUNCURRY\ A\_27a\ A\_27b\ A\_27c)\ V0f)\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V1x)\ V2y))) = (ap\ (ap\ V0f\ V1x)\ V2y)))))) \quad (8)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c.nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0f \in (A\_27b^{A\_27a}).(\forall V1g \in (A\_27d^{A\_27c}).(\forall V2x \in A\_27a.(\forall V3y \in A\_27c.((ap\ (ap\ (ap\ (c\_2Epair\_2E\_23\_23\ A\_27a\ A\_27c\ A\_27b\ A\_27d)\ V0f)\ V1g)\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27c)\ V2x)\ V3y))) = (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27b\ A\_27d)\ (ap\ V0f\ V2x))\ (ap\ V1g\ V3y)))))) \quad (9)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow (\forall V0R \in ((2^{A\_27a})^{A\_27a}).(\forall V1abs \in (A\_27b^{A\_27a}).(\forall V2rep \in (A\_27a^{A\_27b}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ A\_27a\ A\_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3a \in A\_27b.((ap\ V1abs\ (ap\ V2rep\ V3a)) = V3a)))))) \quad (10)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0f \in (A\_27c^{A\_27a}). \\
& (\forall V1g \in (A\_27d^{A\_27b}). (\forall V2h \in (A\_27b^{A\_27c}). (\forall V3x \in \\
& A\_27a. ((ap\ (ap\ (ap\ (ap\ (c\_2Equotient\_2E\_2D\_2D\_3E\ A\_27a\ A\_27b\ A\_27c \\
& A\_27d)\ V0f)\ V1g)\ V2h)\ V3x) = (ap\ V1g\ (ap\ V2h\ (ap\ V0f\ V3x))))))))) \\
& \hspace{10em} (11)
\end{aligned}$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow \forall A\_27e.nonempty \\
& A\_27e \Rightarrow \forall A\_27f.nonempty\ A\_27f \Rightarrow (\forall V0R1 \in ((2^{A\_27a})^{A\_27a}). \\
& (\forall V1abs1 \in (A\_27d^{A\_27a}). (\forall V2rep1 \in (A\_27a^{A\_27d}). \\
& ((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ A\_27a\ A\_27d)\ V0R1)\ V1abs1) \\
& V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A\_27b})^{A\_27b}). (\forall V4abs2 \in ( \\
& A\_27e^{A\_27b}). (\forall V5rep2 \in (A\_27b^{A\_27e}). ((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& A\_27b\ A\_27e)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (\forall V6R3 \in ((2^{A\_27c})^{A\_27c}). \\
& (\forall V7abs3 \in (A\_27f^{A\_27c}). (\forall V8rep3 \in (A\_27c^{A\_27f}). \\
& ((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ A\_27c\ A\_27f)\ V6R3)\ V7abs3) \\
& V8rep3)) \Rightarrow (\forall V9f \in ((A\_27f^{A\_27e})^{A\_27d}). (\forall V10p \in ( \\
& ty\_2Epair\_2Eprod\ A\_27d\ A\_27e). ((ap\ (ap\ (c\_2Epair\_2EUNCURRY\ A\_27d \\
& A\_27e\ A\_27f)\ V9f)\ V10p) = (ap\ V7abs3\ (ap\ (ap\ (c\_2Epair\_2EUNCURRY \\
& A\_27a\ A\_27b\ A\_27c)\ (ap\ (ap\ (ap\ (c\_2Equotient\_2E\_2D\_2D\_3E\ A\_27a \\
& (A\_27f^{A\_27e})\ A\_27d\ (A\_27c^{A\_27b}))\ V1abs1)\ (ap\ (ap\ (c\_2Equotient\_2E\_2D\_2D\_3E \\
& A\_27b\ A\_27f\ A\_27e\ A\_27c)\ V4abs2)\ V8rep3))\ V9f))\ (ap\ (ap\ (ap\ (c\_2Epair\_2E\_23\_23 \\
& A\_27d\ A\_27e\ A\_27a\ A\_27b)\ V2rep1)\ V5rep2)\ V10p)))))))))))))
\end{aligned}$$