

thm_2Equotient__pred__set_2EDIFF__PRS (TMTU5S5tt6YYQ4bKYWBN5TLyxRseJC4xZts)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Definition 8 We define $c_2Ebool_2E_2IN$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \tag{2}$$

Definition 9 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2E$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a 2)^{A_27b}}) \tag{3}$$

Definition 10 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2E$

Definition 11 We define $c_2Equotient_2EQUOTIENT$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda$

Definition 12 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x)$

Definition 13 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c)^{A_27b})^{A_27a}).\lambda$

Definition 14 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2ES A_27a (A_27a)^{A_27a}) A$

Definition 15 We define $c_2Equotient_2E_2D_2D_3E$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda A_27d : \iota.\lambda V0j$

Assume the following.

$$True \tag{4}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \tag{5}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0s \in (2^{A_27a}).(\forall V1t \in \\ & (2^{A_27a}).((V0s = V1t) \Leftrightarrow (\forall V2x \in A_27a.((p (ap (ap (c_2Ebool_2EIN \\ & A_27a) V2x) V0s)) \Leftrightarrow (p (ap (ap (c_2Ebool_2EIN A_27a) V2x) V1t))))))) \end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0s \in (2^{A_27a}).(\forall V1t \in \\ & (2^{A_27a}).(\forall V2x \in A_27a.((p (ap (ap (c_2Ebool_2EIN A_27a) \\ & V2x) (ap (ap (c_2Epred_set_2EDIFF A_27a) V0s) V1t))) \Leftrightarrow ((p (ap (\\ & ap (c_2Ebool_2EIN A_27a) V2x) V0s)) \wedge (\neg (p (ap (ap (c_2Ebool_2EIN \\ & A_27a) V2x) V1t)))))))))) \end{aligned} \tag{7}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\ & \forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b)^{A_27a}). \\ & (\forall V2rep \in (A_27a)^{A_27b}).((p (ap (ap (ap (c_2Equotient_2EQUOTIENT \\ & A_27a A_27b) V0R) V1abs) V2rep)) \Rightarrow (\forall V3a \in A_27b.((ap V1abs \\ & (ap V2rep V3a)) = V3a)))))) \end{aligned} \tag{8}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\ & \forall V0f \in (A_27b)^{A_27a}).(\forall V1s \in (2^{A_27b}).(\forall V2x \in \\ & A_27a.((p (ap (ap (c_2Ebool_2EIN A_27a) V2x) (ap (ap (ap (c_2Equotient_2E_2D_2D_3E \\ & A_27a 2 A_27b 2) V0f) (c_2Ecombin_2EI 2) V1s))) \Leftrightarrow (p (ap (ap (c_2Ebool_2EIN \\ & A_27b) (ap V0f V2x) V1s)))))) \end{aligned} \tag{9}$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0R \in ((2^{A_27a})^{A_27a}). (\forall V1abs \in (A_27b^{A_27a}). \\ & (\forall V2rep \in (A_27a^{A_27b}). ((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\ & \quad A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3s \in (2^{A_27b}). (\forall V4t \in \\ & \quad (2^{A_27b}). ((ap\ (ap\ (c_2Epred_set_2EDIFF\ A_27b)\ V3s)\ V4t) = (ap \\ & \quad (ap\ (ap\ (c_2Equotient_2E_2D_2D_3E\ A_27b\ 2\ A_27a\ 2)\ V2rep)\ (c_2Ecombin_2EI \\ & \quad 2))\ (ap\ (ap\ (c_2Epred_set_2EDIFF\ A_27a)\ (ap\ (ap\ (ap\ (c_2Equotient_2E_2D_2D_3E \\ & \quad A_27a\ 2\ A_27b\ 2)\ V1abs)\ (c_2Ecombin_2EI\ 2))\ V3s))\ (ap\ (ap\ (ap\ (\\ & \quad c_2Equotient_2E_2D_2D_3E\ A_27a\ 2\ A_27b\ 2)\ V1abs)\ (c_2Ecombin_2EI \\ & \quad 2))\ V4t)))))))))) \end{aligned}$$