

thm_2Equotient__pred__set_2EDISJOINT__PRS (TMdESN33uSJYk77onHBxWemJwqqYui48ocZ)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Definition 7 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 8 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \tag{2}$$

Definition 10 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Ebool_2EIN (c_2Ebool_2E_2F_5C)))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a 2)^{A_27b}}) \tag{3}$$

Definition 11 We define `c_2Epred_set_2EINTER` to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A-27a}). \lambda V1t \in (2^{A-27a}). (ap (c_2Epred_set_2EINTER) V0s) V1t$

Definition 12 We define `c_2Epred_set_2EDISJOINT` to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A-27a}). \lambda V1t \in (2^{A-27a}). (ap (c_2Epred_set_2EDISJOINT) V0s) V1t$

Definition 13 We define `c_2Equotient_2EQUOTIENT` to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A-27a})^{A-27a}). \lambda V1t \in (2^{A-27a}). (ap (c_2Equotient_2EQUOTIENT) A_27a A_27b V0R) V1t$

Definition 14 We define `c_2Ecombin_2EK` to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0x \in A_27a. (\lambda V1y \in A_27b. V0x)) V1y$

Definition 15 We define `c_2Ecombin_2ES` to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. (\lambda V0f \in ((A_27c)^{A_27b})^{A_27a}). \lambda V1t \in (2^{A-27a}). (ap (c_2Ecombin_2ES) A_27a A_27b A_27c V0f) V1t$

Definition 16 We define `c_2Ecombin_2EI` to be $\lambda A_27a : \iota. (ap (ap (c_2Ecombin_2ES) A_27a) A_27a) A_27a$

Definition 17 We define `c_2Equotient_2E_2D_2D_3E` to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda A_27d : \iota. \lambda V0f \in ((A_27c)^{A_27b})^{A_27a}). \lambda V1t \in (2^{A-27a}). (ap (c_2Equotient_2E_2D_2D_3E) A_27a A_27b A_27c A_27d V0f) V1t$

Definition 18 We define `c_2Ecombin_2EW` to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0f \in ((A_27b)^{A_27a})^{A_27a}). (\lambda V1t \in (2^{A-27a}). (ap (c_2Ecombin_2EW) A_27a A_27b V0f) V1t)$

Definition 19 We define `c_2Equotient_2Erespects` to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (c_2Ecombin_2EW) A_27a A_27b$

Definition 20 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2. (ap (ap (c_2Emin_2E_3D_3D_3E) V0t) c_2Ebool_2E_7E) V0t)$

Definition 21 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. P x) \text{ then } (the (\lambda x. x \in A) \lambda P)$ of type $\iota \Rightarrow \iota$.

Definition 22 We define `c_2Ebool_2E_3F` to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A-27a}). (ap V0P (ap (c_2Emin_2E_40) V0P)))$

Definition 23 We define `c_2Ebool_2ERES_EXISTS` to be $\lambda A_27a : \iota. (\lambda V0p \in (2^{A-27a}). (\lambda V1m \in (2^{A-27a}). (ap (c_2Ebool_2ERES_EXISTS) V0p V1m)))$

Definition 24 We define `c_2Equotient_pred_set_2EDISJOINTR` to be $\lambda A_27a : \iota. \lambda V0R \in ((2^{A-27a})^{A-27a}). \lambda V1t \in (2^{A-27a}). (ap (c_2Equotient_pred_set_2EDISJOINTR) A_27a V0R) V1t$

Assume the following.

$$True \tag{4}$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \tag{5}$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \tag{6}$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \tag{7}$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \tag{8}$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (9)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (10)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B)))))) \quad (11)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0s \in (2^{A_27a}).(\forall V1t \in (2^{A_27a}).((V0s = V1t) \Leftrightarrow (\forall V2x \in A_27a.((p (ap (ap (c_2Ebool_2EIN A_27a) V2x) V0s)) \Leftrightarrow (p (ap (ap (c_2Ebool_2EIN A_27a) V2x) V1t)))))) \quad (12)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\neg(p (ap (ap (c_2Ebool_2EIN A_27a) V0x) (c_2Epred_set_2EEMPTY A_27a)))) \quad (13)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0s \in (2^{A_27a}).(\forall V1t \in (2^{A_27a}).(\forall V2x \in A_27a.((p (ap (ap (c_2Ebool_2EIN A_27a) V2x) (ap (ap (c_2Epred_set_2EINTER A_27a) V0s) V1t))) \Leftrightarrow ((p (ap (ap (c_2Ebool_2EIN A_27a) V2x) V0s)) \wedge (p (ap (ap (c_2Ebool_2EIN A_27a) V2x) V1t)))))) \quad (14)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}).(\forall V2rep \in (A_27a^{A_27b}).((p (ap (ap (ap (c_2Equotient_2EQUOTIENT A_27a A_27b) V0R) V1abs) V2rep)) \Rightarrow (\forall V3a \in A_27b.((ap V1abs (ap V2rep V3a)) = V3a)))))) \quad (15)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}).(\forall V2rep \in (A_27a^{A_27b}).((p (ap (ap (ap (c_2Equotient_2EQUOTIENT A_27a A_27b) V0R) V1abs) V2rep)) \Rightarrow (\forall V3a \in A_27b.(p (ap (ap V0R (ap V2rep V3a)) (ap V2rep V3a)))))) \quad (16)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}). \\ & (\forall V1x \in A_27a. ((p (ap (ap (c_2Ebool_2EIN\ A_27a)\ V1x) (ap (\\ & c_2Equotient_2ERespects\ A_27a\ 2)\ V0R))) \Leftrightarrow (p (ap (ap\ V0R\ V1x)\ V1x)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0f \in (A_27b^{A_27a}). (\forall V1s \in (2^{A_27b}). (\forall V2x \in \\ & A_27a. ((p (ap (ap (c_2Ebool_2EIN\ A_27a)\ V2x) (ap (ap (ap (c_2Equotient_2E_2D_2D_3E \\ & A_27a\ 2\ A_27b\ 2)\ V0f) (c_2Ecombin_2EI\ 2))\ V1s))) \Leftrightarrow (p (ap (ap (c_2Ebool_2EIN \\ & A_27b) (ap\ V0f\ V2x))\ V1s)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1f \in \\ & (2^{A_27a}). ((p (ap (ap (c_2Ebool_2ERES_EXISTS\ A_27a)\ V0P)\ V1f))) \Leftrightarrow \quad (19) \\ & (\exists V2x \in A_27a. ((p (ap (ap (c_2Ebool_2EIN\ A_27a)\ V2x)\ V0P)) \wedge \\ & (p (ap\ V1f\ V2x)))))) \end{aligned}$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0R \in ((2^{A_27a})^{A_27a}). (\forall V1abs \in (A_27b^{A_27a}). \\ & (\forall V2rep \in (A_27a^{A_27b}). ((p (ap (ap (ap (c_2Equotient_2EQUOTIENT \\ & A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep))) \Rightarrow (\forall V3s \in (2^{A_27b}). (\forall V4t \in \\ & (2^{A_27b}). ((p (ap (ap (c_2Epred_set_2EDISJOINT\ A_27b)\ V3s)\ V4t))) \Leftrightarrow \\ & (p (ap (ap (ap (c_2Equotient_pred_set_2EDISJOINTR\ A_27a)\ V0R) \\ & (ap (ap (ap (c_2Equotient_2E_2D_2D_3E\ A_27a\ 2\ A_27b\ 2)\ V1abs) \\ & (c_2Ecombin_2EI\ 2))\ V3s)) (ap (ap (ap (c_2Equotient_2E_2D_2D_3E \\ & A_27a\ 2\ A_27b\ 2)\ V1abs) (c_2Ecombin_2EI\ 2))\ V4t)))))) \end{aligned}$$