

thm\_2Equotient\_\_pred\_\_set\_2EGSPECR\_\_RSP  
(TMNBgqd-  
HZcxSMTXpb7rted55AWR5huv631D)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A.\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0x \in A\_27a.(\lambda V1y \in A\_27b.V0x))$

**Definition 3** We define  $c\_2Ecombin\_2ES$  to be  $\lambda A.\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.(\lambda V0f \in ((A\_27c^{A\_27b})^{A\_27a}))$

**Definition 4** We define  $c\_2Ecombin\_2EI$  to be  $\lambda A.\lambda A\_27a : \iota.(ap (ap (c\_2Ecombin\_2ES A\_27a (A\_27a^{A\_27a})) A\_27a))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \tag{1}$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EFST A\_27a A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod A\_27a A\_27b)}) \tag{2}$$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2ESND A\_27a A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod A\_27a A\_27b)}) \tag{3}$$

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 7** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a})).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})))$

**Definition 8** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2)))$

**Definition 9** We define `c_2Equotient_2EQUOTIENT` to be  $\lambda A_{.27a} : \iota.\lambda A_{.27b} : \iota.\lambda V0R \in ((2^{A_{.27a}})^{A_{.27a}}).\lambda V$

**Definition 10** We define `c_2Equotient_2E_3D_3D_3D_3E` to be  $\lambda A_{.27a} : \iota.\lambda A_{.27b} : \iota.\lambda V0R1 \in ((2^{A_{.27a}})^{A_{.27a}})$

Let `c_2Epair_2EABS_prod` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow c\_2Epair\_2EABS\_prod \\ A_{.27a}\ A_{.27b} \in ((ty\_2Epair\_2Eprod\ A_{.27a}\ A_{.27b})^{((2^{A_{.27b}})^{A_{.27a}})}) \end{aligned} \quad (4)$$

**Definition 11** We define `c_2Epair_2E_2C` to be  $\lambda A_{.27a} : \iota.\lambda A_{.27b} : \iota.\lambda V0x \in A_{.27a}.\lambda V1y \in A_{.27b}.(ap\ (c\_2$

**Definition 12** We define `c_2Epair_2EUNCURRY` to be  $\lambda A_{.27a} : \iota.\lambda A_{.27b} : \iota.\lambda A_{.27c} : \iota.\lambda V0f \in ((A_{.27c})^{A_{.27a}})$

**Definition 13** We define `c_2Equotient_pair_2E_23_23_23` to be  $\lambda A_{.27a} : \iota.\lambda A_{.27b} : \iota.\lambda A_{.27c} : \iota.\lambda A_{.27d} : \iota.\lambda$

**Definition 14** We define `c_2Ecombin_2EW` to be  $\lambda A_{.27a} : \iota.\lambda A_{.27b} : \iota.(\lambda V0f \in ((A_{.27b})^{A_{.27a}}).\lambda V1x$

**Definition 15** We define `c_2Equotient_2Erespects` to be  $\lambda A_{.27a} : \iota.\lambda A_{.27b} : \iota.(c\_2Ecombin\_2EW\ A_{.27a}\ A_{.27b})$

**Definition 16** We define `c_2Ebool_2EIN` to be  $\lambda A_{.27a} : \iota.(\lambda V0x \in A_{.27a}.\lambda V1f \in (2^{A_{.27a}}).(ap\ V1f\ V0x))$

**Definition 17** We define `c_2Emin_2E_40` to be  $\lambda A.\lambda P \in 2^A.\mathbf{if}\ (\exists x \in A.p\ (ap\ P\ x))\ \mathbf{then}\ (the\ (\lambda x.x \in A \wedge P\ x))$   
of type  $\iota \Rightarrow \iota$ .

**Definition 18** We define `c_2Ebool_2E_3F` to be  $\lambda A_{.27a} : \iota.(\lambda V0P \in (2^{A_{.27a}}).(ap\ V0P\ (ap\ (c\_2Emin\_2E_40$

**Definition 19** We define `c_2Ebool_2ERES_EXISTS` to be  $\lambda A_{.27a} : \iota.(\lambda V0p \in (2^{A_{.27a}}).\lambda V1m \in (2^{A_{.27a}}).(ap$

**Definition 20** We define `c_2Equotient_pred_set_2EGSPECR` to be  $\lambda A_{.27a} : \iota.\lambda A_{.27b} : \iota.\lambda V0R1 \in ((2^{A_{.27a}})^{A_{.27b}})$

**Definition 21** We define `c_2Ebool_2EF` to be  $(ap\ (c\_2Ebool\_2E_21\ 2))\ (\lambda V0t \in 2.V0t)$ .

**Definition 22** We define `c_2Ebool_2E_5C_2F` to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E_21\ 2))\ (\lambda V2t \in 2.V2t)))$

**Definition 23** We define `c_2Ebool_2E_7E` to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E_3D_3D_3E\ V0t)\ c\_2Ebool\_2E_7E))$

Assume the following.

$$True \quad (5)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (6)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_{.27a}.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (7)$$

Assume the following.

$$(\forall V0t \in 2.(((p \ V0t) \Rightarrow False) \Rightarrow (\neg(p \ V0t)))) \quad (8)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p \ V0t)) \Rightarrow ((p \ V0t) \Rightarrow False))) \quad (9)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\ True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (( \\ (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} ((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge \\ ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (11)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (12)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (13)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\ (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\ p \ V0t)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).((\neg(\exists V1x \in A\_27a.(p \ (ap \ V0P \ V1x)))) \Leftrightarrow (\forall V2x \in A\_27a.(\neg(p \ (ap \ V0P \ V2x)))))) \quad (15)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).(\forall V1Q \in \\ (2^{A\_27a}).((\exists V2x \in A\_27a.((p \ (ap \ V0P \ V2x)) \vee (p \ (ap \ V1Q \ V2x)))) \Leftrightarrow \\ ((\exists V3x \in A\_27a.(p \ (ap \ V0P \ V3x))) \vee (\exists V4x \in A\_27a.(p \ ( \\ ap \ V1Q \ V4x)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).(\forall V1Q \in \\ 2.((\exists V2x \in A\_27a.((p \ (ap \ V0P \ V2x)) \wedge (p \ V1Q))) \Leftrightarrow ((\exists V3x \in \\ A\_27a.(p \ (ap \ V0P \ V3x))) \wedge (p \ V1Q)))) \end{aligned} \quad (17)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A.27a}). ((\exists V2x \in A.27a. ((p\ V0P) \wedge (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((p\ V0P) \wedge (\exists V3x \in A.27a. (p\ (ap\ V1Q\ V3x))))))) \quad (18)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A.27a}). ((\forall V2x \in A.27a. ((p\ V0P) \vee (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((p\ V0P) \vee (\forall V3x \in A.27a. (p\ (ap\ V1Q\ V3x))))))) \quad (19)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee (p\ V1B) \vee (p\ V2C)) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C))))) \quad (20)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((p\ V1B) \vee (p\ V0A)))) \quad (21)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \vee \neg(p\ V1B)))) \wedge ((\neg((p\ V0A) \vee (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \wedge \neg(p\ V1B))))) \quad (22)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. ((ap\ (c.2Ecombin.2EI\ A.27a)\ V0x) = V0x)) \quad (23)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\forall V0x \in (ty.2Epair.2Eprod\ A.27a\ A.27b). ((ap\ (ap\ (c.2Epair.2E2C\ A.27a\ A.27b)\ (ap\ (c.2Epair.2EFST\ A.27a\ A.27b)\ V0x))\ (ap\ (c.2Epair.2ESND\ A.27a\ A.27b)\ V0x)) = V0x)) \quad (24)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\forall V0x \in A.27a. (\forall V1y \in A.27b. ((ap\ (c.2Epair.2EFST\ A.27a\ A.27b)\ (ap\ (ap\ (c.2Epair.2E2C\ A.27a\ A.27b)\ V0x)\ V1y)) = V0x))) \quad (25)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\forall V0x \in A.27a. (\forall V1y \in A.27b. ((ap\ (c.2Epair.2ESND\ A.27a\ A.27b)\ (ap\ (ap\ (c.2Epair.2E2C\ A.27a\ A.27b)\ V0x)\ V1y)) = V1y))) \quad (26)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0R \in ((2^{A\_27a})^{A\_27a}). (\forall V1abs \in (A\_27b^{A\_27a}). \\
& (\forall V2rep \in (A\_27a^{A\_27b}). ((p (ap (ap (ap (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27a\ A\_27b)\ V0R)\ V1abs)\ V2rep))) \Rightarrow (\forall V3x \in A\_27a. (\forall V4y \in \\
& A\_27a. ((p (ap (ap\ V0R\ V3x)\ V4y)) \Rightarrow (p (ap (ap\ V0R\ V4y)\ V3x))))))))) \\
& \hspace{15em} (27)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0R \in ((2^{A\_27a})^{A\_27a}). (\forall V1abs \in (A\_27b^{A\_27a}). \\
& (\forall V2rep \in (A\_27a^{A\_27b}). ((p (ap (ap (ap (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27a\ A\_27b)\ V0R)\ V1abs)\ V2rep))) \Rightarrow (\forall V3x \in A\_27a. (\forall V4y \in \\
& A\_27a. (\forall V5z \in A\_27a. (((p (ap (ap\ V0R\ V3x)\ V4y)) \wedge (p (ap (ap \\
& \quad V0R\ V4y)\ V5z)))) \Rightarrow (p (ap (ap\ V0R\ V3x)\ V5z))))))))) \\
& \hspace{15em} (28)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0R \in ((2^{A\_27a})^{A\_27a}). \\
& (\forall V1x \in A\_27a. ((p (ap (ap (c\_2Ebool\_2EIN\ A\_27a)\ V1x)\ (ap ( \\
& \quad c\_2Equotient\_2Erespects\ A\_27a\ 2)\ V0R))) \Leftrightarrow (p (ap (ap\ V0R\ V1x)\ V1x)))) \\
& \hspace{15em} (29)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& \quad nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0R1 \in ( \\
& \quad (2^{A\_27c})^{A\_27a}). (\forall V1R2 \in ((2^{A\_27d})^{A\_27b}). (\forall V2a \in \\
& \quad A\_27a. (\forall V3b \in A\_27b. (\forall V4c \in A\_27c. (\forall V5d \in A\_27d. \\
& \quad ((p (ap (ap (ap (ap (c\_2Equotient\_pair\_2E\_23\_23\_23\ A\_27a\ A\_27b \\
& \quad A\_27c\ A\_27d)\ V0R1)\ V1R2)\ (ap (ap (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V2a) \\
& \quad V3b))\ (ap (ap (c\_2Epair\_2E\_2C\ A\_27c\ A\_27d)\ V4c)\ V5d))) \Leftrightarrow ((p (ap ( \\
& \quad ap\ V0R1\ V2a)\ V4c)) \wedge (p (ap (ap\ V1R2\ V3b)\ V5d))))))))) \\
& \hspace{15em} (30)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0R \in ((2^{A\_27a})^{A\_27a}). \\
& (\forall V1s \in (2^{A\_27a}). (\forall V2t \in (2^{A\_27a}). ((p (ap (ap (ap \\
& \quad (ap (c\_2Equotient\_2E\_3D\_3D\_3D\_3E\ A\_27a\ 2)\ V0R)\ (c\_2Emin\_2E\_3D \\
& \quad 2))\ V1s)\ V2t))) \Leftrightarrow (\forall V3x \in A\_27a. (\forall V4y \in A\_27a. ((p (ap \\
& \quad (ap\ V0R\ V3x)\ V4y)) \Rightarrow ((p (ap (ap (c\_2Ebool\_2EIN\ A\_27a)\ V3x)\ V1s)) \Leftrightarrow \\
& \quad (p (ap (ap (c\_2Ebool\_2EIN\ A\_27a)\ V4y)\ V2t))))))))) \\
& \hspace{15em} (31)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow ( \\
& \quad \forall V0R1 \in ((2^{A_{.27b}})^{A_{.27b}}).(\forall V1R2 \in ((2^{A_{.27a}})^{A_{.27a}}). \\
& \quad (\forall V2f \in ((ty\_2Epair\_2Eprod\ A_{.27a}\ 2)^{A_{.27b}}).(\forall V3v \in \\
& A_{.27a}.((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A_{.27a})\ V3v)\ (ap\ (ap\ (ap\ (c\_2Equotient\_pred\_set\_2EGSPECR \\
& \quad A_{.27b}\ A_{.27a})\ V0R1)\ V1R2)\ V2f))) \Leftrightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2ERES\_EXISTS \\
& \quad A_{.27b})\ (ap\ (c\_2Equotient\_2ERespects\ A_{.27b}\ 2)\ V0R1))\ (\lambda V4x \in \\
& \quad A_{.27b}.(ap\ (ap\ (ap\ (ap\ (c\_2Equotient\_pair\_2E\_23\_23\_23\ A_{.27a}\ 2 \\
& \quad A_{.27a}\ 2)\ V1R2)\ (c\_2Emin\_2E\_3D\ 2))\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A_{.27a} \\
& \quad 2)\ V3v)\ c\_2Ebool\_2ET))\ (ap\ V2f\ V4x))))))))) \\
& \hspace{15em} (32)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0P \in (2^{A_{.27a}}).(\forall V1f \in \\
& (2^{A_{.27a}}).((p\ (ap\ (ap\ (c\_2Ebool\_2ERES\_EXISTS\ A_{.27a})\ V0P)\ V1f))) \Leftrightarrow \\
& (\exists V2x \in A_{.27a}.((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A_{.27a})\ V2x)\ V0P)) \wedge \\
& \quad (p\ (ap\ V1f\ V2x)))))) \\
& \hspace{15em} (33)
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \hspace{15em} (34)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \hspace{15em} (35)$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \\
& \hspace{15em} (36)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \\
& \hspace{15em} (37)
\end{aligned}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \hspace{15em} (38)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow ( \\
& (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\
& p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\
& \quad ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \\
& \hspace{15em} (39)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge ((p V0p) \vee (\neg(p V2r)))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ( \\
& \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))
\end{aligned} \tag{43}$$

### Theorem 1

$$\begin{aligned}
& \forall A\_27a.nonempty \ A\_27a \Rightarrow \forall A\_27b.nonempty \ A\_27b \Rightarrow \forall A\_27c. \\
& nonempty \ A\_27c \Rightarrow \forall A\_27d.nonempty \ A\_27d \Rightarrow (\forall V0R1 \in ( \\
& (2^{A\_27a})^{A\_27a}). (\forall V1abs1 \in (A\_27c^{A\_27a}). (\forall V2rep1 \in \\
& (A\_27a^{A\_27c}). ((p (ap (ap (ap (c\_2Equotient\_2EQUOTIENT \ A\_27a \ A\_27c) \\
& V0R1) \ V1abs1) \ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A\_27b})^{A\_27b}). (\forall V4abs2 \in \\
& (A\_27d^{A\_27b}). (\forall V5rep2 \in (A\_27b^{A\_27d}). ((p (ap (ap (ap (c\_2Equotient\_2EQUOTIENT \\
& A\_27b \ A\_27d) \ V3R2) \ V4abs2) \ V5rep2)) \Rightarrow (\forall V6f1 \in ((ty\_2Epair\_2Eprod \\
& A\_27b \ 2)^{A\_27a}). (\forall V7f2 \in ((ty\_2Epair\_2Eprod \ A\_27b \ 2)^{A\_27a}). \\
& ((p (ap (ap (ap (ap (c\_2Equotient\_2E\_3D\_3D\_3D\_3E \ A\_27a \ (ty\_2Epair\_2Eprod \\
& A\_27b \ 2)) \ V0R1) (ap (ap (c\_2Equotient\_pair\_2E\_23\_23\_23 \ A\_27b \\
& 2 \ A\_27b \ 2) \ V3R2) (c\_2Emin\_2E\_3D \ 2))) \ V6f1) \ V7f2)) \Rightarrow (p (ap (ap ( \\
& ap (ap (c\_2Equotient\_2E\_3D\_3D\_3D\_3E \ A\_27b \ 2) \ V3R2) (c\_2Emin\_2E\_3D \\
& 2)) (ap (ap (ap (c\_2Equotient\_pred\_set\_2EGSPECR \ A\_27a \ A\_27b) \\
& V0R1) \ V3R2) \ V6f1)) (ap (ap (ap (c\_2Equotient\_pred\_set\_2EGSPECR \\
& A\_27a \ A\_27b) \ V0R1) \ V3R2) \ V7f2))))))))))
\end{aligned}$$