

thm\_2Equotient\_\_pred\_\_set\_2EIMAGE\_\_PRS  
(TMYZWE<sub>n</sub>-  
HEEPDF8uzWJ8vt84ZfJnSwRaZVeY)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2EF$

**Definition 7** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A-27a}).(ap V1f V0x)))$

**Definition 8** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \tag{1}$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A-27b})^{A-27a}}) \tag{2}$$

**Definition 9** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2E$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC A\_27a A\_27b \in ((2^{A-27a})^{(ty\_2Epair\_2Eprod A\_27a 2)^{A-27b}}) \tag{3}$$

**Definition 10** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A-27a}).\lambda V1s \in$

**Definition 11** We define  $c\_2Equotient\_2EQUOTIENT$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A-27a})^{A-27a}).\lambda$

**Definition 12** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0x \in A\_27a.(\lambda V1y \in A\_27b.V0x))$

**Definition 13** We define  $c\_2Ecombin\_2ES$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.(\lambda V0f \in ((A\_27c^{A-27b})^{A-27a}).\lambda$

**Definition 14** We define  $c\_2Ecombin\_2EI$  to be  $\lambda A\_27a : \iota.(ap (ap (c\_2Ecombin\_2ES A\_27a (A\_27a^{A-27a}) A\_27a))$

**Definition 15** We define  $c\_2Equotient\_2E\_2D\_2D\_3E$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda A\_27d : \iota.\lambda V0f \in$

**Definition 16** We define  $c\_2Ecombin\_2EW$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0f \in ((A\_27b^{A-27a})^{A-27a}).(\lambda V1x \in$

**Definition 17** We define  $c\_2Equotient\_2Erespects$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(c\_2Ecombin\_2EW A\_27a A\_27a)$

**Definition 18** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A.\lambda p \in 2^A.p \in P))$   
of type  $\iota \Rightarrow \iota$ .

**Definition 19** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c\_2Emin\_2E\_40$

**Definition 20** We define  $c\_2Ebool\_2ERES\_EXISTIS$  to be  $\lambda A\_27a : \iota.(\lambda V0p \in (2^{A-27a}).(\lambda V1m \in (2^{A-27a}).(\lambda$

**Definition 21** We define  $c\_2Equotient\_pred\_set\_2EIMAGER$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R1 \in ((2^{A-27a})^{A-27a}).\lambda$

Assume the following.

$$True \tag{4}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \tag{5}$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \tag{6}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \tag{7}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p V0t)))))) \tag{8}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1t \in \\ & (2^{A\_27a}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in A\_27a. ((p (ap (ap (c\_2Ebool\_2EIN \\ & A\_27a) V2x) V0s)) \Leftrightarrow (p (ap (ap (c\_2Ebool\_2EIN\ A\_27a) V2x) V1t))))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0y \in A\_27b. (\forall V1s \in (2^{A\_27a}). (\forall V2f \in (A\_27b^{A\_27a}). \\ & ((p (ap (ap (c\_2Ebool\_2EIN\ A\_27b) V0y) (ap (ap (c\_2Epred\_set\_2EIMAGE \\ & A\_27a\ A\_27b) V2f) V1s))) \Leftrightarrow (\exists V3x \in A\_27a. ((V0y = (ap V2f V3x)) \wedge \\ & (p (ap (ap (c\_2Ebool\_2EIN\ A\_27a) V3x) V1s))))))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0R \in ((2^{A\_27a})^{A\_27a}). (\forall V1abs \in (A\_27b^{A\_27a}). \\ & (\forall V2rep \in (A\_27a^{A\_27b}). ((p (ap (ap (ap (c\_2Equotient\_2EQUOTIENT \\ & A\_27a\ A\_27b) V0R) V1abs) V2rep)) \Rightarrow (\forall V3a \in A\_27b. ((ap V1abs \\ & (ap V2rep V3a)) = V3a)))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0R \in ((2^{A\_27a})^{A\_27a}). (\forall V1abs \in (A\_27b^{A\_27a}). \\ & (\forall V2rep \in (A\_27a^{A\_27b}). ((p (ap (ap (ap (c\_2Equotient\_2EQUOTIENT \\ & A\_27a\ A\_27b) V0R) V1abs) V2rep)) \Rightarrow (\forall V3a \in A\_27b. (p (ap (ap \\ & V0R (ap V2rep V3a)) (ap V2rep V3a))))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0R \in ((2^{A\_27a})^{A\_27a}). (\forall V1abs \in (A\_27b^{A\_27a}). \\ & (\forall V2rep \in (A\_27a^{A\_27b}). ((p (ap (ap (ap (c\_2Equotient\_2EQUOTIENT \\ & A\_27a\ A\_27b) V0R) V1abs) V2rep)) \Rightarrow (\forall V3r \in A\_27a. (\forall V4s \in \\ & A\_27a. ((p (ap (ap V0R V3r) V4s)) \Rightarrow ((ap V1abs V3r) = (ap V1abs V4s)))))))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\ & nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0f \in (A\_27c^{A\_27a}). \\ & (\forall V1g \in (A\_27d^{A\_27b}). (\forall V2h \in (A\_27b^{A\_27c}). (\forall V3x \in \\ & A\_27a. ((ap (ap (ap (ap (c\_2Equotient\_2E\_2D\_2D\_3E\ A\_27a\ A\_27b\ A\_27c \\ & A\_27d) V0f) V1g) V2h) V3x) = (ap V1g (ap V2h (ap V0f V3x)))))))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0R \in ((2^{A\_27a})^{A\_27a}). \\ & (\forall V1x \in A\_27a. ((p (ap (ap (c\_2Ebool\_2EIN\ A\_27a)\ V1x) (ap ( \\ & c\_2Equotient\_2Erespects\ A\_27a\ 2)\ V0R))) \Leftrightarrow (p (ap (ap\ V0R\ V1x)\ V1x)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0f \in (A\_27b^{A\_27a}). (\forall V1s \in (2^{A\_27b}). (\forall V2x \in \\ & A\_27a. ((p (ap (ap (c\_2Ebool\_2EIN\ A\_27a)\ V2x) (ap (ap (ap (c\_2Equotient\_2E\_2D\_2D\_3E \\ & A\_27a\ 2\ A\_27b\ 2)\ V0f) (c\_2Ecombin\_2EI\ 2))\ V1s))) \Leftrightarrow (p (ap (ap (c\_2Ebool\_2EIN \\ & A\_27b)\ (ap\ V0f\ V2x))\ V1s)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0R1 \in ((2^{A\_27a})^{A\_27a}). (\forall V1R2 \in ((2^{A\_27b})^{A\_27b}). \\ & (\forall V2y \in A\_27b. (\forall V3f \in (A\_27b^{A\_27a}). (\forall V4s \in \\ & (2^{A\_27a}). ((p (ap (ap (c\_2Ebool\_2EIN\ A\_27b)\ V2y) (ap (ap (ap (ap \\ & (c\_2Equotient\_pred\_set\_2EIMAGER\ A\_27a\ A\_27b)\ V0R1)\ V1R2)\ V3f) \\ & V4s))) \Leftrightarrow (p (ap (ap (c\_2Ebool\_2ERES\_EXISTS\ A\_27a)\ (ap (c\_2Equotient\_2Erespects \\ & A\_27a\ 2)\ V0R1)) (\lambda V5x \in A\_27a. (ap (ap\ c\_2Ebool\_2E\_2F\_5C\ (ap \\ & (ap\ V1R2\ V2y)\ (ap\ V3f\ V5x))) (ap (ap (c\_2Ebool\_2EIN\ A\_27a)\ V5x)\ V4s)))))))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\forall V1f \in \\ & (2^{A\_27a}). ((p (ap (ap (c\_2Ebool\_2ERES\_EXISTS\ A\_27a)\ V0P)\ V1f))) \Leftrightarrow \quad (18) \\ & (\exists V2x \in A\_27a. ((p (ap (ap (c\_2Ebool\_2EIN\ A\_27a)\ V2x)\ V0P)) \wedge \\ & (p (ap\ V1f\ V2x)))))) \end{aligned}$$

### Theorem 1

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\ & nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0R1 \in ( \\ & (2^{A\_27a})^{A\_27a}). (\forall V1abs1 \in (A\_27c^{A\_27a}). (\forall V2rep1 \in \\ & (A\_27a^{A\_27c}). ((p (ap (ap (ap (c\_2Equotient\_2EQUOTIENT\ A\_27a\ A\_27c) \\ & V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A\_27b})^{A\_27b}). (\forall V4abs2 \in \\ & (A\_27d^{A\_27b}). (\forall V5rep2 \in (A\_27b^{A\_27d}). ((p (ap (ap (ap (c\_2Equotient\_2EQUOTIENT \\ & A\_27b\ A\_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (\forall V6f \in (A\_27d^{A\_27c}). \\ & (\forall V7s \in (2^{A\_27c}). ((ap (ap (c\_2Epred\_set\_2EIMAGE\ A\_27c \\ & A\_27d)\ V6f)\ V7s) = (ap (ap (ap (c\_2Equotient\_2E\_2D\_2D\_3E\ A\_27d\ 2 \\ & A\_27b\ 2)\ V5rep2) (c\_2Ecombin\_2EI\ 2)) (ap (ap (ap (ap (c\_2Equotient\_pred\_set\_2EIMAGER \\ & A\_27a\ A\_27b)\ V0R1)\ V3R2) (ap (ap (ap (c\_2Equotient\_2E\_2D\_2D\_3E \\ & A\_27a\ A\_27d\ A\_27c\ A\_27b)\ V1abs1)\ V5rep2)\ V6f)) (ap (ap (ap (c\_2Equotient\_2E\_2D\_2D\_3E \\ & A\_27a\ 2\ A\_27c\ 2)\ V1abs1) (c\_2Ecombin\_2EI\ 2))\ V7s)))))))))) \end{aligned}$$