

thm_2Equotient__sum_2ESUM__MAP__PRS (TMUKvt38YEiPpTUxdJ2EgDUvfMoof9jt1Bq)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2ET` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2)) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x))$

Definition 3 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p \Rightarrow q)$ of type ι .

Definition 4 We define `c_2Ebool_2E_21` to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A_27a}))))$

Definition 5 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V2t \in 2. V2t))))$

Definition 6 We define `c_2Equotient_2EQUOTIENT` to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A_27a})^{A_27b}). \lambda V0f$

Definition 7 We define `c_2Equotient_2E_2D_2D_3E` to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda A_27d : \iota. \lambda V0f$

Definition 8 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (\text{ap } P x)) \text{ then } (the (\lambda x. x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 9 We define `c_2Ebool_2E_3F` to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (\text{ap } V0P (\text{ap } (\text{c_2Emin_2E_40 } A_27a))))$

Definition 10 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V2t \in 2. V2t))))$

Definition 11 We define `c_2Ebool_2EF` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V0t \in 2. V0t))$.

Definition 12 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2. (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D_3D_3E } V0t) (\text{c_2Ebool_2E_3F } V0t))))$

Let `ty_2Esum_2Esum` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty } (ty_2Esum_2Esum A0 A1) \tag{1}$$

Let `c_2Esum_2EABS__sum` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow \forall A_27b. \text{nonempty } A_27b \Rightarrow c_2Esum_2EABS_sum A_27a A_27b \in ((ty_2Esum_2Esum A_27a A_27b)^{((2^{A_27b})^{A_27a})^2}) \tag{2}$$

Definition 13 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap (c_2Esum_2EABS$

Definition 14 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap (c_2Esum_2EABS$

Let $c_2Esum_2E_2B_2B : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ & nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow c_2Esum_2E_2B_2B \\ & A_27a\ A_27b\ A_27c\ A_27d \in (((ty_2Esum_2Esum\ A_27c\ A_27d)^{(ty_2Esum_2Esum\ A_27a\ A_27b)})^{(A_27d^{A_27b})}) \end{aligned} \quad (3)$$

Assume the following.

$$True \quad (4)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\ & V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (5)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\ & (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\ & A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3a \in A_27b.((ap\ V1abs \\ & (ap\ V2rep\ V3a)) = V3a)))))) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ & nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0f \in (A_27c^{A_27a}). \\ & (\forall V1g \in (A_27d^{A_27b}).(\forall V2h \in (A_27b^{A_27c}).(\forall V3x \in \\ & A_27a.((ap\ (ap\ (ap\ (ap\ (c_2Equotient_2E_2D_2D_3E\ A_27a\ A_27b\ A_27c \\ & A_27d)\ V0f)\ V1g)\ V2h)\ V3x) = (ap\ V1g\ (ap\ V2h\ (ap\ V0f\ V3x)))))))))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0ss \in (ty_2Esum_2Esum\ A_27a\ A_27b).((\exists V1x \in A_27a. \\ & (V0ss = (ap\ (c_2Esum_2EINL\ A_27a\ A_27b)\ V1x))) \vee (\exists V2y \in A_27b. \\ & (V0ss = (ap\ (c_2Esum_2EINR\ A_27a\ A_27b)\ V2y)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& \quad nonempty\ A.27c \Rightarrow \forall A.27d.nonempty\ A.27d \Rightarrow ((\forall V0f \in (\\
& \quad \quad A.27c^{A.27a}).(\forall V1g \in (A.27d^{A.27b}).(\forall V2a \in A.27a. \\
& ((ap\ (ap\ (ap\ (c.2Esum.2E.2B.2B\ A.27a\ A.27b\ A.27c\ A.27d)\ V0f)\ V1g) \\
& \quad (ap\ (c.2Esum.2EINL\ A.27a\ A.27b)\ V2a)) = (ap\ (c.2Esum.2EINL\ A.27c \\
& \quad \quad A.27d)\ (ap\ V0f\ V2a)))))) \wedge (\forall V3f \in (A.27c^{A.27a}).(\forall V4g \in \\
& \quad (A.27d^{A.27b}).(\forall V5b \in A.27b.((ap\ (ap\ (ap\ (c.2Esum.2E.2B.2B \\
& A.27a\ A.27b\ A.27c\ A.27d)\ V3f)\ V4g)\ (ap\ (c.2Esum.2EINR\ A.27a\ A.27b) \\
& \quad V5b)) = (ap\ (c.2Esum.2EINR\ A.27c\ A.27d)\ (ap\ V4g\ V5b))))))))) \\
& \hspace{15em} (10)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& \quad nonempty\ A.27c \Rightarrow \forall A.27d.nonempty\ A.27d \Rightarrow \forall A.27e.nonempty \\
& \quad \quad A.27e \Rightarrow \forall A.27f.nonempty\ A.27f \Rightarrow \forall A.27g.nonempty\ A.27g \Rightarrow \\
& \quad \quad \quad \forall A.27h.nonempty\ A.27h \Rightarrow (\forall V0R1 \in ((2^{A.27a})^{A.27a}). \\
& \quad \quad \quad (\forall V1abs1 \in (A.27e^{A.27a}).(\forall V2rep1 \in (A.27a^{A.27e}). \\
& ((p\ (ap\ (ap\ (c.2Equotient.2EQUOTIENT\ A.27a\ A.27e)\ V0R1)\ V1abs1) \\
& \quad V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A.27b})^{A.27b}).(\forall V4abs2 \in (\\
& A.27f^{A.27b}).(\forall V5rep2 \in (A.27b^{A.27f}).((p\ (ap\ (ap\ (ap\ (c.2Equotient.2EQUOTIENT \\
& \quad A.27b\ A.27f)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (\forall V6R3 \in ((2^{A.27c})^{A.27c}). \\
& \quad \quad (\forall V7abs3 \in (A.27g^{A.27c}).(\forall V8rep3 \in (A.27c^{A.27g}). \\
& ((p\ (ap\ (ap\ (c.2Equotient.2EQUOTIENT\ A.27c\ A.27g)\ V6R3)\ V7abs3) \\
& \quad V8rep3)) \Rightarrow (\forall V9R4 \in ((2^{A.27d})^{A.27d}).(\forall V10abs4 \in (\\
& \quad (A.27h^{A.27d}).(\forall V11rep4 \in (A.27d^{A.27h}).((p\ (ap\ (ap\ (ap\ (\\
& \quad c.2Equotient.2EQUOTIENT\ A.27d\ A.27h)\ V9R4)\ V10abs4)\ V11rep4)) \Rightarrow \\
& \quad \quad (\forall V12f \in (A.27f^{A.27e}).(\forall V13g \in (A.27h^{A.27g}).((ap \\
& (ap\ (c.2Esum.2E.2B.2B\ A.27e\ A.27g\ A.27f\ A.27h)\ V12f)\ V13g) = (ap \\
& \quad (ap\ (ap\ (c.2Equotient.2E.2D.2D.3E\ (ty.2Esum.2Esum\ A.27e\ A.27g) \\
& (ty.2Esum.2Esum\ A.27b\ A.27d)\ (ty.2Esum.2Esum\ A.27a\ A.27c)\ (ty.2Esum.2Esum \\
& \quad A.27f\ A.27h))\ (ap\ (ap\ (c.2Esum.2E.2B.2B\ A.27e\ A.27g\ A.27a\ A.27c) \\
& \quad V2rep1\ V8rep3))\ (ap\ (ap\ (c.2Esum.2E.2B.2B\ A.27b\ A.27d\ A.27f\ A.27h) \\
& \quad V4abs2\ V10abs4))\ (ap\ (ap\ (c.2Esum.2E.2B.2B\ A.27a\ A.27c\ A.27b\ A.27d) \\
& \quad (ap\ (ap\ (ap\ (c.2Equotient.2E.2D.2D.3E\ A.27a\ A.27f\ A.27e\ A.27b) \\
& \quad V1abs1\ V5rep2)\ V12f))\ (ap\ (ap\ (ap\ (c.2Equotient.2E.2D.2D.3E\ A.27c \\
& \quad A.27h\ A.27g\ A.27d)\ V7abs3)\ V11rep4)\ V13g)))))))))))))))))))))
\end{aligned}$$