

thm\_2Erat\_2EFrac\_\_MINV\_\_EQUIV  
 (TMP8K4eCXoZ9W1FwUHETMuEQm7WYtCC8F78)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let  $ty\_2Einteger\_2Eint : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Einteger\_2Eint \quad (1)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod \\ A0\ A1) \end{aligned} \quad (2)$$

Let  $ty\_2Efrac\_2Efrac : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Efrac\_2Efrac \quad (3)$$

Let  $c\_2Efrac\_2Erep\_frac : \iota$  be given. Assume the following.

$$c\_2Efrac\_2Erep\_frac \in ((ty\_2Epair\_2Eprod\ ty\_2Einteger\_2Eint \\ ty\_2Einteger\_2Eint)^{ty\_2Efrac\_2Efrac}) \quad (4)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST \\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (5)$$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})) (\lambda V1f \in ty\_2Efrac\_2Efrac. (ap (c\_2Epair\_2EFST\ ty\_2Efrac\_2Efrac) f))))$

**Definition 4** We define  $c\_2Efrac\_2Efrac\_nmr$  to be  $\lambda V0f \in ty\_2Efrac\_2Efrac. (ap (c\_2Epair\_2EFST\ ty\_2Efrac\_2Efrac) f))$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in omega \quad (6)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (7)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{omega}) \quad (8)$$

**Definition 5** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 6** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (9)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{omega}) \quad (10)$$

**Definition 7** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ m)$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (11)$$

**Definition 8** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2B\ n)\ 0)$

**Definition 9** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Einteger\_2Eint\_of\_num : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_of\_num \in (ty\_2Einteger\_2Eint^{ty\_2Enum\_2Enum}) \quad (12)$$

Let  $c\_2Einteger\_2Eint\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{ty\_2Einteger\_2Eint}) \quad (13)$$

**Definition 10** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x)) \text{ then } (\lambda x.x \in A \wedge P(x)) \text{ else } 0 \text{ of type } \iota \Rightarrow \iota$ .

**Definition 11** We define  $c\_2Einteger\_2Eint\_REP$  to be  $\lambda V0a \in ty\_2Einteger\_2Eint.(ap\ (c\_2Emin\_2E\_40\ (ty\_2Eint\_of\_num\ a)))$

Let  $c\_2Einteger\_2Etint\_neg : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_neg \in ((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)}) \quad (14)$$

Let  $c\_2Einteger\_2Etint\_eq : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)}) \quad (15)$$

Let  $c\_2Einteger\_2Eint\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_ABS\_CLASS \in (ty\_2Einteger\_2Eint)^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})} \quad (16)$$

**Definition 12** We define  $c_2Einteger_2Eint\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\ ty\_2Enum)$

**Definition 13** We define  $c\_2Einteger\_2Eint\_neg$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.(ap\ c\_2Einteger\_2Eint.$

Let  $c_2Einteger_2Etint\_lt : \iota$  be given. Assume the following.

$$c_2 \text{Einteger\_}2E\text{tint\_}lt \in ((2(ty\_2E\text{pair\_}2E\text{prod } ty\_2E\text{num\_}2E\text{num } ty\_2E\text{enum\_}2E\text{enum})) (ty\_2E\text{pair\_}2E\text{prod } ty\_2E\text{num\_}2E\text{enum})) \quad (17)$$

**Definition 14** We define  $c\_2Einteger\_2Eint\_It$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint. \lambda V1T2 \in ty\_2Einteger$

**Definition 15** We define  $c\_Ebool\_EF$  to be  $(ap\ (c\_Ebool\_E_21\ 2)\ (\lambda V0t\in 2.V0t))$ .

**Definition 16** We define  $c_{\text{2Emin\_2E\_3D\_3D\_3E}}$  to be  $\lambda P \in 2.\lambda Q \in 2.\text{inj\_o} (p \ P \Rightarrow p \ Q)$  of type  $\iota$ .

**Definition 17** We define  $c_{\text{CBool}}(2E_2F_5C)$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap(c_{\text{CBool}}(2E_2F_5C), t1), t2)))$

**Definition 18** We define  $c.2Ebool\_2ECOND$  to be  $\lambda A.27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.27a.(\lambda V2t2 \in A.27a.($

**Definition 19** We define  $c\_2EintExtension\_2ESGN$  to be  $\lambda V0x \in ty\_2Einteger\_2Eint.(ap\ (ap\ (ap\ (ap\ (c\_2Eboc$

**Definition 20** We define  $c_2 \in \text{frac\_sgn}$  to be  $\lambda V0f1 \in \text{ty\_frac\_frac\_ap\_c2\_intExtension\_2ES}$

Let  $c_{\text{2Epair\_2ESND}} : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow c\_2Epair\_2ESND \\ A\_27a \ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod \ A\_27a \ A\_27b)}) \quad (18)$$

**Definition 22** We define  $c\_2Efrac\_2Efrac\_dmn$  to be  $\lambda V0f \in ty\_2Efrac\_2Efrac.(ap (c\_2Epair\_2ESND t)$

Let  $c_2Einteger_2Etint\_mul : \iota$  be given. Assume the following.

$$c\_Einteger\_2Etint\_mul \in (((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\\ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)} \quad (19)$$

**Definition 23** We define  $c\_2Einteger\_2Eint\_mul$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint. \lambda V1T2 \in ty\_2Einteger\_2Eint.$

Let  $c_{\text{2Epair\_2EA}} : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{\_27a}.nonempty\ A_{\_27a} \Rightarrow \forall A_{\_27b}.nonempty\ A_{\_27b} \Rightarrow c_{\_2Epair\_2EABS\_prod}\ A_{\_27a}\ A_{\_27b} \in ((ty_{\_2Epair\_2Eprod}\ A_{\_27a}\ A_{\_27b})^{((2^{A_{\_27b}})^{A_{\_27a}})}) \quad (20)$$

**Definition 24** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2$

Let  $c_2Efrac_2Eabs_2Efrac : \iota$  be given. Assume the following.

$$c_2 \frac{Efrac}{Eabs} - \frac{Efrac}{Efrac} \in (ty_2 Efrac \cdot Efrac^{(ty_2 Epair \cdot Eprod \ ty_2 Einteger \cdot Eint \ ty_2 Einteger \cdot Eint)}) \quad (21)$$

**Definition 25** We define  $c_2Efrac_2Efrac_minv$  to be  $\lambda V0f1 \in ty_2Efrac_2Efrac.(ap\ c_2Efrac_2Eabs\_f$

**Definition 26** We define  $c_2Eb0l_2E_5C_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap(c_2Eb0l_2E_21 2))(\lambda V2t \in$

**Definition 27** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E))$

**Definition 28** We define  $c_2Ebool\_2E\_3F$  to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\;V0P\;(ap\;(c\_2Emin\_2E\_40$

**Definition 29** We define  $c_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.$

Assume the following.

*True* (22)

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p \vee 0t1) \Rightarrow (p \vee 1t2)) \Rightarrow (((p \vee 1t2) \Rightarrow (p \vee 0t1)) \Rightarrow ((p \vee 0t1) \Leftrightarrow (p \vee 1t2))))))) \quad (23)$$

Assume the following.

$$(\forall V \exists t \in \mathcal{Z}. (\text{False} \Rightarrow (p \vee \exists t))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.((p\ V0t) \vee (\neg(p\ V0t)))) \quad (25)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee (p \ V0t)) \Leftrightarrow (p \ V0t))))))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2.((((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))) \quad (27)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg\text{True}) \Leftrightarrow \text{False}) \wedge ((\neg\text{False}) \Leftrightarrow \text{True}))) \quad (28)$$

Assume the following.

$$\forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow (\forall V0x \in A_{\text{27a}}. ((V0x = V0x) \Leftrightarrow \text{True})) \quad (29)$$

Assume the following.

$$\forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow (\forall V0x \in A_{\text{27a}}. (\forall V1y \in A_{\text{27a}}. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (30)$$

Assume the following.

$$(\forall V0t \in 2. (((\text{True} \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow \text{True}) \Leftrightarrow (p V0t)) \wedge (((\text{False} \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow \text{False}) \Leftrightarrow (\neg(p V0t))))))) \quad (31)$$

Assume the following.

$$\begin{aligned} \forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow & (\forall V0t1 \in A_{\text{27a}}. (\forall V1t2 \in A_{\text{27a}}. ((ap (ap (ap (c_{\text{2Ebool\_2ECOND}} A_{\text{27a}}) c_{\text{2Ebool\_2ET}}) V0t1) \\ & V1t2) = V0t1) \wedge ((ap (ap (ap (c_{\text{2Ebool\_2ECOND}} A_{\text{27a}}) c_{\text{2Ebool\_2EF}}) V0t1) V1t2) = V1t2)))))) \end{aligned} \quad (32)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3))))))) \quad (33)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_{\text{27}} \in 2. (\forall V2y \in 2. (\forall V3y_{\text{27}} \in 2. (((p V0x) \Leftrightarrow (p V1x_{\text{27}})) \wedge ((p V1x_{\text{27}}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{\text{27}}))))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{\text{27}}) \Rightarrow (p V3y_{\text{27}}))))))) \quad (34)$$

Assume the following.

$$\begin{aligned} \forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow & (\forall V0P \in 2. (\forall V1Q \in 2. (\forall V2x \in A_{\text{27a}}. (\forall V3x_{\text{27}} \in A_{\text{27a}}. (\forall V4y \in A_{\text{27a}}. \\ & (\forall V5y_{\text{27}} \in A_{\text{27a}}. (((p V0P) \Leftrightarrow (p V1Q)) \wedge (((p V1Q) \Rightarrow (V2x = V3x_{\text{27}})) \wedge \\ & ((\neg(p V1Q)) \Rightarrow (V4y = V5y_{\text{27}})))) \Rightarrow ((ap (ap (ap (c_{\text{2Ebool\_2ECOND}} A_{\text{27a}}) \\ & V0P) V2x) V4y) = (ap (ap (ap (c_{\text{2Ebool\_2ECOND}} A_{\text{27a}}) V1Q) V3x_{\text{27}}) \\ & V5y_{\text{27}}))))))))))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned} & (\forall V0a \in ty_{\text{2Einteger\_2Eint}}. (\forall V1b \in ty_{\text{2Einteger\_2Eint}}. \\ & ((p (ap (ap c_{\text{2Einteger\_2Eint\_lt}} (ap c_{\text{2Einteger\_2Eint\_of\_num}} \\ & c_{\text{2Enum\_2E0}}) V1b)) \Rightarrow ((ap c_{\text{2Efrac\_2Efrac\_nmr}} (ap c_{\text{2Efrac\_2Eabs\_frac}} \\ & (ap (ap (c_{\text{2Epair\_2E2C}} ty_{\text{2Einteger\_2Eint}} ty_{\text{2Einteger\_2Eint}}) \\ & V0a) V1b)) = V0a))))))) \end{aligned} \quad (36)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0a \in ty\_2Einteger\_2Eint. (\forall V1b \in ty\_2Einteger\_2Eint. \\
 & ((p (ap (ap c\_2Einteger\_2Eint\_lt (ap c\_2Einteger\_2Eint\_of\_num \\
 & c\_2Enum\_2E0)) V1b)) \Rightarrow ((ap c\_2Efrac\_2Efrac\_dnm (ap c\_2Efrac\_2Eabs\_frac \\
 & (ap (ap (c\_2Epair\_2E\_2C ty\_2Einteger\_2Eint ty\_2Einteger\_2Eint) \\
 & V0a) V1b)) = V1b)))
 \end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0x \in ty\_2Einteger\_2Eint. ((\neg(V0x = (ap c\_2Einteger\_2Eint\_of\_num \\
 & c\_2Enum\_2E0))) \Rightarrow (p (ap (ap c\_2Einteger\_2Eint\_lt (ap c\_2Einteger\_2Eint\_of\_num \\
 & c\_2Enum\_2E0)) (ap c\_2Einteger\_2EABS V0x))))))
 \end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0y \in ty\_2Einteger\_2Eint. (\forall V1x \in ty\_2Einteger\_2Eint. \\
 & ((ap (ap c\_2Einteger\_2Eint\_mul V1x) V0y) = (ap (ap c\_2Einteger\_2Eint\_mul \\
 & V0y) V1x)))
 \end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0x \in ty\_2Einteger\_2Eint. ((ap (ap c\_2Einteger\_2Eint\_mul \\
 & (ap c\_2Einteger\_2Eint\_of\_num (ap c\_2Earithmetic\_2ENUMERAL \\
 & (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))) V0x) = V0x))
 \end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0x \in ty\_2Einteger\_2Eint. ((ap (ap c\_2Einteger\_2Eint\_mul \\
 & (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) V0x) = (ap c\_2Einteger\_2Eint\_of\_num \\
 & c\_2Enum\_2E0)))
 \end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0x \in ty\_2Einteger\_2Eint. ((ap (ap c\_2Einteger\_2Eint\_mul \\
 & V0x) (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) = (ap c\_2Einteger\_2Eint\_of\_num \\
 & c\_2Enum\_2E0)))
 \end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\
 & ((ap c\_2Einteger\_2Eint\_neg (ap (ap c\_2Einteger\_2Eint\_mul V0x) \\
 & V1y)) = (ap (ap c\_2Einteger\_2Eint\_mul (ap c\_2Einteger\_2Eint\_neg \\
 & V0x)) V1y))))
 \end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\
 & ((ap c\_2Einteger\_2Eint\_neg (ap (ap c\_2Einteger\_2Eint\_mul V0x) \\
 & V1y)) = (ap (ap c\_2Einteger\_2Eint\_mul V0x) (ap c\_2Einteger\_2Eint\_neg \\
 & V1y))))
 \end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\ & ((ap (ap c\_2Einteger\_2Eint\_mul (ap c\_2Einteger\_2Eint\_neg V0x)) \\ & (ap c\_2Einteger\_2Eint\_neg V1y)) = (ap (ap c\_2Einteger\_2Eint\_mul \\ & V0x) V1y)))) \end{aligned} \quad (45)$$

Assume the following.

$$((ap c\_2Einteger\_2Eint\_neg (ap c\_2Einteger\_2Eint\_of\_num \\ c\_2Enum\_2E0)) = (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) \quad (46)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty\_2Einteger\_2Eint. ((ap c\_2Einteger\_2Eint\_neg \\ & V0x) = (ap (ap c\_2Einteger\_2Eint\_mul (ap c\_2Einteger\_2Eint\_neg \\ & (ap c\_2Einteger\_2Eint\_of\_num (ap c\_2Earithmetic\_2ENUMERAL \\ & (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))))))) V0x))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\ & (((ap (ap c\_2Einteger\_2Eint\_mul V0x) V1y) = (ap c\_2Einteger\_2Eint\_of\_num \\ & c\_2Enum\_2E0)) \Leftrightarrow ((V0x = (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) \vee \\ & (V1y = (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0))))) \end{aligned} \quad (48)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ & ((ap c\_2Einteger\_2Eint\_of\_num V0m) = (ap c\_2Einteger\_2Eint\_of\_num \\ & V1n)) \Leftrightarrow (V0m = V1n))) \end{aligned} \quad (49)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\ & ((p (ap (ap c\_2Einteger\_2Eint\_lt (ap c\_2Einteger\_2Eint\_of\_num \\ & V0n)) (ap c\_2Einteger\_2Eint\_of\_num V1m))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\ & V0n) V1m))) \wedge (((p (ap (ap c\_2Einteger\_2Eint\_lt (ap c\_2Einteger\_2Eint\_neg \\ & (ap c\_2Einteger\_2Eint\_of\_num V0n))) (ap c\_2Einteger\_2Eint\_neg \\ & (ap c\_2Einteger\_2Eint\_of\_num V1m))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\ & V1m) V0n))) \wedge (((p (ap (ap c\_2Einteger\_2Eint\_lt (ap c\_2Einteger\_2Eint\_neg \\ & (ap c\_2Einteger\_2Eint\_of\_num V0n))) (ap c\_2Einteger\_2Eint\_of\_num \\ & V1m))) \Leftrightarrow ((\neg(V0n = c\_2Enum\_2E0)) \vee (\neg(V1m = c\_2Enum\_2E0))) \wedge ((p \\ & (ap (ap c\_2Einteger\_2Eint\_lt (ap c\_2Einteger\_2Eint\_of\_num \\ & V0n)) (ap c\_2Einteger\_2Eint\_neg (ap c\_2Einteger\_2Eint\_of\_num \\ & V1m))) \Leftrightarrow False))))))) \end{aligned} \quad (50)$$

Assume the following.

$$\begin{aligned}
& ((\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. \\
& (((ap c\_2Einteger\_2Eint\_of\_num V0m) = (ap c\_2Einteger\_2Eint\_of\_num \\
& V1n)) \Leftrightarrow (V0m = V1n)))) \wedge (\forall V2x \in ty\_2Einteger\_2Eint. (\forall V3y \in \\
& ty\_2Einteger\_2Eint. (((ap c\_2Einteger\_2Eint\_neg V2x) = (ap c\_2Einteger\_2Eint\_neg \\
& V3y)) \Leftrightarrow (V2x = V3y)))) \wedge (\forall V4n \in ty\_2Enum\_2Enum. (\forall V5m \in \\
& ty\_2Enum\_2Enum. (((ap c\_2Einteger\_2Eint\_of\_num V4n) = (ap \\
& c\_2Einteger\_2Eint\_neg (ap c\_2Einteger\_2Eint\_of\_num V5m))) \Leftrightarrow \\
& ((V4n = c\_2Enum\_2E0) \wedge (V5m = c\_2Enum\_2E0))) \wedge (((ap c\_2Einteger\_2Eint\_neg \\
& (ap c\_2Einteger\_2Eint\_of\_num V4n)) = (ap c\_2Einteger\_2Eint\_of\_num \\
& V5m)) \Leftrightarrow ((V4n = c\_2Enum\_2E0) \wedge (V5m = c\_2Enum\_2E0))))))) \\
& \tag{51}
\end{aligned}$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (\neg(p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
V0n) c\_2Enum\_2E0)))) \tag{52}$$

Assume the following.

$$\begin{aligned}
& (\forall V0a \in ty\_2Efrac\_2Efrac. (\forall V1b \in ty\_2Efrac\_2Efrac. \\
& ((p (ap (ap c\_2Erat\_2Erat\_equiv V0a) V1b)) \Rightarrow (((ap c\_2Efrac\_2Efrac\_nrm \\
V0a) = (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) \Leftrightarrow ((ap c\_2Efrac\_2Efrac\_nrm \\
V1b) = (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0))))) \\
& \tag{53}
\end{aligned}$$

### Theorem 1

$$\begin{aligned}
& (\forall V0y \in ty\_2Efrac\_2Efrac. (\forall V1x \in ty\_2Efrac\_2Efrac. \\
& ((\neg((ap c\_2Efrac\_2Efrac\_nrm V0y) = (ap c\_2Einteger\_2Eint\_of\_num \\
c\_2Enum\_2E0))) \Rightarrow ((p (ap (ap c\_2Erat\_2Erat\_equiv V1x) V0y)) \Rightarrow ( \\
& p (ap (ap c\_2Erat\_2Erat\_equiv (ap c\_2Efrac\_2Efrac\_minv V1x)) \\
& (ap c\_2Efrac\_2Efrac\_minv V0y)))))))
\end{aligned}$$