

thm_2Erat_2EFrac__MUL__EQUIV2 (TMVdc5FWZxQPP8Aq8PC8MdPcv4XfRGYbNq8)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Let $ty_2Einteger_2Eint : \iota$ be given. Assume the following.

$$nonempty\ ty_2Einteger_2Eint \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Efrac_2Efrac : \iota$ be given. Assume the following.

$$nonempty\ ty_2Efrac_2Efrac \tag{3}$$

Let $c_2Efrac_2Erep_frac : \iota$ be given. Assume the following.

$$c_2Efrac_2Erep_frac \in ((ty_2Epair_2Eprod\ ty_2Einteger_2Eint\ ty_2Einteger_2Eint)^{ty_2Efrac_2Efrac}) \tag{4}$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c_2Epair_2ESND\ A.27a\ A.27b \in (A.27b)^{(ty_2Epair_2Eprod\ A.27a\ A.27b)} \tag{5}$$

Definition 2 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E.21$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A.27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A.27a})))$

Definition 4 We define $c_2Efrac_2Efrac_dnm$ to be $\lambda V0f \in ty_2Efrac_2Efrac.(ap\ (c_2Epair_2ESND\ ty_2Efrac_2Efrac\ ty_2Efrac_2Efrac))$

Let $ty_2Eenum_2Eenum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eenum_2Eenum \tag{6}$$

Let $c_2Einteger_2Eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Eenum_2Eenum\ ty_2Eenum_2Eenum)})^{ty_2Einteger_2Eint}) \tag{7}$$

Definition 5 We define $c_2Emin_2E.40$ to be $\lambda A.\lambda P \in 2^A$. **if** $(\exists x \in A.p (ap P x))$ **then** (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 6 We define $c_2Einteger_2Eint_REP$ to be $\lambda V0a \in ty_2Einteger_2Eint$.(ap (c_2Emin_2E.40 (ty

Let $c_2Einteger_2Eint_mul : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_mul \in (((ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum))^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)} \quad (8)$$

Let $c_2Einteger_2Eint_eq : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_eq \in ((2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)} \quad (9)$$

Let $c_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint)^{2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)}} \quad (10)$$

Definition 7 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)$

Definition 8 We define $c_2Einteger_2Eint_mul$ to be $\lambda V0T1 \in ty_2Einteger_2Eint$. $\lambda V1T2 \in ty_2Einteger$

Let $c_2Epair_2Efst : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c_2Epair_2Efst A.27a A.27b \in (A.27a)^{(ty_2Epair_2Eprod A.27a A.27b)} \quad (11)$$

Definition 9 We define $c_2Efrac_2Efrac_nmr$ to be $\lambda V0f \in ty_2Efrac_2Efrac$.(ap (c_2Epair_2Efst ty

Definition 10 We define $c_2Emin_2E.3D_3D_3E$ to be $\lambda P \in 2$. $\lambda Q \in 2$.inj_o (p $P \Rightarrow p Q$) of type ι .

Definition 11 We define $c_2Ebool_2E.2F.5C$ to be $(\lambda V0t1 \in 2$.($\lambda V1t2 \in 2$.(ap (c_2Ebool_2E.21 2) ($\lambda V2t \in 2$.(

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c_2Epair_2EABS_prod A.27a A.27b \in ((ty_2Epair_2Eprod A.27a A.27b)^{(2^{A.27b})^{A.27a}})^{A.27a} \quad (12)$$

Definition 12 We define $c_2Epair_2E.2C$ to be $\lambda A.27a : \iota$. $\lambda A.27b : \iota$. $\lambda V0x \in A.27a$. $\lambda V1y \in A.27b$.(ap (c_2E

Let $c_2Efrac_2Eabs_frac : \iota$ be given. Assume the following.

$$c_2Efrac_2Eabs_frac \in (ty_2Efrac_2Efrac)^{(ty_2Epair_2Eprod ty_2Einteger_2Eint ty_2Einteger_2Eint)} \quad (13)$$

Definition 13 We define $c_2Efrac_2Efrac_mul$ to be $\lambda V0f1 \in ty_2Efrac_2Efrac$. $\lambda V1f2 \in ty_2Efrac_2Efrac$

Definition 14 We define $c_2Erat_2Erat_equiv$ to be $\lambda V0f1 \in ty_2Efrac_2Efrac.\lambda V1f2 \in ty_2Efrac_2Efrac$

Assume the following.

$$\begin{aligned} & (\forall V0a \in ty_2Efrac_2Efrac.(\forall V1b \in ty_2Efrac_2Efrac. \\ & ((ap (ap c_2Efrac_2Efrac_mul V0a) V1b) = (ap (ap c_2Efrac_2Efrac_mul \\ & V1b) V0a)))) \end{aligned} \tag{14}$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Efrac_2Efrac.(\forall V1x_27 \in ty_2Efrac_2Efrac. \\ & (\forall V2y \in ty_2Efrac_2Efrac.((p (ap (ap c_2Erat_2Erat_equiv \\ & V0x) V1x_27)) \Rightarrow (p (ap (ap c_2Erat_2Erat_equiv (ap (ap c_2Efrac_2Efrac_mul \\ & V0x) V2y)) (ap (ap c_2Efrac_2Efrac_mul V1x_27) V2y))))))) \end{aligned} \tag{15}$$

Theorem 1

$$\begin{aligned} & (\forall V0x \in ty_2Efrac_2Efrac.(\forall V1x_27 \in ty_2Efrac_2Efrac. \\ & (\forall V2y \in ty_2Efrac_2Efrac.((p (ap (ap c_2Erat_2Erat_equiv \\ & V0x) V1x_27)) \Rightarrow (p (ap (ap c_2Erat_2Erat_equiv (ap (ap c_2Efrac_2Efrac_mul \\ & V2y) V0x)) (ap (ap c_2Efrac_2Efrac_mul V2y) V1x_27))))))) \end{aligned}$$