

# thm\_2Erat\_2ERAT\_\_ADD\_\_CONG1 (TMY- omkhiSPSZugfoBeAoPDBhVvuJCemBVua)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_21$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let  $ty\_2Efrac\_2Efrac : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Efrac\_2Efrac \tag{1}$$

Let  $ty\_2Erat\_2Erat : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erat\_2Erat \tag{2}$$

Let  $c\_2Erat\_2Erep\_rat\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erat\_2Erep\_rat\_CLASS \in ((2^{ty\_2Efrac\_2Efrac})^{ty\_2Erat\_2Erat}) \tag{3}$$

**Definition 3** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \text{ then } (the (\lambda x.x \in A \wedge p))$  of type  $\iota \Rightarrow \iota$ .

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A_{27a} : \iota.(\lambda V0P \in (2^{A_{27a}}).(ap (ap (c\_2Emin\_2E\_3D (2^{A_{27a}}))$

**Definition 5** We define  $c\_2Erat\_2Erep\_rat$  to be  $\lambda V0a \in ty\_2Erat\_2Erat.(ap (c\_2Emin\_2E\_40 ty\_2Efrac\_2Efrac$

**Definition 6** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2)) (\lambda V2t \in 2$

Let  $ty\_2Einteger\_2Eint : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Einteger\_2Eint \tag{4}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{5}$$

Let  $c\_2Efrac\_2Erep\_frac : \iota$  be given. Assume the following.

$$c\_2Efrac\_2Erep\_frac \in ((ty\_2Epair\_2Eprod\ ty\_2Einteger\_2Eint\ ty\_2Einteger\_2Eint)^{ty\_2Efrac\_2Efrac}) \quad (6)$$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND\ A\_27a\ A\_27b \in (A\_27b)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)} \quad (7)$$

**Definition 8** We define  $c\_2Efrac\_2Efrac\_dnm$  to be  $\lambda V0f \in ty\_2Efrac\_2Efrac.(ap\ (c\_2Epair\_2ESND\ ty\_2Efrac\_2Efrac))$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST\ A\_27a\ A\_27b \in (A\_27a)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)} \quad (8)$$

**Definition 9** We define  $c\_2Efrac\_2Efrac\_nmr$  to be  $\lambda V0f \in ty\_2Efrac\_2Efrac.(ap\ (c\_2Epair\_2EFST\ ty\_2Efrac\_2Efrac))$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (9)$$

Let  $c\_2Einteger\_2Eint\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{ty\_2Einteger\_2Eint}) \quad (10)$$

**Definition 10** We define  $c\_2Einteger\_2Eint\_REP$  to be  $\lambda V0a \in ty\_2Einteger\_2Eint.(ap\ (c\_2Emin\_2E.40\ ty\_2Einteger\_2Eint\_REP\_CLASS\ a))$

Let  $c\_2Einteger\_2Etint\_mul : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_mul \in (((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)}) \quad (11)$$

Let  $c\_2Einteger\_2Etint\_eq : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)}) \quad (12)$$

Let  $c\_2Einteger\_2Eint\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_ABS\_CLASS \in (ty\_2Einteger\_2Eint)^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})} \quad (13)$$

**Definition 11** We define  $c\_2Einteger\_2Eint\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum).(ap\ (c\_2Einteger\_2Eint\_ABS\_CLASS\ r))$

**Definition 12** We define  $c\_2Einteger\_2Eint\_mul$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.\lambda V1T2 \in ty\_2Einteger\_2Eint.(ap\ (c\_2Einteger\_2Etint\_mul\ T1\ T2))$

**Definition 13** We define  $c\_2Erat\_2Erat\_equiv$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac.\lambda V1f2 \in ty\_2Efrac\_2Efrac.(ap\ (c\_2Einteger\_2Eint\_eq\ f1\ f2))$

Let  $c\_2Erat\_2Eabs\_rat\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erat\_2Eabs\_rat\_CLASS \in (ty\_2Erat\_2Erat^{(2^{ty\_2Efrac\_2Efrac})}) \quad (14)$$

**Definition 14** We define  $c\_2Erat\_2Eabs\_rat$  to be  $\lambda V0r \in ty\_2Efrac\_2Efrac.(ap\ c\_2Erat\_2Eabs\_rat\_CLASS$

Let  $c\_2Einteger\_2Etint\_add : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum))^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)}) \quad (15)$$

**Definition 15** We define  $c\_2Einteger\_2Eint\_add$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.\lambda V1T2 \in ty\_2Einteger$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b} A\_27a)}) \quad (16)$$

**Definition 16** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2E$

Let  $c\_2Efrac\_2Eabs\_frac : \iota$  be given. Assume the following.

$$c\_2Efrac\_2Eabs\_frac \in (ty\_2Efrac\_2Efrac^{(ty\_2Epair\_2Eprod\ ty\_2Einteger\_2Eint\ ty\_2Einteger\_2Eint)}) \quad (17)$$

**Definition 17** We define  $c\_2Efrac\_2Efrac\_add$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac.\lambda V1f2 \in ty\_2Efrac\_2Efrac$

Assume the following.

$$True \quad (18)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (19)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (20)$$

Assume the following.

$$(\forall V0a \in ty\_2Efrac\_2Efrac.(\forall V1b \in ty\_2Efrac\_2Efrac.((p\ (ap\ (ap\ c\_2Erat\_2Erat\_equiv\ V0a)\ V1b)) \Leftrightarrow (p\ (ap\ (ap\ c\_2Erat\_2Erat\_equiv\ V1b)\ V0a)))))) \quad (21)$$

Assume the following.

$$\begin{aligned}
& ((\forall V0a \in ty\_2Erat\_2Erat. ((ap\ c\_2Erat\_2Eabs\_rat\ (ap\ c\_2Erat\_2Erep\_rat \\
& V0a)) = V0a)) \wedge (\forall V1r \in ty\_2Efrac\_2Efrac. (\forall V2s \in ty\_2Efrac\_2Efrac. \\
& ((p\ (ap\ (ap\ c\_2Erat\_2Erat\_equiv\ V1r)\ V2s)) \Leftrightarrow ((ap\ c\_2Erat\_2Eabs\_rat \\
& V1r) = (ap\ c\_2Erat\_2Eabs\_rat\ V2s))))))
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f1 \in ty\_2Efrac\_2Efrac. (\forall V1f2 \in ty\_2Efrac\_2Efrac. \\
& ((ap\ c\_2Erat\_2Eabs\_rat\ V0f1) = (ap\ c\_2Erat\_2Eabs\_rat\ V1f2)) \Leftrightarrow \\
& (p\ (ap\ (ap\ c\_2Erat\_2Erat\_equiv\ V0f1)\ V1f2))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Efrac\_2Efrac. (\forall V1x\_27 \in ty\_2Efrac\_2Efrac. \\
& (\forall V2y \in ty\_2Efrac\_2Efrac. ((p\ (ap\ (ap\ c\_2Erat\_2Erat\_equiv \\
& V0x)\ V1x\_27)) \Rightarrow (p\ (ap\ (ap\ c\_2Erat\_2Erat\_equiv\ (ap\ (ap\ c\_2Efrac\_2Efrac\_add \\
& V0x)\ V2y))\ (ap\ (ap\ c\_2Efrac\_2Efrac\_add\ V1x\_27)\ V2y))))))
\end{aligned} \tag{24}$$

**Theorem 1**

$$\begin{aligned}
& (\forall V0x \in ty\_2Efrac\_2Efrac. (\forall V1y \in ty\_2Efrac\_2Efrac. \\
& ((ap\ c\_2Erat\_2Eabs\_rat\ (ap\ (ap\ c\_2Efrac\_2Efrac\_add\ (ap\ c\_2Erat\_2Erep\_rat \\
& (ap\ c\_2Erat\_2Eabs\_rat\ V0x)))\ V1y)) = (ap\ c\_2Erat\_2Eabs\_rat\ ( \\
& ap\ (ap\ c\_2Efrac\_2Efrac\_add\ V0x)\ V1y))))
\end{aligned}$$