

thm_2Erat_2ERAT__ADD__RID
(TMRNn6rJvPXsmLoQ5H8fusTfrHdAgs47Cp8)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let $ty_2Einteger_2Eint : \iota$ be given. Assume the following.

$$nonempty\ ty_2Einteger_2Eint \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Efrac_2Efrac : \iota$ be given. Assume the following.

$$nonempty\ ty_2Efrac_2Efrac \tag{3}$$

Let $c_2Efrac_2Erep_frac : \iota$ be given. Assume the following.

$$c_2Efrac_2Erep_frac \in ((ty_2Epair_2Eprod\ ty_2Einteger_2Eint\ ty_2Einteger_2Eint)^{ty_2Efrac_2Efrac}) \tag{4}$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c_2Epair_2ESND\ A.27a\ A.27b \in (A.27b)^{(ty_2Epair_2Eprod\ A.27a\ A.27b)} \tag{5}$$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define $c_2Efrac_2Efrac_dnm$ to be $\lambda V0f \in ty_2Efrac_2Efrac.(ap (c_2Epair_2ESND\ ty_2Efrac_2Efrac\ V0f))$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c_2Epair_2EFST\ A.27a\ A.27b \in (A.27a)^{(ty_2Epair_2Eprod\ A.27a\ A.27b)} \tag{6}$$

Definition 5 We define $c_2Efrac_2Efrac_nmr$ to be $\lambda V0f \in ty_2Efrac_2Efrac.(ap (c_2Epair_2EFST ty_2Enum_2Enum) : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (7)$$

Let $c_2Einteger_2Eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})_{ty_2Einteger_2Eint}) \quad (8)$$

Definition 6 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A$. **if** $(\exists x \in A.p (ap\ P\ x))$ **then** (the $(\lambda x.x \in A \wedge p)$ of type $\iota \Rightarrow \iota$).

Definition 7 We define $c_2Einteger_2Eint_REP$ to be $\lambda V0a \in ty_2Einteger_2Eint.(ap (c_2Emin_2E40 (ty_2Enum_2Enum)))$

Let $c_2Einteger_2Eint_mul : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_mul \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)_{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)})_{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)}) \quad (9)$$

Let $c_2Einteger_2Eint_eq : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})_{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)}) \quad (10)$$

Let $c_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint)^{(2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})} \quad (11)$$

Definition 8 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)$

Definition 9 We define $c_2Einteger_2Eint_mul$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint$

Definition 10 We define $c_2Erat_2Erat_equiv$ to be $\lambda V0f1 \in ty_2Efrac_2Efrac.\lambda V1f2 \in ty_2Efrac_2Efrac$

Definition 11 We define $c_2Emin_2E3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 12 We define $c_2Ebool_2E2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E21\ 2) (\lambda V2t \in 2))))$

Definition 13 We define $c_2Equotient_2EQUOTIENT$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda$

Let $ty_2Erat_2Erat : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erat_2Erat \quad (12)$$

Let $c_2Erat_2Erep_rat_CLASS : \iota$ be given. Assume the following.

$$c_2Erat_2Erep_rat_CLASS \in ((2^{ty_2Efrac_2Efrac})^{ty_2Erat_2Erat}) \quad (13)$$

Definition 14 We define $c_2Erat_2Erep_rat$ to be $\lambda V0a \in ty_2Erat_2Erat.(ap (c_2Emin_2E.40 ty_2Efrac$
Let $c_2Einteger_2Etint_add : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_add \in (((ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)^(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum))^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)} \quad (14)$$

Definition 15 We define $c_2Einteger_2Eint_add$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger$
Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (15)$$

Definition 16 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2E$
Let $c_2Efrac_2Eabs_frac : \iota$ be given. Assume the following.

$$c_2Efrac_2Eabs_frac \in (ty_2Efrac_2Efrac^{(ty_2Epair_2Eprod ty_2Einteger_2Eint ty_2Einteger_2Eint)}) \quad (16)$$

Definition 17 We define $c_2Efrac_2Efrac_add$ to be $\lambda V0f1 \in ty_2Efrac_2Efrac.\lambda V1f2 \in ty_2Efrac_2Efrac$
Let $c_2Erat_2Eabs_rat_CLASS : \iota$ be given. Assume the following.

$$c_2Erat_2Eabs_rat_CLASS \in (ty_2Erat_2Erat^{(2^{ty_2Efrac_2Efrac})}) \quad (17)$$

Definition 18 We define $c_2Erat_2Eabs_rat$ to be $\lambda V0r \in ty_2Efrac_2Efrac.(ap c_2Erat_2Eabs_rat_CLASS$

Definition 19 We define $c_2Erat_2Erat_add$ to be $\lambda V0r1 \in ty_2Erat_2Erat.\lambda V1r2 \in ty_2Erat_2Erat.(ap$
Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (18)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (19)$$

Definition 20 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Definition 21 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (20)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (21)$$

Definition 22 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$
Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (22)$$

Definition 23 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 24 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Einteger_2Eint_of_num : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_of_num \in (ty_2Einteger_2Eint^{ty_2Enum_2Enum}) \quad (23)$$

Definition 25 We define $c_2Efrac_2Efrac_0$ to be $(ap\ c_2Efrac_2Eabs_frac\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2$

Definition 26 We define $c_2Efrac_2Efrac_1$ to be $(ap\ c_2Efrac_2Eabs_frac\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2$

Definition 27 We define $c_2Erat_2Erat_1$ to be $(ap\ c_2Erat_2Eabs_rat\ c_2Efrac_2Efrac_1)$.

Definition 28 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x)$

Definition 29 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27$

Definition 30 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota.(ap\ (ap\ (c_2Ecombin_2ES\ A_27a\ (A_27a^{A_27a})\ A$

Let $c_2Earithmetic_2Enum_CASE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Earithmetic_2Enum_CASE\ A_27a \in \quad (24)$$

$$(((A_27a^{(A_27a^{ty_2Enum_2Enum})})^{A_27a})^{ty_2Enum_2Enum})$$

Definition 31 We define $c_2Erat_2Erat_0$ to be $(ap\ c_2Erat_2Eabs_rat\ c_2Efrac_2Efrac_0)$.

Definition 32 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 33 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E$

Definition 34 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 35 We define $c_2Erelation_2EWF$ to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).(ap\ (c_2Ebool_2E_21$

Let $c_2Ebool_2EARB : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ebool_2EARB\ A_27a \in A_27a \quad (25)$$

Definition 36 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Definition 37 We define $c_2Erelation_2ERESTRICT$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1f$

Definition 38 We define $c_2Erelation_2ETC$ to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1a \in A_27a.\lambda V2b$

Definition 39 We define $c_Erelation_2Eapprox$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1M$

Definition 40 We define $c_Erelation_2Ethe_fun$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1M$

Definition 41 We define $c_Erelation_2EWFREC$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1M$

Definition 42 We define $c_Erat_2Erat_of_num$ to be $(ap (ap (c_Erelation_2EWFREC ty_2Enum_2Enum$

Assume the following.

$$True \quad (26)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (27)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (28)$$

Assume the following.

$$(\forall V0a \in ty_2Efrac_2Efrac.((ap (ap c_Efrac_2Efrac_add V0a) c_2Efrac_2Efrac_0) = V0a)) \quad (29)$$

Assume the following.

$$(p (ap (ap (ap (c_2Equotient_2EQUOTIENT ty_2Efrac_2Efrac ty_2Erat_2Erat) c_2Erat_2Erat_equiv) c_2Erat_2Eabs_rat) c_2Erat_2Erep_rat)) \quad (30)$$

Assume the following.

$$((ap c_2Erat_2Erat_of_num c_2Enum_2E0) = (ap c_2Erat_2Eabs_rat c_2Efrac_2Efrac_0)) \quad (31)$$

Assume the following.

$$\begin{aligned} & ((\forall V0x \in ty_2Efrac_2Efrac.(\forall V1y \in ty_2Efrac_2Efrac. \\ & ((ap c_2Erat_2Eabs_rat (ap (ap c_2Efrac_2Efrac_add (ap c_2Erat_2Erep_rat \\ & (ap c_2Erat_2Eabs_rat V0x))) V1y)) = (ap c_2Erat_2Eabs_rat (\\ & ap (ap c_2Efrac_2Efrac_add V0x) V1y)))))) \wedge (\forall V2x \in ty_2Efrac_2Efrac. \\ & (\forall V3y \in ty_2Efrac_2Efrac.((ap c_2Erat_2Eabs_rat (ap (\\ & ap c_2Efrac_2Efrac_add V2x) (ap c_2Erat_2Erep_rat (ap c_2Erat_2Eabs_rat \\ & V3y)))))) = (ap c_2Erat_2Eabs_rat (ap (ap c_2Efrac_2Efrac_add \\ & V2x) V3y)))))) \end{aligned} \quad (32)$$

Theorem 1

$$(\forall V0a \in ty_2Erat_2Erat.((ap (ap c_2Erat_2Erat_add V0a) (ap c_2Erat_2Erat_of_num c_2Enum_2E0)) = V0a))$$