

thm_2Erat_2ERAT__AINV__CONG (TMEwd- fYj4bFJtR3dkNktXKizFEunaKY7aRM)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Let $ty_2Einteger_2Eint : \iota$ be given. Assume the following.

$$nonempty\ ty_2Einteger_2Eint \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Efrac_2Efrac : \iota$ be given. Assume the following.

$$nonempty\ ty_2Efrac_2Efrac \tag{3}$$

Let $c_2Efrac_2Erep_frac : \iota$ be given. Assume the following.

$$c_2Efrac_2Erep_frac \in ((ty_2Epair_2Eprod\ ty_2Einteger_2Eint\ ty_2Einteger_2Eint)^{ty_2Efrac_2Efrac}) \tag{4}$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.\lambda a.\lambda b.A.\lambda a.\lambda b.A \Rightarrow \forall A.\lambda a.\lambda b.A.\lambda a.\lambda b.A \Rightarrow c_2Epair_2ESND\ A.\lambda a.\lambda b.A \Rightarrow c_2Epair_2ESND\ A.\lambda a.\lambda b.A \tag{5}$$

Definition 7 We define $c_2Efrac_2Efrac_dnm$ to be $\lambda V0f \in ty_2Efrac_2Efrac.(ap (c_2Epair_2ESND ty_2Efrac_2Efrac))$.
Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c_2Epair_2EFST \\ A.27a A.27b \in (A.27a^{(ty_2Epair_2Eprod A.27a A.27b)}) \end{aligned} \quad (6)$$

Definition 8 We define $c_2Efrac_2Efrac_nmr$ to be $\lambda V0f \in ty_2Efrac_2Efrac.(ap (c_2Epair_2EFST ty_2Efrac_2Efrac))$.
Let $ty_2Eenum_2Eenum : \iota$ be given. Assume the following.

$$nonempty ty_2Eenum_2Eenum \quad (7)$$

Let $c_2Einteger_2Eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_REP_CLASS \in ((2^{(ty_2Epair_2Eprod ty_2Eenum_2Eenum ty_2Eenum_2Eenum)})^{ty_2Einteger_2Eint_REP_CLASS}) \quad (8)$$

Definition 9 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A$.if $(\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p x)$) of type $\iota \Rightarrow \iota$.

Definition 10 We define $c_2Einteger_2Eint_REP$ to be $\lambda V0a \in ty_2Einteger_2Eint.(ap (c_2Emin_2E40 ty_2Einteger_2Eint_REP))$.

Let $c_2Einteger_2Etint_neg : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_neg \in ((ty_2Epair_2Eprod ty_2Eenum_2Eenum ty_2Eenum_2Eenum)^{ty_2Einteger_2Etint_neg}) \quad (9)$$

Let $c_2Einteger_2Etint_eq : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_eq \in ((2^{(ty_2Epair_2Eprod ty_2Eenum_2Eenum ty_2Eenum_2Eenum)})^{(ty_2Epair_2Eprod ty_2Eenum_2Eenum)}) \quad (10)$$

Let $c_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint)^{(2^{(ty_2Epair_2Eprod ty_2Eenum_2Eenum ty_2Eenum_2Eenum)})} \quad (11)$$

Definition 11 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Eenum_2Eenum ty_2Eenum_2Eenum)$.

Definition 12 We define $c_2Einteger_2Eint_neg$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.(ap c_2Einteger_2Eint_neg)$.

Definition 13 We define $c_2Ebool_2E2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E21 2) (\lambda V2t \in 2.t))))$.

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c_2Epair_2EABS_prod \\ A.27a A.27b \in ((ty_2Epair_2Eprod A.27a A.27b)^{(2^{A.27b})^{A.27a}}) \end{aligned} \quad (12)$$

Definition 14 We define c_2Epair_2E2C to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0x \in A.27a.\lambda V1y \in A.27b.(ap (c_2Epair_2EABS_prod A.27a A.27b))$.

Let $c_2Efrac_2Eabs_frac : \iota$ be given. Assume the following.

$$c_2Efrac_2Eabs_frac \in (ty_2Efrac_2Efrac^{(ty_2Epair_2Eprod\ ty_2Einteger_2Eint\ ty_2Einteger_2Eint)}) \quad (13)$$

Definition 15 We define $c_2Efrac_2Efrac_ainv$ to be $\lambda V0f1 \in ty_2Efrac_2Efrac.(ap\ c_2Efrac_2Eabs_frac)$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (14)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (15)$$

Definition 16 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Einteger_2Etint_lt : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)}) \quad (16)$$

Definition 17 We define $c_2Einteger_2Eint_lt$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint$.

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (17)$$

Let $c_2Einteger_2Eint_of_num : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_of_num \in (ty_2Einteger_2Eint^{ty_2Enum_2Enum}) \quad (18)$$

Let $c_2Einteger_2Etint_mul : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_mul \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)} \quad (19)$$

Definition 18 We define $c_2Einteger_2Eint_mul$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint$.

Let $ty_2Erat_2Erat : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erat_2Erat \quad (20)$$

Let $c_2Erat_2Erep_rat_CLASS : \iota$ be given. Assume the following.

$$c_2Erat_2Erep_rat_CLASS \in ((2^{ty_2Efrac_2Efrac})^{ty_2Erat_2Erat}) \quad (21)$$

Definition 19 We define $c_2Erat_2Erep_rat$ to be $\lambda V0a \in ty_2Erat_2Erat.(ap\ (c_2Emin_2E_40\ ty_2Efrac_2Efrac))$

Definition 20 We define $c_2Erat_2Erat_equiv$ to be $\lambda V0f1 \in ty_2Efrac_2Efrac.\lambda V1f2 \in ty_2Efrac_2Efrac$.

Let $c_2Erat_2Eabs_rat_CLASS : \iota$ be given. Assume the following.

$$c_2Erat_2Eabs_rat_CLASS \in (ty_2Erat_2Erat^{(2^{ty_2Efrac_2Efrac})}) \quad (22)$$

Definition 21 We define $c_2Erat_2Eabs_rat$ to be $\lambda V0r \in ty_2Efrac_2Efrac.(ap\ c_2Erat_2Eabs_rat_CLASS$

Assume the following.

$$True \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (24)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (25)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (27)$$

Assume the following.

$$(\forall V0f \in ty_2Efrac_2Efrac.(p\ (ap\ (ap\ c_2Einteger_2Eint_lt\ (ap\ c_2Einteger_2Eint_of_num\ c_2Enum_2E0))\ (ap\ c_2Efrac_2Efrac_dnm\ V0f)))) \quad (28)$$

Assume the following.

$$(\forall V0a \in ty_2Einteger_2Eint.(\forall V1b \in ty_2Einteger_2Eint.((p\ (ap\ (ap\ c_2Einteger_2Eint_lt\ (ap\ c_2Einteger_2Eint_of_num\ c_2Enum_2E0))\ V1b)) \Rightarrow ((ap\ c_2Efrac_2Efrac_nmr\ (ap\ c_2Efrac_2Eabs_frac\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Einteger_2Eint\ ty_2Einteger_2Eint)\ V0a)\ V1b))) = V0a)))) \quad (29)$$

Assume the following.

$$(\forall V0a \in ty_2Einteger_2Eint.(\forall V1b \in ty_2Einteger_2Eint.((p\ (ap\ (ap\ c_2Einteger_2Eint_lt\ (ap\ c_2Einteger_2Eint_of_num\ c_2Enum_2E0))\ V1b)) \Rightarrow ((ap\ c_2Efrac_2Efrac_dnm\ (ap\ c_2Efrac_2Eabs_frac\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Einteger_2Eint\ ty_2Einteger_2Eint)\ V0a)\ V1b))) = V1b)))) \quad (30)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Einteger_2Eint. (\forall V1y \in ty_2Einteger_2Eint. \\
& (((ap\ c_2Einteger_2Eint_neg\ V0x) = (ap\ c_2Einteger_2Eint_neg \\
& \quad V1y)) \Leftrightarrow (V0x = V1y))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\
& ((ap\ (ap\ c_2Einteger_2Eint_mul\ (ap\ c_2Einteger_2Eint_of_num \\
& V0m))\ (ap\ c_2Einteger_2Eint_of_num\ V1n)) = (ap\ c_2Einteger_2Eint_of_num \\
& (ap\ (ap\ c_2Earithmic_2E2A\ V0m)\ V1n)))))) \wedge ((\forall V2x \in ty_2Einteger_2Eint. \\
& (\forall V3y \in ty_2Einteger_2Eint. ((ap\ (ap\ c_2Einteger_2Eint_mul \\
& (ap\ c_2Einteger_2Eint_neg\ V2x))\ V3y) = (ap\ c_2Einteger_2Eint_neg \\
& (ap\ (ap\ c_2Einteger_2Eint_mul\ V2x)\ V3y)))))) \wedge ((\forall V4x \in ty_2Einteger_2Eint. \\
& (\forall V5y \in ty_2Einteger_2Eint. ((ap\ (ap\ c_2Einteger_2Eint_mul \\
& V4x)\ (ap\ c_2Einteger_2Eint_neg\ V5y)) = (ap\ c_2Einteger_2Eint_neg \\
& (ap\ (ap\ c_2Einteger_2Eint_mul\ V4x)\ V5y)))))) \wedge ((\forall V6x \in ty_2Einteger_2Eint. \\
& ((ap\ c_2Einteger_2Eint_neg\ (ap\ c_2Einteger_2Eint_neg\ V6x)) = \\
& \quad V6x))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& (\forall V0a \in ty_2Efrac_2Efrac. (\forall V1b \in ty_2Efrac_2Efrac. \\
& ((p\ (ap\ (ap\ c_2Erat_2Erat_equiv\ V0a)\ V1b)) \Leftrightarrow (p\ (ap\ (ap\ c_2Erat_2Erat_equiv \\
& \quad V1b)\ V0a))))))
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0a \in ty_2Erat_2Erat. ((ap\ c_2Erat_2Eabs_rat\ (ap\ c_2Erat_2Erep_rat \\
& V0a)) = V0a)) \wedge (\forall V1r \in ty_2Efrac_2Efrac. (\forall V2s \in ty_2Efrac_2Efrac. \\
& ((p\ (ap\ (ap\ c_2Erat_2Erat_equiv\ V1r)\ V2s)) \Leftrightarrow ((ap\ c_2Erat_2Eabs_rat \\
& \quad V1r) = (ap\ c_2Erat_2Eabs_rat\ V2s))))))
\end{aligned} \tag{34}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f1 \in ty_2Efrac_2Efrac. (\forall V1f2 \in ty_2Efrac_2Efrac. \\
& (((ap\ c_2Erat_2Eabs_rat\ V0f1) = (ap\ c_2Erat_2Eabs_rat\ V1f2)) \Leftrightarrow \\
& \quad (p\ (ap\ (ap\ c_2Erat_2Erat_equiv\ V0f1)\ V1f2))))))
\end{aligned} \tag{35}$$

Theorem 1

$$\begin{aligned}
& (\forall V0x \in ty_2Efrac_2Efrac. ((ap\ c_2Erat_2Eabs_rat\ (ap\ c_2Efrac_2Efrac_ainv \\
& (ap\ c_2Erat_2Erep_rat\ (ap\ c_2Erat_2Eabs_rat\ V0x)))) = (ap\ c_2Erat_2Eabs_rat \\
& \quad (ap\ c_2Efrac_2Efrac_ainv\ V0x))))
\end{aligned}$$