

thm_2Erat_2ERAT__AINV__LMUL
(TMW1nf6hbQMXjgsoSoxG8bPvkE8PGEZpBLi)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Efrac_2Efrac : \iota$ be given. Assume the following.

$$nonempty\ ty_2Efrac_2Efrac \tag{1}$$

Let $ty_2Erat_2Erat : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erat_2Erat \tag{2}$$

Let $c_2Erat_2Erep_rat_CLASS : \iota$ be given. Assume the following.

$$c_2Erat_2Erep_rat_CLASS \in ((2^{ty_2Efrac_2Efrac})^{ty_2Erat_2Erat}) \tag{3}$$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \text{ then } (the (\lambda x.x \in A \wedge p))$ of type $\iota \Rightarrow \iota$.

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 5 We define $c_2Erat_2Erep_rat$ to be $\lambda V0a \in ty_2Erat_2Erat.(ap (c_2Emin_2E_40 ty_2Efrac_2Efrac$

Let $ty_2Einteger_2Eint : \iota$ be given. Assume the following.

$$nonempty\ ty_2Einteger_2Eint \tag{4}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{5}$$

Let $c_2Efrac_2Erep_frac : \iota$ be given. Assume the following.

$$c_2Efrac_2Erep_frac \in ((ty_2Epair_2Eprod\ ty_2Einteger_2Eint\ ty_2Einteger_2Eint)^{ty_2Efrac_2Efrac}) \tag{6}$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c.2Epair_2ESND \\ A.27a\ A.27b \in (A.27b)^{(ty_2Epair_2Eprod\ A.27a\ A.27b)} \end{aligned} \quad (7)$$

Definition 6 We define $c_2Efrac_2Efrac_dnm$ to be $\lambda V0f \in ty_2Efrac_2Efrac.(ap\ (c_2Epair_2ESND\ ty_2Efrac_2Efrac_dnm\ f))$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c.2Epair_2EFST \\ A.27a\ A.27b \in (A.27a)^{(ty_2Epair_2Eprod\ A.27a\ A.27b)} \end{aligned} \quad (8)$$

Definition 7 We define $c_2Efrac_2Efrac_nmr$ to be $\lambda V0f \in ty_2Efrac_2Efrac.(ap\ (c_2Epair_2EFST\ ty_2Efrac_2Efrac_nmr\ f))$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (9)$$

Let $c_2Einteger_2Eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{ty_2Einteger_2Eint_REP_CLASS}) \quad (10)$$

Definition 8 We define $c_2Einteger_2Eint_REP$ to be $\lambda V0a \in ty_2Einteger_2Eint.(ap\ (c_2Emin_2E.40\ ty_2Einteger_2Eint_REP\ a))$

Let $c_2Einteger_2Etint_neg : \iota$ be given. Assume the following.

$$\begin{aligned} c_2Einteger_2Etint_neg \in ((ty_2Epair_2Eprod\ ty_2Enum_2Enum \\ ty_2Enum_2Enum)^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)}) \end{aligned} \quad (11)$$

Let $c_2Einteger_2Etint_eq : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)}) \quad (12)$$

Let $c_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint)^{(2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})} \quad (13)$$

Definition 9 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Einteger_2Eint_ABS_CLASS)$

Definition 10 We define $c_2Einteger_2Eint_neg$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.(ap\ c_2Einteger_2Eint_neg\ T1)$

Definition 11 We define $c_2Emin_2E.3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 12 We define $c_2Ebool_2E.2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E.21\ 2)\ t2))\ (\lambda V2t \in 2.t))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (14)$$

Definition 13 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2E$

Let $c_2Efrac_2Eabs_frac : \iota$ be given. Assume the following.

$$c_2Efrac_2Eabs_frac \in (ty_2Efrac_2Efrac^{(ty_2Epair_2Eprod\ ty_2Einteger_2Eint\ ty_2Einteger_2Eint)}) \quad (15)$$

Definition 14 We define $c_2Efrac_2Efrac_ainv$ to be $\lambda V0f1 \in ty_2Efrac_2Efrac.(ap\ c_2Efrac_2Eabs_frac$

Let $c_2Einteger_2Eint_mul : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_mul \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)}) \quad (16)$$

Definition 15 We define $c_2Einteger_2Eint_mul$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger$

Definition 16 We define $c_2Erat_2Erat_equiv$ to be $\lambda V0f1 \in ty_2Efrac_2Efrac.\lambda V1f2 \in ty_2Efrac_2Efrac$

Let $c_2Erat_2Eabs_rat_CLASS : \iota$ be given. Assume the following.

$$c_2Erat_2Eabs_rat_CLASS \in (ty_2Erat_2Erat^{(2^{ty_2Efrac_2Efrac})}) \quad (17)$$

Definition 17 We define $c_2Erat_2Eabs_rat$ to be $\lambda V0r \in ty_2Efrac_2Efrac.(ap\ c_2Erat_2Eabs_rat_CLASS$

Definition 18 We define $c_2Erat_2Erat_ainv$ to be $\lambda V0r1 \in ty_2Erat_2Erat.(ap\ c_2Erat_2Eabs_rat\ (ap\ c_2E$

Definition 19 We define $c_2Efrac_2Efrac_mul$ to be $\lambda V0f1 \in ty_2Efrac_2Efrac.\lambda V1f2 \in ty_2Efrac_2Efrac$

Definition 20 We define $c_2Erat_2Erat_mul$ to be $\lambda V0r1 \in ty_2Erat_2Erat.\lambda V1r2 \in ty_2Erat_2Erat.(ap$

Definition 21 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 22 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 23 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E$

Assume the following.

$$True \quad (18)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (21)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\ & p V0t)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee \\ & (p V0A)))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} & (\forall V0f1 \in ty_2Efrac_2Efrac.(\forall V1f2 \in ty_2Efrac_2Efrac. \\ & ((ap\ c_2Efrac_2Efrac_ainv\ (ap\ (ap\ c_2Efrac_2Efrac_mul\ V0f1) \\ & V1f2)) = (ap\ (ap\ c_2Efrac_2Efrac_mul\ (ap\ c_2Efrac_2Efrac_ainv \\ & V0f1))\ V1f2)))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Efrac_2Efrac.((ap\ c_2Erat_2Eabs_rat\ (ap\ c_2Efrac_2Efrac_ainv \\ & (ap\ c_2Erat_2Erep_rat\ (ap\ c_2Erat_2Eabs_rat\ V0x)))) = (ap\ c_2Erat_2Eabs_rat \\ & (ap\ c_2Efrac_2Efrac_ainv\ V0x)))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} & ((\forall V0x \in ty_2Efrac_2Efrac.(\forall V1y \in ty_2Efrac_2Efrac. \\ & ((ap\ c_2Erat_2Eabs_rat\ (ap\ (ap\ c_2Efrac_2Efrac_mul\ (ap\ c_2Erat_2Erep_rat \\ & (ap\ c_2Erat_2Eabs_rat\ V0x))\ V1y)) = (ap\ c_2Erat_2Eabs_rat\ (\\ & ap\ (ap\ c_2Efrac_2Efrac_mul\ V0x)\ V1y)))))) \wedge (\forall V2x \in ty_2Efrac_2Efrac. \\ & (\forall V3y \in ty_2Efrac_2Efrac.((ap\ c_2Erat_2Eabs_rat\ (ap\ (\\ & ap\ c_2Efrac_2Efrac_mul\ V2x)\ (ap\ c_2Erat_2Erep_rat\ (ap\ c_2Erat_2Eabs_rat \\ & V3y)))) = (ap\ c_2Erat_2Eabs_rat\ (ap\ (ap\ c_2Efrac_2Efrac_mul \\ & V2x)\ V3y)))))) \end{aligned} \quad (28)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (29)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (30)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (32)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (33)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p))))))))))))) \quad (34)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (35)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (36)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (37)$$

Theorem 1

$$(\forall V0r1 \in ty_2Erat_2Erat.(\forall V1r2 \in ty_2Erat_2Erat. ((ap c_2Erat_2Erat_ainv (ap (ap c_2Erat_2Erat_mul V0r1) V1r2)) = (ap (ap c_2Erat_2Erat_mul (ap c_2Erat_2Erat_ainv V0r1)) V1r2))))$$