

thm\_2Erat\_2ERAT\_\_DIV\_\_AINV  
(TMXW2wVAy1XA1J6HXsn4UuAMFt8Jj8cfJix)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Ebool_2ET` to be  $(\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^2)) (\lambda V 0x \in 2.V 0x)) (\lambda V 1x \in 2.V 1x))$

Let `ty_2Efrac_2Efrac` :  $\iota$  be given. Assume the following.

$$\text{nonempty } \text{ty\_2Efrac\_2Efrac} \tag{1}$$

Let `ty_2Erat_2Erat` :  $\iota$  be given. Assume the following.

$$\text{nonempty } \text{ty\_2Erat\_2Erat} \tag{2}$$

Let `c_2Erat_2Erep__rat__CLASS` :  $\iota$  be given. Assume the following.

$$\text{c\_2Erat\_2Erep\___rat\___CLASS} \in ((2^{\text{ty\_2Efrac\_2Efrac}})^{\text{ty\_2Erat\_2Erat}}) \tag{3}$$

**Definition 3** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (\text{ap } P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 4** We define `c_2Ebool_2E_21` to be  $\lambda A. 27a : \iota. (\lambda V 0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^{A-27a}))))$

**Definition 5** We define `c_2Erat_2Erep__rat` to be  $\lambda V 0a \in \text{ty\_2Erat\_2Erat}. (\text{ap } (\text{c\_2Emin\_2E\_40 } \text{ty\_2Efrac\_2Efrac}))$

Let `ty_2Einteger_2Eint` :  $\iota$  be given. Assume the following.

$$\text{nonempty } \text{ty\_2Einteger\_2Eint} \tag{4}$$

Let `ty_2Epair_2Eprod` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \forall A 1. \text{nonempty } A 1 \Rightarrow \text{nonempty } (\text{ty\_2Epair\_2Eprod } A 0 A 1) \tag{5}$$

Let `c_2Efrac_2Erep__frac` :  $\iota$  be given. Assume the following.

$$\text{c\_2Efrac\_2Erep\___frac} \in ((\text{ty\_2Epair\_2Eprod } \text{ty\_2Einteger\_2Eint } \text{ty\_2Einteger\_2Eint})^{\text{ty\_2Efrac\_2Efrac}}) \tag{6}$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (7)$$

**Definition 6** We define  $c\_2Efrac\_2Efrac\_nmr$  to be  $\lambda V0f \in ty\_2Efrac\_2Efrac.(ap\ (c\_2Epair\_2EFST\ ty\_2Enum\_2Enum))$ .  
Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (8)$$

Let  $c\_2Einteger\_2Eint\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{ty\_2Einteger\_2Eint\_REP\_CLASS}) \quad (9)$$

**Definition 7** We define  $c\_2Einteger\_2Eint\_REP$  to be  $\lambda V0a \in ty\_2Einteger\_2Eint.(ap\ (c\_2Emin\_2E40\ (ty\_2Enum\_2Enum)))$ .  
Let  $c\_2Einteger\_2Eint\_neg : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_neg \in ((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)}) \quad (10)$$

Let  $c\_2Einteger\_2Eint\_eq : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)}) \quad (11)$$

Let  $c\_2Einteger\_2Eint\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_ABS\_CLASS \in (ty\_2Einteger\_2Eint)^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})} \quad (12)$$

**Definition 8** We define  $c\_2Einteger\_2Eint\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)$ .

**Definition 9** We define  $c\_2Einteger\_2Eint\_neg$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.(ap\ c\_2Einteger\_2Eint\_neg)$ .

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (13)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (14)$$

**Definition 10** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Einteger\_2Eint\_of\_num : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_of\_num \in (ty\_2Einteger\_2Eint)^{ty\_2Enum\_2Enum} \quad (15)$$

Let  $c\_2Einteger\_2Eint\_lt : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)}) \quad (16)$$

**Definition 11** We define  $c\_Einteger\_Eint\_lt$  to be  $\lambda V0T1 \in ty\_Einteger\_Eint.\lambda V1T2 \in ty\_Einteger$ .

**Definition 12** We define  $c\_Ebool\_EF$  to be  $(ap (c\_Ebool\_E21\ 2) (\lambda V0t \in 2.V0t))$ .

**Definition 13** We define  $c\_Emin\_E3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 14** We define  $c\_Ebool\_E2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_Ebool\_E21\ 2) (\lambda V2t \in 2.V2t))))$

**Definition 15** We define  $c\_Ebool\_ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.(ap (c\_Ebool\_E21\ 2) (\lambda V3t3 \in 2.V3t3))))))$

**Definition 16** We define  $c\_Einteger\_EABS$  to be  $\lambda V0n \in ty\_Einteger\_Eint.(ap (ap (ap (c\_Ebool\_E21\ 2) (\lambda V1t1 \in 2.V1t1)) (\lambda V2t2 \in 2.V2t2)) (\lambda V3t3 \in 2.V3t3)))$

Let  $c\_Epair\_ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_Epair\_ESND \\ A\_27a\ A\_27b \in (A\_27b^{(ty\_Epair\_Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (17)$$

**Definition 17** We define  $c\_Efrac\_Efrac\_dnm$  to be  $\lambda V0f \in ty\_Efrac\_Efrac.(ap (c\_Epair\_ESND\ t))$

**Definition 18** We define  $c\_Earithmetic\_EZERO$  to be  $c\_Enum\_E0$ .

Let  $c\_Enum\_EREP\_num : \iota$  be given. Assume the following.

$$c\_Enum\_EREP\_num \in (\omega^{ty\_Enum\_Enum}) \quad (18)$$

Let  $c\_Enum\_ESUC\_REP : \iota$  be given. Assume the following.

$$c\_Enum\_ESUC\_REP \in (\omega^{\omega}) \quad (19)$$

**Definition 19** We define  $c\_Enum\_ESUC$  to be  $\lambda V0m \in ty\_Enum\_Enum.(ap\ c\_Enum\_EABS\_num\ m)$

Let  $c\_Earithmetic\_E2B : \iota$  be given. Assume the following.

$$c\_Earithmetic\_E2B \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum}) \quad (20)$$

**Definition 20** We define  $c\_Earithmetic\_EBIT1$  to be  $\lambda V0n \in ty\_Enum\_Enum.(ap (ap\ c\_Earithmetic\_E2B\ n))$

**Definition 21** We define  $c\_Earithmetic\_ENUMERAL$  to be  $\lambda V0x \in ty\_Enum\_Enum.V0x$ .

**Definition 22** We define  $c\_EintExtension\_ESGN$  to be  $\lambda V0x \in ty\_Einteger\_Eint.(ap (ap (ap (c\_Ebool\_EF\ x) (\lambda V1t1 \in 2.V1t1)) (\lambda V2t2 \in 2.V2t2)) (\lambda V3t3 \in 2.V3t3)))$

**Definition 23** We define  $c\_Efrac\_Efrac\_sgn$  to be  $\lambda V0f1 \in ty\_Efrac\_Efrac.(ap\ c\_EintExtension\_ESGN\ f1)$

Let  $c\_Einteger\_Etint\_mul : \iota$  be given. Assume the following.

$$c\_Einteger\_Etint\_mul \in (((ty\_Epair\_Eprod\ ty\_Enum\_Enum\ ty\_Enum\_Enum)^{ty\_Enum\_Enum})^{ty\_Enum\_Enum})^{ty\_Enum\_Enum} \quad (21)$$

**Definition 24** We define  $c\_2Einteger\_2Eint\_mul$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.\lambda V1T2 \in ty\_2Einteger$   
Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}})$$
(22)

**Definition 25** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2E$   
Let  $c\_2Efrac\_2Eabs\_frac : \iota$  be given. Assume the following.

$$c\_2Efrac\_2Eabs\_frac \in (ty\_2Efrac\_2Efrac^{(ty\_2Epair\_2Eprod\ ty\_2Einteger\_2Eint\ ty\_2Einteger\_2Eint)})$$
(23)

**Definition 26** We define  $c\_2Efrac\_2Efrac\_minv$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac.(ap\ c\_2Efrac\_2Eabs\_frac$

**Definition 27** We define  $c\_2Erat\_2Erat\_equiv$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac.\lambda V1f2 \in ty\_2Efrac\_2Efrac$

Let  $c\_2Erat\_2Eabs\_rat\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erat\_2Eabs\_rat\_CLASS \in (ty\_2Erat\_2Erat^{(2^{ty\_2Efrac\_2Efrac})})$$
(24)

**Definition 28** We define  $c\_2Erat\_2Eabs\_rat$  to be  $\lambda V0r \in ty\_2Efrac\_2Efrac.(ap\ c\_2Erat\_2Eabs\_rat\_CLASS$

**Definition 29** We define  $c\_2Erat\_2Erat\_minv$  to be  $\lambda V0r1 \in ty\_2Erat\_2Erat.(ap\ c\_2Erat\_2Eabs\_rat\ (ap\ c$

**Definition 30** We define  $c\_2Efrac\_2Efrac\_mul$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac.\lambda V1f2 \in ty\_2Efrac\_2Efrac$

**Definition 31** We define  $c\_2Efrac\_2Efrac\_div$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac.\lambda V1f2 \in ty\_2Efrac\_2Efrac$

**Definition 32** We define  $c\_2Erat\_2Erat\_div$  to be  $\lambda V0r1 \in ty\_2Erat\_2Erat.\lambda V1r2 \in ty\_2Erat\_2Erat.(ap\ c$

**Definition 33** We define  $c\_2Erat\_2Erat\_mul$  to be  $\lambda V0r1 \in ty\_2Erat\_2Erat.\lambda V1r2 \in ty\_2Erat\_2Erat.(ap\ c$

**Definition 34** We define  $c\_2Efrac\_2Efrac\_ainv$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac.(ap\ c\_2Efrac\_2Eabs\_frac$

**Definition 35** We define  $c\_2Erat\_2Erat\_ainv$  to be  $\lambda V0r1 \in ty\_2Erat\_2Erat.(ap\ c\_2Erat\_2Eabs\_rat\ (ap\ c$

Assume the following.

$$True$$
(25)

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True))$$
(26)

Assume the following.

$$(\forall V0r1 \in ty\_2Erat\_2Erat.(\forall V1r2 \in ty\_2Erat\_2Erat.((ap\ (ap\ c\_2Erat\_2Erat\_div\ V0r1)\ V1r2) = (ap\ (ap\ c\_2Erat\_2Erat\_mul\ V0r1)\ (ap\ c\_2Erat\_2Erat\_minv\ V1r2))))))$$
(27)

Assume the following.

$$(\forall V0r1 \in ty\_2Erat\_2Erat.(\forall V1r2 \in ty\_2Erat\_2Erat.((ap\ c\_2Erat\_2Erat\_ainv\ (ap\ (ap\ c\_2Erat\_2Erat\_mul\ V0r1)\ V1r2)) = (ap\ (ap\ c\_2Erat\_2Erat\_mul\ (ap\ c\_2Erat\_2Erat\_ainv\ V0r1))\ V1r2))))$$
(28)

**Theorem 1**

$$\begin{aligned} & (\forall V0x \in ty\_2Erat\_2Erat. (\forall V1y \in ty\_2Erat\_2Erat. ( \\ & (ap\ c\_2Erat\_2Erat\_ainv\ (ap\ (ap\ c\_2Erat\_2Erat\_div\ V0x)\ V1y)) = \\ & (ap\ (ap\ c\_2Erat\_2Erat\_div\ (ap\ c\_2Erat\_2Erat\_ainv\ V0x))\ V1y)))) \end{aligned}$$