

# thm\_2Erat\_2ERAT\_DIV\_CONG

(TMK7PJvfJgsMTPtDvizAF2gmq1HdDejNM2u)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow p Q)$  of type  $\iota$ .

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})) (\lambda V1x \in 2.V1x)) (\lambda V2x \in 2.V2x)))$

**Definition 5** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))))$

Let  $ty\_2Efrac\_2Efrac : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Efrac\_2Efrac \quad (1)$$

Let  $ty\_2Erat\_2Erat : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erat\_2Erat \quad (2)$$

Let  $c\_2Erat\_2Erep\_rat\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erat\_2Erep\_rat\_CLASS \in ((2^{ty\_2Efrac\_2Efrac})^{ty\_2Erat\_2Erat}) \quad (3)$$

**Definition 6** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (\lambda x.x \in A \wedge p)$  of type  $\iota \Rightarrow \iota$ .

**Definition 7** We define  $c\_2Erat\_2Erep\_rat$  to be  $\lambda V0a \in ty\_2Erat\_2Erat.(ap (c\_2Emin\_2E\_40 ty\_2Efrac\_2Efrac) a)$

Let  $ty\_2Einteger\_2Eint : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Einteger\_2Eint \quad (4)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod \\ A0\ A1) \end{aligned} \quad (5)$$

Let  $c\_2Efrac\_2Erep\_frac : \iota$  be given. Assume the following.

$$c\_2Efrac\_2Erep\_frac \in ((ty\_2Epair\_2Eprod ty\_2Einteger\_2Eint ty\_2Einteger\_2Eint)^{ty\_2Efrac\_2Efrac}) \quad (6)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.\text{nonempty } A\_27a \Rightarrow & \forall A\_27b.\text{nonempty } A\_27b \Rightarrow c\_2Epair\_2EFST \\ & A\_27a \ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod A\_27a \ A\_27b)}) \end{aligned} \quad (7)$$

**Definition 8** We define  $c\_2Efrac\_2Efrac\_nrm$  to be  $\lambda V0f \in ty\_2Efrac\_2Efrac.(ap (c\_2Epair\_2EFST ty\_2Efrac\_2Efrac\_nrm) f)$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$\text{nonempty } ty\_2Enum\_2Enum \quad (8)$$

Let  $c\_2Einteger\_2Eint\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{ty\_2Einteger\_2Eint\_REP\_CLASS}) \quad (9)$$

**Definition 9** We define  $c\_2Einteger\_2Eint\_REP$  to be  $\lambda V0a \in ty\_2Einteger\_2Eint.(ap (c\_2Emin\_2E\_40 (ty\_2Einteger\_2Eint\_REP)) a)$

Let  $c\_2Einteger\_2Etint\_neg : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_neg \in ((ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)}) \quad (10)$$

Let  $c\_2Einteger\_2Etint\_eq : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_eq \in ((2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum)}) \quad (11)$$

Let  $c\_2Einteger\_2Eint\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_ABS\_CLASS \in (ty\_2Einteger\_2Eint)^{(2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})} \quad (12)$$

**Definition 10** We define  $c\_2Einteger\_2Eint\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)^{c\_2Einteger\_2Eint\_ABS}$

**Definition 11** We define  $c\_2Einteger\_2Eint\_neg$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.(ap c\_2Einteger\_2Eint\_neg T1)$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (13)$$

Let  $c\_2Enum\_2EAbs\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EAbs\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (14)$$

**Definition 12** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EAbs\_num c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Einteger\_2Eint\_of\_num : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_of\_num \in (ty\_2Einteger\_2Eint^{ty\_2Enum\_2Enum}) \quad (15)$$

Let  $c\_2Einteger\_2Etint\_lt : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)}) \quad (16)$$

**Definition 13** We define  $c\_2Einteger\_2Eint\_lt$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint. \lambda V1T2 \in ty\_2Einteger\_2Eint. (V0T1 \cdot V1T2)$ .

**Definition 14** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E_21\ 2)\ (\lambda V0t \in 2. V0t))$ .

**Definition 15** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. (V1t1 \cdot V2t2))) \cdot V0t))$ .

**Definition 16** We define  $c\_2Einteger\_2EABS$  to be  $\lambda V0m \in ty\_2Einteger\_2Eint. (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ (\lambda V1t1 \in V0m. (\lambda V2t2 \in V0m. (V1t1 \cdot V2t2)))) \cdot V0m)))$ .

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a. nonempty\ A\_27a \Rightarrow \forall A\_27b. nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND \\ A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (17)$$

**Definition 17** We define  $c\_2Efrac\_2Efrac\_dnm$  to be  $\lambda V0f \in ty\_2Efrac\_2Efrac. (ap\ (c\_2Epair\_2ESND\ t))$ .

**Definition 18** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (18)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (19)$$

**Definition 19** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap\ c\_2Enum\_2EABS\_num\ m)$ .

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (20)$$

**Definition 20** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum. (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ n))$ .

**Definition 21** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum. V0x$ .

**Definition 22** We define  $c\_2EintExtension\_2ESGN$  to be  $\lambda V0x \in ty\_2Einteger\_2Eint. (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ (\lambda V1t1 \in V0x. (\lambda V2t2 \in V0x. (V1t1 \cdot V2t2)))) \cdot V0x)))$ .

**Definition 23** We define  $c\_2Efrac\_2Efrac\_sgn$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac. (ap\ c\_2EintExtension\_2ESGN\ f1)$ .

Let  $c\_2Einteger\_2Etint\_mul : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_mul \in (((ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)_{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})_{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})_{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)} \quad (21)$$

**Definition 24** We define  $c\_2Einteger\_2Eint\_mul$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint. \lambda V1T2 \in ty\_2Einteger\_2Eint.$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.\text{nonempty } A\_27a \Rightarrow & \forall A\_27b.\text{nonempty } A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ & A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \end{aligned} \quad (22)$$

**Definition 25** We define  $c\_2Epair\_2E2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap (c\_2$

Let  $c\_2Efrac\_2Eabs\_frac : \iota$  be given. Assume the following.

$$c\_2Efrac\_2Eabs\_frac \in (ty\_2Efrac\_2Efrac_{(ty\_2Epair\_2Eprod ty\_2Einteger\_2Eint ty\_2Einteger\_2Eint)}) \quad (23)$$

**Definition 26** We define  $c\_2Efrac\_2Efrac\_minv$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac. (ap c\_2Efrac\_2Eabs\_frac$

**Definition 27** We define  $c\_2Efrac\_2Efrac\_mul$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac. \lambda V1f2 \in ty\_2Efrac\_2Efrac.$

**Definition 28** We define  $c\_2Efrac\_2Efrac\_div$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac. \lambda V1f2 \in ty\_2Efrac\_2Efrac.$

**Definition 29** We define  $c\_2Erat\_2Erat\_equiv$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac. \lambda V1f2 \in ty\_2Efrac\_2Efrac.$

Let  $c\_2Erat\_2Eabs\_rat\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erat\_2Eabs\_rat\_CLASS \in (ty\_2Erat\_2Erat^{(2^{ty\_2Efrac\_2Efrac})}) \quad (24)$$

**Definition 30** We define  $c\_2Erat\_2Eabs\_rat$  to be  $\lambda V0r \in ty\_2Efrac\_2Efrac. (ap c\_2Erat\_2Eabs\_rat\_CLASS$

**Definition 31** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E$

Assume the following.

$$\begin{aligned} (\forall V0x \in ty\_2Efrac\_2Efrac. (\forall V1y \in ty\_2Efrac\_2Efrac. \\ ((\neg((ap c\_2Efrac\_2Efrac\_nmr V1y) = (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0))) \Rightarrow ((ap c\_2Erat\_2Eabs\_rat (ap (ap c\_2Efrac\_2Efrac\_div (ap c\_2Erat\_2Erep\_rat (ap c\_2Erat\_2Eabs\_rat V0x)) V1y)) = (ap c\_2Erat\_2Eabs\_rat (ap (ap c\_2Efrac\_2Efrac\_div V0x) V1y))))))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} (\forall V0x \in ty\_2Efrac\_2Efrac. (\forall V1y \in ty\_2Efrac\_2Efrac. \\ ((\neg((ap c\_2Efrac\_2Efrac\_nmr V1y) = (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0))) \Rightarrow ((ap c\_2Erat\_2Eabs\_rat (ap (ap c\_2Efrac\_2Efrac\_div V0x) (ap c\_2Erat\_2Erep\_rat (ap c\_2Erat\_2Eabs\_rat V1y)))) = (ap c\_2Erat\_2Eabs\_rat (ap (ap c\_2Efrac\_2Efrac\_div V0x) V1y))))))) \end{aligned} \quad (26)$$

### Theorem 1

$$((\forall V0x \in ty\_2Efrac\_2Efrac. (\forall V1y \in ty\_2Efrac\_2Efrac. ((\neg((ap c\_2Efrac\_2Efrac\_nmr V1y) = (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0))) \Rightarrow ((ap c\_2Erat\_2Eabs\_rat (ap (ap c\_2Efrac\_2Efrac\_div (ap c\_2Erat\_2Erep\_rat (ap c\_2Erat\_2Eabs\_rat V0x)) V1y)) = (ap c\_2Erat\_2Eabs\_rat (ap (ap c\_2Efrac\_2Efrac\_div V0x) V1y))))))) \wedge (\forall V2x \in ty\_2Efrac\_2Efrac. (\forall V3y \in ty\_2Efrac\_2Efrac. ((\neg((ap c\_2Efrac\_2Efrac\_nmr V3y) = (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0))) \Rightarrow ((ap c\_2Erat\_2Eabs\_rat (ap (ap c\_2Efrac\_2Efrac\_div V2x) (ap c\_2Erat\_2Erep\_rat (ap c\_2Erat\_2Eabs\_rat V3y)))) = (ap c\_2Erat\_2Eabs\_rat (ap (ap c\_2Efrac\_2Efrac\_div V2x) V3y))))))))$$