

# thm\_2Erat\_2ERAT\_\_EQUIV\_\_ALT (TMN- Nxgd7n5w4qBAaMoU1QVu3RptnFuTDCwA)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_40` to be  $\lambda A.\lambda P \in 2^A.$ **if**  $(\exists x \in A.p (ap P x))$  **then** (the  $(\lambda x.x \in A \wedge p x)$  of type  $\iota \Rightarrow \iota$ ).

**Definition 2** We define `c_2Emin_2E_3D` to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define `c_2Ebool_2E_3F` to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40 A P))))$

**Definition 4** We define `c_2Ebool_2E_T` to be  $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 5** We define `c_2Ebool_2E_21` to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}) P) V0P)))$

**Definition 6** We define `c_2Ebool_2E_F` to be  $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 7** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 8** We define `c_2Ebool_2E_7E` to be  $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_F))$

Let `ty_2Einteger_2Eint` :  $\iota$  be given. Assume the following.

$$nonempty\ ty\_2Einteger\_2Eint \tag{1}$$

Let `ty_2Epair_2Eprod` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{2}$$

Let `ty_2Efrac_2Efrac` :  $\iota$  be given. Assume the following.

$$nonempty\ ty\_2Efrac\_2Efrac \tag{3}$$

Let `c_2Efrac_2Erep_--frac` :  $\iota$  be given. Assume the following.

$$c\_2Efrac\_2Erep\_--frac \in ((ty\_2Epair\_2Eprod\ ty\_2Einteger\_2Eint\ ty\_2Einteger\_2Eint)^{ty\_2Efrac\_2Efrac}) \tag{4}$$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND \\ A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (5)$$

**Definition 9** We define  $c\_2Efrac\_2Efrac\_dnm$  to be  $\lambda V0f \in ty\_2Efrac\_2Efrac.(ap\ (c\_2Epair\_2ESND\ ty\_2Enum\_2Enum\ f))$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (6)$$

Let  $c\_2Einteger\_2Eint\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})_{ty\_2Einteger\_2Eint}) \quad (7)$$

**Definition 10** We define  $c\_2Einteger\_2Eint\_REP$  to be  $\lambda V0a \in ty\_2Einteger\_2Eint.(ap\ (c\_2Emin\_2E40\ ty\_2Enum\_2Enum\ a))$

Let  $c\_2Einteger\_2Etint\_mul : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_mul \in (((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)_{ty\_2Einteger\_2Etint})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)}) \quad (8)$$

Let  $c\_2Einteger\_2Etint\_eq : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})_{ty\_2Einteger\_2Etint}) \quad (9)$$

Let  $c\_2Einteger\_2Eint\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_ABS\_CLASS \in (ty\_2Einteger\_2Eint)^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})} \quad (10)$$

**Definition 11** We define  $c\_2Einteger\_2Eint\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)$

**Definition 12** We define  $c\_2Einteger\_2Eint\_mul$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.\lambda V1T2 \in ty\_2Einteger\_2Eint.(c\_2Einteger\_2Eint\_mul\ T1\ T2)$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST \\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (11)$$

**Definition 13** We define  $c\_2Efrac\_2Efrac\_nmr$  to be  $\lambda V0f \in ty\_2Efrac\_2Efrac.(ap\ (c\_2Epair\_2EFST\ ty\_2Enum\_2Enum\ f))$

**Definition 14** We define  $c\_2Ebool\_2E2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E21\ 2)\ t1\ t2)))$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b} A\_27a)}) \end{aligned} \quad (12)$$

**Definition 15** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2Efrac\_2Eabs\_frac : \iota$  be given. Assume the following.

$$c\_2Efrac\_2Eabs\_frac \in (ty\_2Efrac\_2Efrac^{(ty\_2Epair\_2Eprod\ ty\_2Einteger\_2Eint\ ty\_2Einteger\_2Eint)}) \quad (13)$$

**Definition 16** We define  $c\_2Efrac\_2Efrac\_mul$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac.\lambda V1f2 \in ty\_2Efrac\_2Efrac$ . Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (14)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (15)$$

**Definition 17** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Einteger\_2Eint\_of\_num : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_of\_num \in (ty\_2Einteger\_2Eint^{ty\_2Enum\_2Enum}) \quad (16)$$

Let  $c\_2Einteger\_2Etint\_lt : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)) \quad (17)$$

**Definition 18** We define  $c\_2Einteger\_2Eint\_lt$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.\lambda V1T2 \in ty\_2Einteger\_2Eint$ .

**Definition 19** We define  $c\_2Erat\_2Erat\_equiv$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac.\lambda V1f2 \in ty\_2Efrac\_2Efrac$ .

Assume the following.

$$True \quad (18)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (20)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (21)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Rightarrow (V1y = V0x)))) \quad (22)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow (\forall V0f \in (A\_27b^{A\_27a}). (\forall V1g \in (A\_27b^{A\_27a}). ((V0f = V1g) \Leftrightarrow (\forall V2x \in A\_27a. ((\text{ap } V0f \ V2x) = (\text{ap } V1g \ V2x)))))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2. (((\text{True} \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow \text{True}) \Leftrightarrow (p \ V0t)) \wedge (((\text{False} \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow \text{False}) \Leftrightarrow (\neg(p \ V0t)))))) \quad (24)$$

Assume the following.

$$\begin{aligned} & (\forall V0a1 \in \text{ty\_2Einteger\_2Eint}. (\forall V1b1 \in \text{ty\_2Einteger\_2Eint}. \\ & (\forall V2a2 \in \text{ty\_2Einteger\_2Eint}. (\forall V3b2 \in \text{ty\_2Einteger\_2Eint}. \\ & ((p \ (\text{ap} \ (\text{ap} \ c\_2Einteger\_2Eint\_lt \ (\text{ap} \ c\_2Einteger\_2Eint\_of\_num \\ c\_2Enum\_2E0)) \ V1b1)) \Rightarrow ((p \ (\text{ap} \ (\text{ap} \ c\_2Einteger\_2Eint\_lt \ (\text{ap} \ c\_2Einteger\_2Eint\_of\_num \\ c\_2Enum\_2E0)) \ V3b2)) \Rightarrow (((\text{ap} \ c\_2Efrac\_2Eabs\_frac \ (\text{ap} \ (\text{ap} \ (c\_2Epair\_2E\_2C \\ \text{ty\_2Einteger\_2Eint} \ \text{ty\_2Einteger\_2Eint}) \ V0a1) \ V1b1)) = (\text{ap} \ c\_2Efrac\_2Eabs\_frac \\ (\text{ap} \ (\text{ap} \ (c\_2Epair\_2E\_2C \ \text{ty\_2Einteger\_2Eint} \ \text{ty\_2Einteger\_2Eint}) \\ V2a2) \ V3b2))) \Leftrightarrow ((V0a1 = V2a2) \wedge (V1b1 = V3b2))))))))) \quad (25) \end{aligned}$$

Assume the following.

$$(\forall V0f \in \text{ty\_2Efrac\_2Efrac}. (p \ (\text{ap} \ (\text{ap} \ c\_2Einteger\_2Eint\_lt \ (\text{ap} \ c\_2Einteger\_2Eint\_of\_num \ c\_2Enum\_2E0)) \ (\text{ap} \ c\_2Efrac\_2Efrac\_dnm \ V0f)))) \quad (26)$$

Assume the following.

$$\begin{aligned} & (\forall V0a \in \text{ty\_2Einteger\_2Eint}. (\forall V1b \in \text{ty\_2Einteger\_2Eint}. \\ & ((p \ (\text{ap} \ (\text{ap} \ c\_2Einteger\_2Eint\_lt \ (\text{ap} \ c\_2Einteger\_2Eint\_of\_num \\ c\_2Enum\_2E0)) \ V1b)) \Rightarrow ((\text{ap} \ c\_2Efrac\_2Efrac\_nmr \ (\text{ap} \ c\_2Efrac\_2Eabs\_frac \\ (\text{ap} \ (\text{ap} \ (c\_2Epair\_2E\_2C \ \text{ty\_2Einteger\_2Eint} \ \text{ty\_2Einteger\_2Eint}) \\ V0a) \ V1b))) = V0a)))) \quad (27) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0a \in \text{ty\_2Einteger\_2Eint}. (\forall V1b \in \text{ty\_2Einteger\_2Eint}. \\ & ((p \ (\text{ap} \ (\text{ap} \ c\_2Einteger\_2Eint\_lt \ (\text{ap} \ c\_2Einteger\_2Eint\_of\_num \\ c\_2Enum\_2E0)) \ V1b)) \Rightarrow ((\text{ap} \ c\_2Efrac\_2Efrac\_dnm \ (\text{ap} \ c\_2Efrac\_2Eabs\_frac \\ (\text{ap} \ (\text{ap} \ (c\_2Epair\_2E\_2C \ \text{ty\_2Einteger\_2Eint} \ \text{ty\_2Einteger\_2Eint}) \\ V0a) \ V1b))) = V1b)))) \quad (28) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0a \in ty\_2Einteger\_2Eint. (\forall V1b \in ty\_2Einteger\_2Eint. \\
& ((p (ap (ap c\_2Einteger\_2Eint\_lt (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0)) V0a)) \Rightarrow ((p (ap (ap c\_2Einteger\_2Eint\_lt (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0)) V1b)) \Rightarrow (p (ap (ap c\_2Einteger\_2Eint\_lt (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0)) (ap (ap c\_2Einteger\_2Eint\_mul V0a) V1b)))))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& (\forall V0a \in ty\_2Einteger\_2Eint. (\forall V1b \in ty\_2Einteger\_2Eint. \\
& (\forall V2n \in ty\_2Einteger\_2Eint. ((p (ap (ap c\_2Einteger\_2Eint\_lt \\
& (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) V2n)) \Rightarrow ((V0a = V1b) \Leftrightarrow \\
& ((ap (ap c\_2Einteger\_2Eint\_mul V0a) V2n) = (ap (ap c\_2Einteger\_2Eint\_mul \\
& V1b) V2n)))))))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& (\forall V0y \in ty\_2Einteger\_2Eint. (\forall V1x \in ty\_2Einteger\_2Eint. \\
& ((ap (ap c\_2Einteger\_2Eint\_mul V1x) V0y) = (ap (ap c\_2Einteger\_2Eint\_mul \\
& V0y) V1x))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& (\forall V0y \in ty\_2Einteger\_2Eint. (\forall V1x \in ty\_2Einteger\_2Eint. \\
& ((ap (ap c\_2Einteger\_2Eint\_mul V1x) V0y) = (ap (ap c\_2Einteger\_2Eint\_mul \\
& V0y) V1x))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& (\forall V0z \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\
& (\forall V2x \in ty\_2Einteger\_2Eint. ((ap (ap c\_2Einteger\_2Eint\_mul \\
& V2x) (ap (ap c\_2Einteger\_2Eint\_mul V1y) V0z)) = (ap (ap c\_2Einteger\_2Eint\_mul \\
& (ap (ap c\_2Einteger\_2Eint\_mul V2x) V1y)) V0z))))))
\end{aligned} \tag{33}$$

**Theorem 1**

$$\begin{aligned}
& (\forall V0a \in ty\_2Efrac\_2Efrac. ((ap c\_2Erat\_2Erat\_equiv V0a) = \\
& (\lambda V1x \in ty\_2Efrac\_2Efrac. (ap (c\_2Ebool\_2E\_3F ty\_2Einteger\_2Eint) \\
& (\lambda V2b \in ty\_2Einteger\_2Eint. (ap (c\_2Ebool\_2E\_3F ty\_2Einteger\_2Eint) \\
& (\lambda V3c \in ty\_2Einteger\_2Eint. (ap (ap c\_2Ebool\_2E\_2F\_5C (ap ( \\
& ap c\_2Einteger\_2Eint\_lt (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) \\
& V2b)) (ap (ap c\_2Ebool\_2E\_2F\_5C (ap (ap c\_2Einteger\_2Eint\_lt \\
& (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) V3c)) (ap (ap (c\_2Emin\_2E\_3D \\
& ty\_2Efrac\_2Efrac) (ap (ap c\_2Efrac\_2Efrac\_mul V0a) (ap c\_2Efrac\_2Eabs\_frac \\
& (ap (ap (c\_2Epair\_2E\_2C ty\_2Einteger\_2Eint ty\_2Einteger\_2Eint) \\
& V2b) V2b)))) (ap (ap c\_2Efrac\_2Efrac\_mul V1x) (ap c\_2Efrac\_2Eabs\_frac \\
& (ap (ap (c\_2Epair\_2E\_2C ty\_2Einteger\_2Eint ty\_2Einteger\_2Eint) \\
& V3c) V3c)))))))))))))
\end{aligned}$$