

thm\_2Erat\_2ERAT\_\_LDIV\_\_LEQ\_\_POS  
(TMNZr3TJEbb1nkqKBpQeVudaMdmTaSUAQDS)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P)))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))))$

**Definition 7** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))))$

Let  $ty\_2Erat\_2Erat : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erat\_2Erat \tag{1}$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{2}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{3}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{4}$$

**Definition 8** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 9** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (5)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (6)$$

**Definition 10** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum)^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (7)$$

**Definition 11** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic$

**Definition 12** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $ty\_2Einteger\_2Eint : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Einteger\_2Eint \quad (8)$$

Let  $c\_2Einteger\_2Eint\_of\_num : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_of\_num \in (ty\_2Einteger\_2Eint)^{ty\_2Enum\_2Enum} \quad (9)$$

Let  $ty\_2Efrac\_2Efrac : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Efrac\_2Efrac \quad (10)$$

Let  $c\_2Erat\_2Erep\_rat\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erat\_2Erep\_rat\_CLASS \in ((2^{ty\_2Efrac\_2Efrac})^{ty\_2Erat\_2Erat}) \quad (11)$$

**Definition 13** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x.x \in A \wedge P\ x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 14** We define  $c\_2Erat\_2Erep\_rat$  to be  $\lambda V0a \in ty\_2Erat\_2Erat.(ap\ (c\_2Emin\_2E\_40\ ty\_2Efrac$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (12)$$

Let  $c\_2Efrac\_2Erep\_frac : \iota$  be given. Assume the following.

$$c\_2Efrac\_2Erep\_frac \in ((ty\_2Epair\_2Eprod\ ty\_2Einteger\_2Eint\ ty\_2Einteger\_2Eint)^{ty\_2Efrac\_2Efrac}) \quad (13)$$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND\ A\_27a\ A\_27b \in (A\_27b)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)} \quad (14)$$

**Definition 15** We define  $c\_2Efrac\_2Efrac\_dnm$  to be  $\lambda V0f \in ty\_2Efrac\_2Efrac.(ap (c\_2Epair\_2ESND t$   
Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EFST \\ A\_27a A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod A\_27a A\_27b)}) \end{aligned} \quad (15)$$

**Definition 16** We define  $c\_2Efrac\_2Efrac\_nmr$  to be  $\lambda V0f \in ty\_2Efrac\_2Efrac.(ap (c\_2Epair\_2EFST ty$   
Let  $c\_2Einteger\_2Eint\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})_{ty\_2Einteger\_2Eint}) \quad (16)$$

**Definition 17** We define  $c\_2Einteger\_2Eint\_REP$  to be  $\lambda V0a \in ty\_2Einteger\_2Eint.(ap (c\_2Emin\_2E.40 (t$   
Let  $c\_2Einteger\_2Eint\_neg : \iota$  be given. Assume the following.

$$\begin{aligned} c\_2Einteger\_2Eint\_neg \in ((ty\_2Epair\_2Eprod ty\_2Enum\_2Enum \\ ty\_2Enum\_2Enum)_{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)}) \end{aligned} \quad (17)$$

Let  $c\_2Einteger\_2Eint\_eq : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_eq \in ((2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})_{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum)}) \quad (18)$$

Let  $c\_2Einteger\_2Eint\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_ABS\_CLASS \in (ty\_2Einteger\_2Eint)^{(2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})} \quad (19)$$

**Definition 18** We define  $c\_2Einteger\_2Eint\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty$

**Definition 19** We define  $c\_2Einteger\_2Eint\_neg$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.(ap c\_2Einteger\_2Eint$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b} A\_27a)}) \end{aligned} \quad (20)$$

**Definition 20** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2$

Let  $c\_2Efrac\_2Eabs\_frac : \iota$  be given. Assume the following.

$$c\_2Efrac\_2Eabs\_frac \in (ty\_2Efrac\_2Efrac)^{(ty\_2Epair\_2Eprod ty\_2Einteger\_2Eint ty\_2Einteger\_2Eint)} \quad (21)$$

**Definition 21** We define  $c\_2Efrac\_2Efrac\_ainv$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac.(ap c\_2Efrac\_2Eabs\_f$



**Definition 37** We define  $c\_2Efrac\_2Efrac\_mul$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac.\lambda V1f2 \in ty\_2Efrac\_2Efrac$

**Definition 38** We define  $c\_2Erat\_2Erat\_mul$  to be  $\lambda V0r1 \in ty\_2Erat\_2Erat.\lambda V1r2 \in ty\_2Erat\_2Erat.(ap$

**Definition 39** We define  $c\_2Einteger\_2EABS$  to be  $\lambda V0n \in ty\_2Einteger\_2Eint.(ap (ap (ap (c\_2Ebool\_2E$

**Definition 40** We define  $c\_2Efrac\_2Efrac\_minv$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac.(ap c\_2Efrac\_2Eabs\_f$

**Definition 41** We define  $c\_2Efrac\_2Efrac\_div$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac.\lambda V1f2 \in ty\_2Efrac\_2Efrac$

**Definition 42** We define  $c\_2Erat\_2Erat\_div$  to be  $\lambda V0r1 \in ty\_2Erat\_2Erat.\lambda V1r2 \in ty\_2Erat\_2Erat.(ap$

**Definition 43** We define  $c\_2Efrac\_2Efrac\_1$  to be  $(ap c\_2Efrac\_2Eabs\_frac (ap (ap (c\_2Epair\_2E\_2C ty\_2$

**Definition 44** We define  $c\_2Erat\_2Erat\_1$  to be  $(ap c\_2Erat\_2Eabs\_rat c\_2Efrac\_2Efrac\_1)$ .

**Definition 45** We define  $c\_2Erat\_2Erat\_add$  to be  $\lambda V0r1 \in ty\_2Erat\_2Erat.\lambda V1r2 \in ty\_2Erat\_2Erat.(ap$

**Definition 46** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0x \in A\_27a.(\lambda V1y \in A\_27b.V0x)$

**Definition 47** We define  $c\_2Ecombin\_2ES$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.(\lambda V0f \in ((A\_27c^{A\_27b})^{A\_27$

**Definition 48** We define  $c\_2Ecombin\_2EI$  to be  $\lambda A\_27a : \iota.(ap (ap (c\_2Ecombin\_2ES A\_27a (A\_27a^{A\_27a}) A$

Let  $c\_2Earithmetic\_2Enum\_CASE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Earithmetic\_2Enum\_CASE A\_27a \in \left( ((A\_27a^{(A\_27a^{ty\_2Enum\_2Enum})})_{A\_27a})_{ty\_2Enum\_2Enum} \right) \quad (26)$$

**Definition 49** We define  $c\_2Efrac\_2Efrac\_0$  to be  $(ap c\_2Efrac\_2Eabs\_frac (ap (ap (c\_2Epair\_2E\_2C ty\_2$

**Definition 50** We define  $c\_2Erat\_2Erat\_0$  to be  $(ap c\_2Erat\_2Eabs\_rat c\_2Efrac\_2Efrac\_0)$ .

**Definition 51** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40$

**Definition 52** We define  $c\_2Erelation\_2EWF$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).(ap (c\_2Ebool\_2E\_21$

Let  $c\_2Ebool\_2EARB : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Ebool\_2EARB A\_27a \in A\_27a \quad (27)$$

**Definition 53** We define  $c\_2Erelation\_2ERESTRICT$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1$

**Definition 54** We define  $c\_2Erelation\_2ETC$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).\lambda V1a \in A\_27a.\lambda V2b$

**Definition 55** We define  $c\_2Erelation\_2Eapprox$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).\lambda V1M$

**Definition 56** We define  $c\_2Erelation\_2Ethe\_fun$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).\lambda V1M$

**Definition 57** We define  $c\_2Erelat\_2EWFREC$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).\lambda V1M$

**Definition 58** We define  $c\_2Erat\_2Erat\_of\_num$  to be  $(ap (ap (c\_2Erelat\_2EWFREC ty\_2Enum\_2Enum$

Assume the following.

$$True \quad (28)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (29)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (30)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (31)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (32)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (33)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (34)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))) \wedge (((\neg(p V0A)) \vee (p V1B)) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B)))))) \quad (35)$$

Assume the following.

$$(\forall V0r1 \in ty\_2Erat\_2Erat.(\forall V1r2 \in ty\_2Erat\_2Erat.((\neg(p (ap (ap c\_2Erat\_2Erat\_leq V1r2) V0r1))) \Leftrightarrow (p (ap (ap c\_2Erat\_2Erat\_les V0r1) V1r2)))))) \quad (36)$$

Assume the following.

$$\begin{aligned}
& (\forall V0r1 \in ty\_2Erat\_2Erat. (\forall V1r2 \in ty\_2Erat\_2Erat. \\
& (\forall V2r3 \in ty\_2Erat\_2Erat. ((\neg(V1r2 = (ap\ c\_2Erat\_2Erat\_of\_num \\
& c\_2Enum\_2E0))) \Rightarrow (((ap\ (ap\ c\_2Erat\_2Erat\_div\ V0r1)\ V1r2) = V2r3) \Leftrightarrow \\
& (V0r1 = (ap\ (ap\ c\_2Erat\_2Erat\_mul\ V1r2)\ V2r3)))))))))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& (\forall V0r1 \in ty\_2Erat\_2Erat. (\forall V1r2 \in ty\_2Erat\_2Erat. \\
& (\forall V2r3 \in ty\_2Erat\_2Erat. ((p\ (ap\ (ap\ c\_2Erat\_2Erat\_les \\
& (ap\ c\_2Erat\_2Erat\_of\_num\ c\_2Enum\_2E0))\ V1r2)) \Rightarrow ((p\ (ap\ (ap\ c\_2Erat\_2Erat\_les \\
& (ap\ (ap\ c\_2Erat\_2Erat\_div\ V0r1)\ V1r2))\ V2r3)) \Leftrightarrow (p\ (ap\ (ap\ c\_2Erat\_2Erat\_les \\
& V0r1)\ (ap\ (ap\ c\_2Erat\_2Erat\_mul\ V1r2)\ V2r3)))))))))
\end{aligned} \tag{38}$$

**Theorem 1**

$$\begin{aligned}
& (\forall V0r1 \in ty\_2Erat\_2Erat. (\forall V1r2 \in ty\_2Erat\_2Erat. \\
& (\forall V2r3 \in ty\_2Erat\_2Erat. ((p\ (ap\ (ap\ c\_2Erat\_2Erat\_les \\
& (ap\ c\_2Erat\_2Erat\_of\_num\ c\_2Enum\_2E0))\ V1r2)) \Rightarrow ((p\ (ap\ (ap\ c\_2Erat\_2Erat\_leq \\
& (ap\ (ap\ c\_2Erat\_2Erat\_div\ V0r1)\ V1r2))\ V2r3)) \Leftrightarrow (p\ (ap\ (ap\ c\_2Erat\_2Erat\_leq \\
& V0r1)\ (ap\ (ap\ c\_2Erat\_2Erat\_mul\ V1r2)\ V2r3)))))))))
\end{aligned}$$