

thm_2Erat_2ERAT__LEQ0__NMR
(TMKES9dtttdgA2M8ucPjy2UXFJmYgdYbEVQk)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_ET$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p (ap P x))$) of type $\iota \Rightarrow \iota$.

Definition 4 We define $c_2Ebool_2E_3F$ to be $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40 A$

Let $ty_2Eenum_2E_enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eenum_2E_enum \tag{1}$$

Let $ty_2Epair_2E_eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2E_eprod\ A0\ A1) \tag{2}$$

Let $ty_2Einteger_2E_eint : \iota$ be given. Assume the following.

$$nonempty\ ty_2Einteger_2E_eint \tag{3}$$

Let $c_2Einteger_2E_eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2E_eint_REP_CLASS \in ((2^{(ty_2Epair_2E_eprod\ ty_2Eenum_2E_enum\ ty_2Eenum_2E_enum)})\ ty_2Einteger_2E_eint) \tag{4}$$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})$

Definition 6 We define $c_2Einteger_2E_eint_REP$ to be $\lambda V0a \in ty_2Einteger_2E_eint.(ap (c_2Emin_2E_40 (ty_2Emin_2E_40$

Let $c_2Einteger_2E_etint_lt : \iota$ be given. Assume the following.

$$c_2Einteger_2E_etint_lt \in ((2^{(ty_2Epair_2E_eprod\ ty_2Eenum_2E_enum\ ty_2Eenum_2E_enum)})\ (ty_2Epair_2E_eprod\ ty_2Eenum_2E_enum)) \tag{5}$$

Definition 7 We define $c_Einteger_Eint_lt$ to be $\lambda V0T1 \in ty_Einteger_Eint.\lambda V1T2 \in ty_Einteger_Eint$.

Definition 8 We define c_Ebool_EF to be $(ap (c_Ebool_E21 2) (\lambda V0t \in 2.V0t))$.

Definition 9 We define $c_Emin_E3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 10 We define c_Ebool_E7E to be $(\lambda V0t \in 2.(ap (ap c_Emin_E3D_3D_3E V0t) c_Ebool_E21))$.

Definition 11 We define $c_Einteger_Eint_le$ to be $\lambda V0x \in ty_Einteger_Eint.\lambda V1y \in ty_Einteger_Eint$.

Let $ty_Efrac_Efrac : \iota$ be given. Assume the following.

$$nonempty\ ty_Efrac_Efrac \tag{6}$$

Let $ty_ERat_ERat : \iota$ be given. Assume the following.

$$nonempty\ ty_ERat_ERat \tag{7}$$

Let $c_ERat_ERep_rat_CLASS : \iota$ be given. Assume the following.

$$c_ERat_ERep_rat_CLASS \in ((^{ty_Efrac_Efrac})^{ty_ERat_ERat}) \tag{8}$$

Definition 12 We define $c_ERat_ERep_rat$ to be $\lambda V0a \in ty_ERat_ERat.(ap (c_Emin_E40 ty_Efrac_Efrac))$.

Let $c_Efrac_ERep_frac : \iota$ be given. Assume the following.

$$c_Efrac_ERep_frac \in ((ty_Epair_Eprod\ ty_Einteger_Eint\ ty_Einteger_Eint)^{ty_Efrac_Efrac}) \tag{9}$$

Let $c_Epair_EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c_Epair_EFST\ A.27a\ A.27b \in (A.27a\ A.27b \in (A.27a\ A.27b)) \tag{10}$$

Definition 13 We define $c_Efrac_Efrac_nmr$ to be $\lambda V0f \in ty_Efrac_Efrac.(ap (c_Epair_EFST ty_Efrac_Efrac))$.

Let $c_EEnum_EZERO_REP : \iota$ be given. Assume the following.

$$c_EEnum_EZERO_REP \in omega \tag{11}$$

Let $c_EEnum_EABS_num : \iota$ be given. Assume the following.

$$c_EEnum_EABS_num \in (ty_EEnum_EEnum^{omega}) \tag{12}$$

Definition 14 We define c_EEnum_E0 to be $(ap c_EEnum_EABS_num\ c_EEnum_EZERO_REP)$.

Definition 15 We define $c_Earithmatic_EZERO$ to be c_EEnum_E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (13)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (14)$$

Definition 16 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (15)$$

Definition 17 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap\ (ap\ c_2Earithmetic$

Definition 18 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Let $c_2Einteger_2Eint_of_num : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_of_num \in (ty_2Einteger_2Eint)^{ty_2Enum_2Enum} \quad (16)$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND \\ A_27a\ A_27b \in (A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \end{aligned} \quad (17)$$

Definition 19 We define $c_2Efrac_2Efrac_dnm$ to be $\lambda V0f \in ty_2Efrac_2Efrac. (ap\ (c_2Epair_2ESND\ t$

Let $c_2Einteger_2Etint_neg : \iota$ be given. Assume the following.

$$\begin{aligned} c_2Einteger_2Etint_neg \in ((ty_2Epair_2Eprod\ ty_2Enum_2Enum \\ ty_2Enum_2Enum)^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)}) \end{aligned} \quad (18)$$

Let $c_2Einteger_2Etint_eq : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)}) \quad (19)$$

Let $c_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint)^{(2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})} \quad (20)$$

Definition 20 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)$

Definition 21 We define $c_2Einteger_2Eint_neg$ to be $\lambda V0T1 \in ty_2Einteger_2Eint. (ap\ c_2Einteger_2Eint$

Definition 22 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b}})^{A_27a}) \end{aligned} \quad (21)$$

Definition 23 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2E$

Let $c_2Efrac_2Eabs_frac : \iota$ be given. Assume the following.

$$c_2Efrac_2Eabs_frac \in (ty_2Efrac_2Efrac^{(ty_2Epair_2Eprod\ ty_2Einteger_2Eint\ ty_2Einteger_2Eint)}) \quad (22)$$

Definition 24 We define $c_2Efrac_2Efrac_ainv$ to be $\lambda V0f1 \in ty_2Efrac_2Efrac. (ap\ c_2Efrac_2Eabs_frac$

Let $c_2Einteger_2Eint_mul : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_mul \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)}) \quad (23)$$

Definition 25 We define $c_2Einteger_2Eint_mul$ to be $\lambda V0T1 \in ty_2Einteger_2Eint. \lambda V1T2 \in ty_2Einteger$

Let $c_2Einteger_2Eint_add : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_add \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)}) \quad (24)$$

Definition 26 We define $c_2Einteger_2Eint_add$ to be $\lambda V0T1 \in ty_2Einteger_2Eint. \lambda V1T2 \in ty_2Einteger$

Definition 27 We define $c_2Efrac_2Efrac_add$ to be $\lambda V0f1 \in ty_2Efrac_2Efrac. \lambda V1f2 \in ty_2Efrac_2Efrac$

Definition 28 We define $c_2Efrac_2Efrac_sub$ to be $\lambda V0f1 \in ty_2Efrac_2Efrac. \lambda V1f2 \in ty_2Efrac_2Efrac$

Definition 29 We define $c_2Erat_2Erat_equiv$ to be $\lambda V0f1 \in ty_2Efrac_2Efrac. \lambda V1f2 \in ty_2Efrac_2Efrac$

Let $c_2Erat_2Eabs_rat_CLASS : \iota$ be given. Assume the following.

$$c_2Erat_2Eabs_rat_CLASS \in (ty_2Erat_2Erat^{(2^{ty_2Efrac_2Efrac})}) \quad (25)$$

Definition 30 We define $c_2Erat_2Eabs_rat$ to be $\lambda V0r \in ty_2Efrac_2Efrac. (ap\ c_2Erat_2Eabs_rat_CLASS$

Definition 31 We define $c_2Erat_2Erat_sub$ to be $\lambda V0r1 \in ty_2Erat_2Erat. \lambda V1r2 \in ty_2Erat_2Erat. (ap$

Definition 32 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Definition 33 We define $c_2EintExtension_2ESGN$ to be $\lambda V0x \in ty_2Einteger_2Eint. (ap\ (ap\ (ap\ (c_2Ebool$

Definition 34 We define $c_2Efrac_2Efrac_sgn$ to be $\lambda V0f1 \in ty_2Efrac_2Efrac. (ap\ c_2EintExtension_2ESGN$

Definition 35 We define $c_2Erat_2Erat_sgn$ to be $\lambda V0r \in ty_2Erat_2Erat.(ap\ c_2Efrac_2Efrac_sgn\ (ap\ c_2E$

Definition 36 We define $c_2Erat_2Erat_les$ to be $\lambda V0r1 \in ty_2Erat_2Erat.\lambda V1r2 \in ty_2Erat_2Erat.(ap\ ($

Definition 37 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 38 We define $c_2Erat_2Erat_leq$ to be $\lambda V0r1 \in ty_2Erat_2Erat.\lambda V1r2 \in ty_2Erat_2Erat.(ap\ ($

Definition 39 We define $c_2Erat_2Erat_nmr$ to be $\lambda V0r \in ty_2Erat_2Erat.(ap\ c_2Efrac_2Efrac_nmr\ (ap\ c_2E$

Definition 40 We define $c_2Efrac_2Efrac_1$ to be $(ap\ c_2Efrac_2Eabs_frac\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2E$

Definition 41 We define $c_2Erat_2Erat_1$ to be $(ap\ c_2Erat_2Eabs_rat\ c_2Efrac_2Efrac_1)$.

Definition 42 We define $c_2Erat_2Erat_add$ to be $\lambda V0r1 \in ty_2Erat_2Erat.\lambda V1r2 \in ty_2Erat_2Erat.(ap\ ($

Definition 43 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x)$

Definition 44 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a})$

Definition 45 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota.(ap\ (ap\ (c_2Ecombin_2ES\ A_27a\ (A_27a^{A_27a})\ A_27a)$

Let $c_2Earithmetic_2Enum_CASE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Earithmetic_2Enum_CASE\ A_27a \in \left((A_27a^{(A_27a^{ty_2Enum_2Enum})})^{A_27a} \right)_{ty_2Enum_2Enum} \quad (26)$$

Definition 46 We define $c_2Efrac_2Efrac_0$ to be $(ap\ c_2Efrac_2Eabs_frac\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2E$

Definition 47 We define $c_2Erat_2Erat_0$ to be $(ap\ c_2Erat_2Eabs_rat\ c_2Efrac_2Efrac_0)$.

Definition 48 We define $c_2Erelation_2EWF$ to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).(ap\ (c_2Ebool_2E_21$

Let $c_2Ebool_2EARB : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ebool_2EARB\ A_27a \in A_27a \quad (27)$$

Definition 49 We define $c_2Erelation_2ERESTRICT$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1M$

Definition 50 We define $c_2Erelation_2ETC$ to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1a \in A_27a.\lambda V2b$

Definition 51 We define $c_2Erelation_2Eapprox$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1M$

Definition 52 We define $c_2Erelation_2Ethe_fun$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1M$

Definition 53 We define $c_2Erelation_2EWFREC$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1M$

Definition 54 We define $c_2Erat_2Erat_of_num$ to be $(ap\ (ap\ (c_2Erelation_2EWFREC\ ty_2Enum_2Enum$

Assume the following.

$$True \quad (28)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (29)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \quad (30)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (31)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (32)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)) \quad (33)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (34)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}). ((\neg(\forall V1x \in A.27a.(ap V0P V1x))) \Leftrightarrow (\exists V2x \in A.27a.(\neg(p (ap V0P V2x)))))) \quad (35)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))) \quad (36)$$

Assume the following.

$$(\forall V0x \in ty.2Einteger.2Eint. (\forall V1y \in ty.2Einteger.2Eint. ((p (ap (ap c.2Einteger.2Eint_le V0x) V1y)) \Leftrightarrow ((p (ap (ap c.2Einteger.2Eint_lt V0x) V1y)) \vee (V0x = V1y)))))) \quad (37)$$

Assume the following.

$$(\forall V0r1 \in ty_2Erat_2Erat.((V0r1 = (ap\ c_2Erat_2Erat_of_num\ c_2Enum_2E0)) \Leftrightarrow ((ap\ c_2Erat_2Erat_nmr\ V0r1) = (ap\ c_2Einteger_2Eint_of_num\ c_2Enum_2E0)))) \quad (38)$$

Assume the following.

$$(\forall V0r1 \in ty_2Erat_2Erat.((p\ (ap\ (ap\ c_2Erat_2Erat_les\ V0r1)\ (ap\ c_2Erat_2Erat_of_num\ c_2Enum_2E0))) \Leftrightarrow (p\ (ap\ (ap\ c_2Einteger_2Eint_lt\ (ap\ c_2Erat_2Erat_nmr\ V0r1))\ (ap\ c_2Einteger_2Eint_of_num\ c_2Enum_2E0)))))) \quad (39)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (40)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (41)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \quad (42)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \quad (43)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (44)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee (\neg(p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \quad (45)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (p\ V1q) \wedge (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V2r)))) \wedge (((p\ V1q) \vee (\neg(p\ V0p))) \wedge ((p\ V2r) \vee (\neg(p\ V0p)))))))) \quad (46)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \vee 0p) \Leftrightarrow (\\
& (p \vee 1q) \vee (p \vee 2r))) \Leftrightarrow (((p \vee 0p) \vee \neg(p \vee 1q)) \wedge ((p \vee 0p) \vee \neg(p \vee 2r))) \wedge \\
& ((p \vee 1q) \vee ((p \vee 2r) \vee \neg(p \vee 0p))))))))))
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \vee 0p) \Leftrightarrow (\\
& (p \vee 1q) \Rightarrow (p \vee 2r))) \Leftrightarrow (((p \vee 0p) \vee (p \vee 1q)) \wedge ((p \vee 0p) \vee \neg(p \vee 2r))) \wedge ((\\
& \neg(p \vee 1q) \vee ((p \vee 2r) \vee \neg(p \vee 0p))))))))))
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \vee 0p) \Leftrightarrow \neg(p \vee 1q))) \Leftrightarrow (((p \vee 0p) \vee \\
& (p \vee 1q)) \wedge (\neg(p \vee 1q) \vee \neg(p \vee 0p))))))
\end{aligned} \tag{49}$$

Theorem 1

$$\begin{aligned}
& (\forall V0r1 \in ty_2Erat_2Erat. ((p (ap (ap c_2Erat_2Erat_leq \\
& V0r1) (ap c_2Erat_2Erat_of_num c_2Enum_2E0))) \Leftrightarrow (p (ap (ap c_2Einteger_2Eint_le \\
& (ap c_2Erat_2Erat_nmr V0r1) (ap c_2Einteger_2Eint_of_num \\
& c_2Enum_2E0))))))
\end{aligned}$$