

thm\_2Erat\_2ERAT\_\_LES0\_\_LES0\_\_ADD  
(TMSikJbR1WEztkYAqLmThbEJsBf3Qjn8wTo)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let  $ty\_2Einteger\_2Eint : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Einteger\_2Eint \tag{1}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{2}$$

Let  $ty\_2Efrac\_2Efrac : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Efrac\_2Efrac \tag{3}$$

Let  $c\_2Efrac\_2Erep\_frac : \iota$  be given. Assume the following.

$$c\_2Efrac\_2Erep\_frac \in ((ty\_2Epair\_2Eprod\ ty\_2Einteger\_2Eint\ ty\_2Einteger\_2Eint)^{ty\_2Efrac\_2Efrac}) \tag{4}$$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c\_2Epair\_2ESND\ A.27a\ A.27b \in (A.27b)^{(ty\_2Epair\_2Eprod\ A.27a\ A.27b)} \tag{5}$$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))$

**Definition 4** We define  $c\_2Efrac\_2Efrac\_dnm$  to be  $\lambda V0f \in ty\_2Efrac\_2Efrac.(ap (c\_2Epair\_2ESND\ ty$

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \end{aligned} \quad (6)$$

**Definition 7** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2E$

Let  $c\_2Efrac\_2Eabs\_frac : \iota$  be given. Assume the following.

$$c\_2Efrac\_2Eabs\_frac \in (ty\_2Efrac\_2Efrac^{(ty\_2Epair\_2Eprod ty\_2Einteger\_2Eint ty\_2Einteger\_2Eint)}) \quad (7)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty ty\_2Enum\_2Enum \quad (8)$$

Let  $c\_2Einteger\_2Eint\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{ty\_2Einteger\_2Eint}) \quad (9)$$

**Definition 8** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A$ .if  $(\exists x \in A.p (ap P x))$  then (the  $(\lambda x.x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ ).

**Definition 9** We define  $c\_2Einteger\_2Eint\_REP$  to be  $\lambda V0a \in ty\_2Einteger\_2Eint.(ap (c\_2Emin\_2E\_40 (ty$

Let  $c\_2Einteger\_2Eint\_add : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_add \in (((ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)}) \quad (10)$$

Let  $c\_2Einteger\_2Eint\_eq : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_eq \in ((2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)}) \quad (11)$$

Let  $c\_2Einteger\_2Eint\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_ABS\_CLASS \in (ty\_2Einteger\_2Eint)^{(2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})} \quad (12)$$

**Definition 10** We define  $c\_2Einteger\_2Eint\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)$

**Definition 11** We define  $c\_2Einteger\_2Eint\_add$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.\lambda V1T2 \in ty\_2Einteger\_2Eint$

Let  $c\_2Einteger\_2Eint\_mul : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_mul \in (((ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)}) \quad (13)$$

**Definition 12** We define  $c\_2Einteger\_2Eint\_mul$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.\lambda V1T2 \in ty\_2Einteger$ .  
Let  $ty\_2Erat\_2Erat : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erat\_2Erat \quad (14)$$

Let  $c\_2Erat\_2Erep\_rat\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erat\_2Erep\_rat\_CLASS \in ((2^{ty\_2Efrac\_2Efrac})^{ty\_2Erat\_2Erat}) \quad (15)$$

**Definition 13** We define  $c\_2Erat\_2Erep\_rat$  to be  $\lambda V0a \in ty\_2Erat\_2Erat.(ap\ (c\_2Emin\_2E40\ ty\_2Efrac$ .  
Let  $c\_2Epair\_2Efst : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2Efst \\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (16)$$

**Definition 14** We define  $c\_2Efrac\_2Efrac\_nmr$  to be  $\lambda V0f \in ty\_2Efrac\_2Efrac.(ap\ (c\_2Epair\_2Efst\ ty$

**Definition 15** We define  $c\_2Efrac\_2Efrac\_add$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac.\lambda V1f2 \in ty\_2Efrac\_2Efrac$

**Definition 16** We define  $c\_2Erat\_2Erat\_equiv$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac.\lambda V1f2 \in ty\_2Efrac\_2Efrac$

Let  $c\_2Erat\_2Eabs\_rat\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erat\_2Eabs\_rat\_CLASS \in (ty\_2Erat\_2Erat^{(2^{ty\_2Efrac\_2Efrac})}) \quad (17)$$

**Definition 17** We define  $c\_2Erat\_2Eabs\_rat$  to be  $\lambda V0r \in ty\_2Efrac\_2Efrac.(ap\ c\_2Erat\_2Eabs\_rat\_CLASS$

**Definition 18** We define  $c\_2Erat\_2Erat\_add$  to be  $\lambda V0r1 \in ty\_2Erat\_2Erat.\lambda V1r2 \in ty\_2Erat\_2Erat.(ap$

Let  $c\_2Einteger\_2Eint\_of\_num : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_of\_num \in (ty\_2Einteger\_2Eint^{ty\_2Eenum\_2Eenum}) \quad (18)$$

**Definition 19** We define  $c\_2Erat\_2Erat\_nmr$  to be  $\lambda V0r \in ty\_2Erat\_2Erat.(ap\ c\_2Efrac\_2Efrac\_nmr\ (ap\ c$

Let  $c\_2Einteger\_2Eint\_lt : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Eenum\_2Eenum\ ty\_2Eenum\_2Eenum)})^{(ty\_2Epair\_2Eprod\ ty\_2Eenum\_2Eenum)}) \quad (19)$$

**Definition 20** We define  $c\_2Einteger\_2Eint\_lt$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.\lambda V1T2 \in ty\_2Einteger$ .

Let  $c\_2Eenum\_2Ezero\_rep : \iota$  be given. Assume the following.

$$c\_2Eenum\_2Ezero\_rep \in \omega \quad (20)$$

Let  $c\_2Eenum\_2Eabs\_num : \iota$  be given. Assume the following.

$$c\_2Eenum\_2Eabs\_num \in (ty\_2Eenum\_2Eenum^{\omega}) \quad (21)$$

**Definition 21** We define  $c\_Enum\_2E0$  to be  $(ap\ c\_Enum\_2EABS\_num\ c\_Enum\_2EZERO\_REP)$ .

**Definition 22** We define  $c\_Earithmetic\_2EZERO$  to be  $c\_Enum\_2E0$ .

Let  $c\_Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (22)$$

Let  $c\_Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_Enum\_2ESUC\_REP \in (\omega^{omega}) \quad (23)$$

**Definition 23** We define  $c\_Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_Enum\_2EABS\_num$

Let  $c\_Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum)^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (24)$$

**Definition 24** We define  $c\_Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_Earithmetic$

**Definition 25** We define  $c\_Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 26** We define  $c\_Efrac\_2Efrac\_1$  to be  $(ap\ c\_Efrac\_2Eabs\_frac\ (ap\ (ap\ (c\_Epair\_2E\_2C\ ty\_2$

**Definition 27** We define  $c\_Erat\_2Erat\_1$  to be  $(ap\ c\_Erat\_2Eabs\_rat\ c\_Efrac\_2Efrac\_1)$ .

**Definition 28** We define  $c\_Ecombin\_2EK$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0x \in A\_27a.(\lambda V1y \in A\_27b.V0x)$

**Definition 29** We define  $c\_Ecombin\_2ES$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.(\lambda V0f \in ((A\_27c^{A\_27b})^{A\_27$

**Definition 30** We define  $c\_Ecombin\_2EI$  to be  $\lambda A\_27a : \iota.(ap\ (ap\ (c\_Ecombin\_2ES\ A\_27a\ (A\_27a^{A\_27a})\ A$

Let  $c\_Earithmetic\_2Enum\_CASE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_Earithmetic\_2Enum\_CASE\ A\_27a \in \left( (A\_27a^{(A\_27a^{ty\_2Enum\_2Enum})})^{A\_27a} \right)^{ty\_2Enum\_2Enum} \quad (25)$$

**Definition 31** We define  $c\_Efrac\_2Efrac\_0$  to be  $(ap\ c\_Efrac\_2Eabs\_frac\ (ap\ (ap\ (c\_Epair\_2E\_2C\ ty\_2$

**Definition 32** We define  $c\_Erat\_2Erat\_0$  to be  $(ap\ c\_Erat\_2Eabs\_rat\ c\_Efrac\_2Efrac\_0)$ .

**Definition 33** We define  $c\_Ebool\_2EF$  to be  $(ap\ (c\_Ebool\_2E\_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 34** We define  $c\_Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_Ebool\_2E$

**Definition 35** We define  $c\_Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_Emin\_2E\_40$

**Definition 36** We define  $c\_Erelation\_2EWF$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).(ap\ (c\_Ebool\_2E\_21$



Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \wedge (p V1t2) \wedge (p V2t3)) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \wedge (p V2t3)))))) \quad (30)$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \quad (31)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (32)$$

Assume the following.

$$(\forall V0t \in 2.(((True) \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))) \quad (33)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)) \quad (34)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (35)$$

Assume the following.

$$(\forall V0t \in 2.(((True) \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False) \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))) \quad (36)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).(\forall V1Q \in (2^{A\_27a}).((\forall V2x \in A\_27a.((p (ap V0P V2x)) \wedge (p (ap V1Q V2x)))) \Leftrightarrow ((\forall V3x \in A\_27a.(p (ap V0P V3x))) \wedge (\forall V4x \in A\_27a.(p (ap V1Q V4x))))))) \quad (37)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (p V1B) \vee (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))))) \quad (38)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))) \quad (39)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B)))))))) \quad (40)$$

Assume the following.

$$(\forall V0f \in ty\_2Efrac\_2Efrac. ((ap\ c\_2Efrac\_2Eabs\_frac (ap (ap (c\_2Epair\_2E\_2C\ ty\_2Einteger\_2Eint\ ty\_2Einteger\_2Eint) (ap\ c\_2Efrac\_2Efrac\_nmr\ V0f)) (ap\ c\_2Efrac\_2Efrac\_dnm\ V0f))) = V0f)) \quad (41)$$

Assume the following.

$$(\forall V0f \in ty\_2Efrac\_2Efrac. (p (ap (ap\ c\_2Einteger\_2Eint\_lt (ap\ c\_2Einteger\_2Eint\_of\_num\ c\_2Enum\_2E0)) (ap\ c\_2Efrac\_2Efrac\_dnm\ V0f)))) \quad (42)$$

Assume the following.

$$(\forall V0a \in ty\_2Einteger\_2Eint. (\forall V1b \in ty\_2Einteger\_2Eint. ((p (ap (ap\ c\_2Einteger\_2Eint\_lt (ap\ c\_2Einteger\_2Eint\_of\_num\ c\_2Enum\_2E0)) V1b)) \Rightarrow ((ap\ c\_2Efrac\_2Efrac\_nmr (ap\ c\_2Efrac\_2Eabs\_frac (ap (ap (c\_2Epair\_2E\_2C\ ty\_2Einteger\_2Eint\ ty\_2Einteger\_2Eint) V0a) V1b))) = V0a)))) \quad (43)$$

Assume the following.

$$(\forall V0a1 \in ty\_2Einteger\_2Eint. (\forall V1b1 \in ty\_2Einteger\_2Eint. (\forall V2a2 \in ty\_2Einteger\_2Eint. (\forall V3b2 \in ty\_2Einteger\_2Eint. ((p (ap (ap\ c\_2Einteger\_2Eint\_lt (ap\ c\_2Einteger\_2Eint\_of\_num\ c\_2Enum\_2E0)) V1b1)) \Rightarrow ((p (ap (ap\ c\_2Einteger\_2Eint\_lt (ap\ c\_2Einteger\_2Eint\_of\_num\ c\_2Enum\_2E0)) V3b2)) \Rightarrow ((ap (ap\ c\_2Efrac\_2Efrac\_add (ap\ c\_2Efrac\_2Eabs\_frac (ap (ap (c\_2Epair\_2E\_2C\ ty\_2Einteger\_2Eint\ ty\_2Einteger\_2Eint) V0a1) V1b1)) (ap\ c\_2Efrac\_2Eabs\_frac (ap (ap (c\_2Epair\_2E\_2C\ ty\_2Einteger\_2Eint\ ty\_2Einteger\_2Eint) V2a2) V3b2))) = (ap\ c\_2Efrac\_2Eabs\_frac (ap (ap (c\_2Epair\_2E\_2C\ ty\_2Einteger\_2Eint\ ty\_2Einteger\_2Eint) (ap (ap\ c\_2Einteger\_2Eint\_add (ap (ap\ c\_2Einteger\_2Eint\_mul\ V0a1) V3b2)) (ap (ap\ c\_2Einteger\_2Eint\_mul\ V2a2) V1b1))) (ap (ap\ c\_2Einteger\_2Eint\_mul\ V1b1) V3b2)))))))))) \quad (44)$$

Assume the following.

$$(\forall V0a \in ty\_2Einteger\_2Eint. (\forall V1b \in ty\_2Einteger\_2Eint. ((p (ap (ap\ c\_2Einteger\_2Eint\_lt (ap\ c\_2Einteger\_2Eint\_of\_num\ c\_2Enum\_2E0)) V0a)) \Rightarrow ((p (ap (ap\ c\_2Einteger\_2Eint\_lt (ap\ c\_2Einteger\_2Eint\_of\_num\ c\_2Enum\_2E0)) V1b)) \Rightarrow (p (ap (ap\ c\_2Einteger\_2Eint\_lt (ap\ c\_2Einteger\_2Eint\_of\_num\ c\_2Enum\_2E0)) (ap (ap\ c\_2Einteger\_2Eint\_mul\ V0a) V1b)))))) \quad (45)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\
& (((p (ap (ap c\_2Einteger\_2Eint\_lt V0x) (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0))) \wedge (p (ap (ap c\_2Einteger\_2Eint\_lt V1y) (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0)))) \Rightarrow (p (ap (ap c\_2Einteger\_2Eint\_lt (ap (ap c\_2Einteger\_2Eint\_add \\
& V0x) V1y)) (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0))))))
\end{aligned} \tag{46}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in ty\_2Einteger\_2Eint. (\forall V1q \in ty\_2Einteger\_2Eint. \\
& (((p (ap (ap c\_2Einteger\_2Eint\_lt (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0)) (ap (ap c\_2Einteger\_2Eint\_mul V0p) V1q))) \Leftrightarrow ((( \\
& p (ap (ap c\_2Einteger\_2Eint\_lt (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0)) V0p)) \wedge (p (ap (ap c\_2Einteger\_2Eint\_lt (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0)) V1q))) \vee ((p (ap (ap c\_2Einteger\_2Eint\_lt V0p) ( \\
& ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0))) \wedge (p (ap (ap c\_2Einteger\_2Eint\_lt \\
& V1q) (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)))))) \wedge ((p ( \\
& ap (ap c\_2Einteger\_2Eint\_lt (ap (ap c\_2Einteger\_2Eint\_mul V0p) \\
& V1q)) (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0))) \Leftrightarrow (((p (ap \\
& (ap c\_2Einteger\_2Eint\_lt (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) \\
& V0p)) \wedge (p (ap (ap c\_2Einteger\_2Eint\_lt V1q) (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0)))) \vee ((p (ap (ap c\_2Einteger\_2Eint\_lt V0p) (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0))) \wedge (p (ap (ap c\_2Einteger\_2Eint\_lt (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0)) V1q)))))))))
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& (\forall V0r \in ty\_2Erat\_2Erat. ((ap c\_2Erat\_2Eabs\_rat (ap c\_2Erat\_2Erep\_rat \\
& V0r)) = V0r))
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f1 \in ty\_2Efrac\_2Efrac. ((p (ap (ap c\_2Einteger\_2Eint\_lt \\
& (ap c\_2Efrac\_2Efrac\_nmr (ap c\_2Erat\_2Erep\_rat (ap c\_2Erat\_2Eabs\_rat \\
& V0f1)))) (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0))) \Leftrightarrow (p ( \\
& ap (ap c\_2Einteger\_2Eint\_lt (ap c\_2Efrac\_2Efrac\_nmr V0f1)) \\
& (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0))))))
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f1 \in ty\_2Efrac\_2Efrac. (\forall V1f2 \in ty\_2Efrac\_2Efrac. \\
& ((ap (ap c\_2Erat\_2Erat\_add (ap c\_2Erat\_2Eabs\_rat V0f1)) (ap \\
& c\_2Erat\_2Eabs\_rat V1f2)) = (ap c\_2Erat\_2Eabs\_rat (ap (ap c\_2Efrac\_2Efrac\_add \\
& V0f1) V1f2))))))
\end{aligned} \tag{50}$$



Assume the following.

$$\begin{aligned}
& (\forall V0r1 \in ty\_2Erat\_2Erat. ((p (ap (ap c\_2Erat\_2Erat\_les \\
V0r1) (ap c\_2Erat\_2Erat\_of\_num c\_2Enum\_2E0))) \Leftrightarrow (p (ap (ap c\_2Einteger\_2Eint\_lt \\
(ap c\_2Erat\_2Erat\_nmr V0r1) (ap c\_2Einteger\_2Eint\_of\_num \\
c\_2Enum\_2E0))))))
\end{aligned} \tag{51}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{52}$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{53}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))
\end{aligned} \tag{54}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))
\end{aligned} \tag{55}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \tag{56}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg \\
& (p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{57}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))
\end{aligned} \tag{58}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))
\end{aligned} \tag{59}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \Rightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge (((p \ V0p) \vee \neg(p \ V2r))) \wedge ( \\
& \neg(p \ V1q)) \vee ((p \ V2r) \vee \neg(p \ V0p)))))))))) \quad (60)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow \neg(p \ V1q))) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge (\neg(p \ V1q)) \vee \neg(p \ V0p)))))) \quad (61)
\end{aligned}$$

**Theorem 1**

$$\begin{aligned}
& (\forall V0r1 \in ty\_2Erat\_2Erat. (\forall V1r2 \in ty\_2Erat\_2Erat. \\
& ((p \ (ap \ (ap \ c\_2Erat\_2Erat\_les \ V0r1) \ (ap \ c\_2Erat\_2Erat\_of\_num \\
& c\_2Enum\_2E0))) \Rightarrow ((p \ (ap \ (ap \ c\_2Erat\_2Erat\_les \ V1r2) \ (ap \ c\_2Erat\_2Erat\_of\_num \\
& c\_2Enum\_2E0))) \Rightarrow (p \ (ap \ (ap \ c\_2Erat\_2Erat\_les \ (ap \ (ap \ c\_2Erat\_2Erat\_add \\
& V0r1) \ V1r2)) \ (ap \ c\_2Erat\_2Erat\_of\_num \ c\_2Enum\_2E0))))))
\end{aligned}$$