

thm\_2Erat\_2ERAT\_\_LES\_\_CALCULATE  
(TMUKQgU-  
UXpS5kYxQdrPKy8fHDBvoF86DChA)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.$ if  $(\exists x \in A.p (ap P x))$  then (the  $(\lambda x.x \in A \wedge p x)$  of type  $\iota \Rightarrow \iota$ ).

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c\_2Emin\_2E\_40 A$

Let  $ty\_2Einteger\_2Eint : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Einteger\_2Eint \tag{1}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{2}$$

Let  $ty\_2Efrac\_2Efrac : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Efrac\_2Efrac \tag{3}$$

Let  $c\_2Efrac\_2Erep\_frac : \iota$  be given. Assume the following.

$$c\_2Efrac\_2Erep\_frac \in ((ty\_2Epair\_2Eprod\ ty\_2Einteger\_2Eint\ ty\_2Einteger\_2Eint)^{ty\_2Efrac\_2Efrac}) \tag{4}$$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c\_2Epair\_2ESND\ A.27a\ A.27b \in (A.27b)^{(ty\_2Epair\_2Eprod\ A.27a\ A.27b)} \tag{5}$$

**Definition 4** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

**Definition 5** We define  $c\_Ebool\_E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap (ap (c\_Emin\_E\_3D (2^{A\_27a})))$

**Definition 6** We define  $c\_Efrac\_Efrac\_dnm$  to be  $\lambda V0f \in ty\_Efrac\_Efrac. (ap (c\_Epair\_EESND ty\_Efrac\_Efrac))$

Let  $c\_Epair\_E\_EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a. nonempty\ A\_27a \Rightarrow \forall A\_27b. nonempty\ A\_27b \Rightarrow c\_Epair\_E\_EFST \\ A\_27a\ A\_27b \in (A\_27a^{(ty\_Epair\_E\_Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (6)$$

**Definition 7** We define  $c\_Efrac\_Efrac\_nmr$  to be  $\lambda V0f \in ty\_Efrac\_Efrac. (ap (c\_Epair\_E\_EFST ty\_Efrac\_Efrac))$

Let  $ty\_Eenum\_E\_Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_Eenum\_E\_Enum \quad (7)$$

Let  $c\_Einteger\_E\_int\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_Einteger\_E\_int\_REP\_CLASS \in ((2^{(ty\_Epair\_E\_Eprod\ ty\_Eenum\_E\_Enum\ ty\_Eenum\_E\_Enum)})^{ty\_Einteger\_E\_int\_REP\_CLASS}) \quad (8)$$

**Definition 8** We define  $c\_Einteger\_E\_int\_REP$  to be  $\lambda V0a \in ty\_Einteger\_E\_int. (ap (c\_Emin\_E\_40 ty\_Einteger\_E\_int))$

Let  $c\_Einteger\_E\_Etint\_neg : \iota$  be given. Assume the following.

$$c\_Einteger\_E\_Etint\_neg \in ((ty\_Epair\_E\_Eprod\ ty\_Eenum\_E\_Enum\ ty\_Eenum\_E\_Enum)^{ty\_Einteger\_E\_Etint\_neg}) \quad (9)$$

Let  $c\_Einteger\_E\_Etint\_eq : \iota$  be given. Assume the following.

$$c\_Einteger\_E\_Etint\_eq \in ((2^{(ty\_Epair\_E\_Eprod\ ty\_Eenum\_E\_Enum\ ty\_Eenum\_E\_Enum)})^{(ty\_Epair\_E\_Eprod\ ty\_Eenum\_E\_Enum)}) \quad (10)$$

Let  $c\_Einteger\_E\_int\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_Einteger\_E\_int\_ABS\_CLASS \in (ty\_Einteger\_E\_int)^{(2^{(ty\_Epair\_E\_Eprod\ ty\_Eenum\_E\_Enum\ ty\_Eenum\_E\_Enum)})} \quad (11)$$

**Definition 9** We define  $c\_Einteger\_E\_int\_ABS$  to be  $\lambda V0r \in (ty\_Epair\_E\_Eprod\ ty\_Eenum\_E\_Enum\ ty\_Eenum\_E\_Enum)$

**Definition 10** We define  $c\_Einteger\_E\_int\_neg$  to be  $\lambda V0T1 \in ty\_Einteger\_E\_int. (ap\ c\_Einteger\_E\_int)$

**Definition 11** We define  $c\_Emin\_E\_3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 12** We define  $c\_Ebool\_E\_2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_Ebool\_E\_21\ 2)) (\lambda V2t \in 2. (ap (c\_Ebool\_E\_21\ 2)) t2))))$

Let  $c\_Epair\_E\_EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a. nonempty\ A\_27a \Rightarrow \forall A\_27b. nonempty\ A\_27b \Rightarrow c\_Epair\_E\_EABS\_prod \\ A\_27a\ A\_27b \in ((ty\_Epair\_E\_Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \end{aligned} \quad (12)$$

**Definition 13** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0x \in A.27a.\lambda V1y \in A.27b.(ap (c\_2Efrac\_2Eabs\_frac : \iota$  be given. Assume the following.

$$c\_2Efrac\_2Eabs\_frac \in (ty\_2Efrac\_2Efrac^{(ty\_2Epair\_2Eprod\ ty\_2Einteger\_2Eint\ ty\_2Einteger\_2Eint)}) \quad (13)$$

**Definition 14** We define  $c\_2Efrac\_2Efrac\_ainv$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac.(ap c\_2Efrac\_2Eabs\_frac : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_mul \in (((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)_{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})_{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)}) \quad (14)$$

**Definition 15** We define  $c\_2Einteger\_2Eint\_mul$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.\lambda V1T2 \in ty\_2Einteger\_2Eint$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)_{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})_{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)}) \quad (15)$$

**Definition 16** We define  $c\_2Einteger\_2Eint\_add$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.\lambda V1T2 \in ty\_2Einteger\_2Eint$

**Definition 17** We define  $c\_2Efrac\_2Efrac\_add$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac.\lambda V1f2 \in ty\_2Efrac\_2Efrac$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (16)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (17)$$

**Definition 18** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 19** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (18)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (19)$$

**Definition 20** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap c\_2Enum\_2EABS\_num$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (20)$$

**Definition 21** We define  $c\_2Earithmic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmic$

**Definition 22** We define  $c\_2Earithmic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Einteger\_2Eint\_of\_num : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_of\_num \in (ty\_2Einteger\_2Eint^{ty\_2Enum\_2Enum}) \quad (21)$$

Let  $c\_2Einteger\_2Etint\_lt : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_lt \in ((2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum)) \quad (22)$$

**Definition 23** We define  $c\_2Einteger\_2Eint\_lt$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.\lambda V1T2 \in ty\_2Einteger$

**Definition 24** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 25** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

**Definition 26** We define  $c\_2EintExtension\_2ESGN$  to be  $\lambda V0x \in ty\_2Einteger\_2Eint.(ap (ap (ap (c\_2Ebool$

**Definition 27** We define  $c\_2Einteger\_2Eint\_gt$  to be  $\lambda V0x \in ty\_2Einteger\_2Eint.\lambda V1y \in ty\_2Einteger$

**Definition 28** We define  $c\_2Enumeral\_2EiZ$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 29** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool$

**Definition 30** We define  $c\_2Einteger\_2Eint\_le$  to be  $\lambda V0x \in ty\_2Einteger\_2Eint.\lambda V1y \in ty\_2Einteger$

**Definition 31** We define  $c\_2Earithmic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmic$

**Definition 32** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum$

**Definition 33** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in$

**Definition 34** We define  $c\_2Earithmic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum$

Let  $c\_2Enumeral\_2EiSUB : \iota$  be given. Assume the following.

$$c\_2Enumeral\_2EiSUB \in (((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^2) \quad (23)$$

Let  $c\_2Earithmic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (24)$$

Let  $ty\_2Erat\_2Erat : \iota$  be given. Assume the following.

$$nonempty ty\_2Erat\_2Erat \quad (25)$$

Let  $c\_2Erat\_2Erep\_rat\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erat\_2Erep\_rat\_CLASS \in ((2^{ty\_2Efrac\_2Efrac})^{ty\_2Erat\_2Erat}) \quad (26)$$

**Definition 35** We define  $c\_2Erat\_2Erep\_rat$  to be  $\lambda V0a \in ty\_2Erat\_2Erat.(ap (c\_2Emin\_2E40 ty\_2Efrac$

**Definition 36** We define  $c\_2Efrac\_2Efrac\_sgn$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac.(ap c\_2EintExtension\_2ES$

**Definition 37** We define  $c\_2Erat\_2Erat\_sgn$  to be  $\lambda V0r \in ty\_2Erat\_2Erat.(ap c\_2Efrac\_2Efrac\_sgn (ap c\_2$

**Definition 38** We define  $c\_2Efrac\_2Efrac\_sub$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac.\lambda V1f2 \in ty\_2Efrac\_2Efrac$

**Definition 39** We define  $c\_2Erat\_2Erat\_equiv$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac.\lambda V1f2 \in ty\_2Efrac\_2Efrac$

Let  $c\_2Erat\_2Eabs\_rat\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erat\_2Eabs\_rat\_CLASS \in (ty\_2Erat\_2Erat^{(2^{ty\_2Efrac\_2Efrac})}) \quad (27)$$

**Definition 40** We define  $c\_2Erat\_2Eabs\_rat$  to be  $\lambda V0r \in ty\_2Efrac\_2Efrac.(ap c\_2Erat\_2Eabs\_rat\_CLASS$

**Definition 41** We define  $c\_2Erat\_2Erat\_sub$  to be  $\lambda V0r1 \in ty\_2Erat\_2Erat.\lambda V1r2 \in ty\_2Erat\_2Erat.(ap$

**Definition 42** We define  $c\_2Erat\_2Erat\_les$  to be  $\lambda V0r1 \in ty\_2Erat\_2Erat.\lambda V1r2 \in ty\_2Erat\_2Erat.(ap$

Assume the following.

$$True \quad (28)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2.((\exists V1x \in A\_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (29)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (30) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ & (p V0t)) \Leftrightarrow (p V0t)))))) \quad (31) \end{aligned}$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \quad (32) \end{aligned}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (33)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (34)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t))))) \quad (35)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t1 \in A\_27a. (\forall V1t2 \in A\_27a. (((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ c\_2Ebool\_2ET)\ V0t1)\ V1t2) = V0t1) \wedge ((ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ c\_2Ebool\_2EF)\ V0t1)\ V1t2) = V1t2)))) \quad (36)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\neg(\exists V1x \in A\_27a. (p\ (ap\ V0P\ V1x)))) \Leftrightarrow (\forall V2x \in A\_27a. (\neg(p\ (ap\ V0P\ V2x))))) \quad (37)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A)) \vee (\neg(p\ V1B)))) \wedge ((\neg((p\ V0A) \vee (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A)) \wedge (\neg(p\ V1B))))) \quad (38)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p\ V0A) \Rightarrow (p\ V1B)) \Leftrightarrow ((\neg(p\ V0A)) \vee (p\ V1B)))) \quad (39)$$

Assume the following.

$$(\forall V0f \in ty\_2Efrac\_2Efrac. (p\ (ap\ (ap\ c\_2Einteger\_2Eint\_lt\ (ap\ c\_2Einteger\_2Eint\_of\_num\ c\_2Enum\_2E0)\ c\_2Enum\_2E0)\ (ap\ c\_2Efrac\_2Efrac\_dnm\ V0f)))) \quad (40)$$

Assume the following.

$$(\forall V0a \in ty\_2Einteger\_2Eint. (\forall V1b \in ty\_2Einteger\_2Eint. ((p\ (ap\ (ap\ c\_2Einteger\_2Eint\_lt\ (ap\ c\_2Einteger\_2Eint\_of\_num\ c\_2Enum\_2E0)\ V1b)) \Rightarrow ((ap\ c\_2Efrac\_2Efrac\_nmr\ (ap\ c\_2Efrac\_2Eabs\_frac\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ ty\_2Einteger\_2Eint\ ty\_2Einteger\_2Eint)\ V0a)\ V1b))) = V0a)))) \quad (41)$$

Assume the following.

$$\begin{aligned}
& (\forall V0a \in ty\_2Einteger\_2Eint. (\forall V1b \in ty\_2Einteger\_2Eint. \\
& ((p (ap (ap c\_2Einteger\_2Eint\_lt (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0)) V1b)) \Rightarrow ((ap c\_2Efrac\_2Efrac\_dnm (ap c\_2Efrac\_2Eabs\_frac \\
& (ap (ap (c\_2Epair\_2E\_2C ty\_2Einteger\_2Eint ty\_2Einteger\_2Eint) \\
& V0a) V1b))) = V1b))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& (\forall V0a \in ty\_2Einteger\_2Eint. (\forall V1b \in ty\_2Einteger\_2Eint. \\
& ((p (ap (ap c\_2Einteger\_2Eint\_lt (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0)) V0a)) \Rightarrow ((p (ap (ap c\_2Einteger\_2Eint\_lt (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0)) V1b)) \Rightarrow (p (ap (ap c\_2Einteger\_2Eint\_lt (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0)) (ap (ap c\_2Einteger\_2Eint\_mul V0a) V1b)))))))
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Einteger\_2Eint. (((ap c\_2EintExtension\_2ESGN \\
& V0x) = (ap c\_2Einteger\_2Eint\_neg (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) \Leftrightarrow \\
& (p (ap (ap c\_2Einteger\_2Eint\_lt V0x) (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0))) \wedge (((ap c\_2EintExtension\_2ESGN V0x) = (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0)) \Leftrightarrow (V0x = (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0))) \wedge \\
& (((ap c\_2EintExtension\_2ESGN V0x) = (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) \Leftrightarrow \\
& (p (ap (ap c\_2Einteger\_2Eint\_gt V0x) (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0))))))
\end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\
& ((p (ap (ap c\_2Einteger\_2Eint\_lt V0x) V1y)) \Leftrightarrow (p (ap (ap c\_2Einteger\_2Eint\_le \\
& (ap (ap c\_2Einteger\_2Eint\_add V0x) (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) \\
& V1y))))))
\end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. \\
& ((p (ap (ap c\_2Einteger\_2Eint\_le V0x) V1y)) \Leftrightarrow (p (ap (ap c\_2Einteger\_2Eint\_le \\
& (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) (ap (ap c\_2Einteger\_2Eint\_add \\
& V1y) (ap c\_2Einteger\_2Eint\_neg V0x)))))))
\end{aligned} \tag{46}$$

Assume the following.

$$(\forall V0y \in ty\_2Einteger\_2Eint. (\forall V1x \in ty\_2Einteger\_2Eint. ((ap (ap c\_2Einteger\_2Eint\_add V1x) V0y) = (ap (ap c\_2Einteger\_2Eint\_add V0y) V1x)))) \quad (47)$$

Assume the following.

$$(\forall V0y \in ty\_2Einteger\_2Eint. (\forall V1x \in ty\_2Einteger\_2Eint. ((ap (ap c\_2Einteger\_2Eint\_mul V1x) V0y) = (ap (ap c\_2Einteger\_2Eint\_mul V0y) V1x)))) \quad (48)$$

Assume the following.

$$(\forall V0z \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. (\forall V2x \in ty\_2Einteger\_2Eint. ((ap (ap c\_2Einteger\_2Eint\_add V2x) (ap (ap c\_2Einteger\_2Eint\_add V1y) V0z)) = (ap (ap c\_2Einteger\_2Eint\_add (ap (ap c\_2Einteger\_2Eint\_add V2x) V1y)) V0z)))))) \quad (49)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint. ((ap (ap c\_2Einteger\_2Eint\_add (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) V0x) = V0x)) \quad (50)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint. ((ap (ap c\_2Einteger\_2Eint\_add V0x) (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) = V0x)) \quad (51)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint. ((ap (ap c\_2Einteger\_2Eint\_mul (ap c\_2Einteger\_2Eint\_of\_num (ap c\_2Earithmic\_2ENUMERAL (ap c\_2Earithmic\_2EBIT1 c\_2Earithmic\_2EZERO)))) V0x) = V0x)) \quad (52)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. (\forall V2z \in ty\_2Einteger\_2Eint. ((ap (ap c\_2Einteger\_2Eint\_mul (ap (ap c\_2Einteger\_2Eint\_add V0x) V1y)) V2z) = (ap (ap c\_2Einteger\_2Eint\_add (ap (ap c\_2Einteger\_2Eint\_mul V0x) V2z)) (ap (ap c\_2Einteger\_2Eint\_mul V1y) V2z)))))) \quad (53)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint. (\forall V1y \in ty\_2Einteger\_2Eint. ((ap c\_2Einteger\_2Eint\_neg (ap (ap c\_2Einteger\_2Eint\_add V0x) V1y)) = (ap (ap c\_2Einteger\_2Eint\_add (ap c\_2Einteger\_2Eint\_neg V0x)) (ap c\_2Einteger\_2Eint\_neg V1y)))))) \quad (54)$$



Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint.((ap (ap c\_2Einteger\_2Eint\_mul (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) V0x) = (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0))) \quad (55)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint.(\forall V1y \in ty\_2Einteger\_2Eint. ((ap c\_2Einteger\_2Eint\_neg (ap (ap c\_2Einteger\_2Eint\_mul V0x) V1y)) = (ap (ap c\_2Einteger\_2Eint\_mul (ap c\_2Einteger\_2Eint\_neg V0x)) V1y)))) \quad (56)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint.(\forall V1y \in ty\_2Einteger\_2Eint. ((ap c\_2Einteger\_2Eint\_neg (ap (ap c\_2Einteger\_2Eint\_mul V0x) V1y)) = (ap (ap c\_2Einteger\_2Eint\_mul V0x) (ap c\_2Einteger\_2Eint\_neg V1y)))))) \quad (57)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint.((ap c\_2Einteger\_2Eint\_neg (ap c\_2Einteger\_2Eint\_neg V0x)) = V0x)) \quad (58)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint.(\forall V1y \in ty\_2Einteger\_2Eint. ((\neg(p (ap (ap c\_2Einteger\_2Eint\_le V0x) V1y))) \Leftrightarrow (p (ap (ap c\_2Einteger\_2Eint\_lt V1y) V0x))))) \quad (59)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint.(\forall V1y \in ty\_2Einteger\_2Eint. (((p (ap (ap c\_2Einteger\_2Eint\_le V0x) V1y)) \wedge (p (ap (ap c\_2Einteger\_2Eint\_le V1y) V0x))) \Leftrightarrow (V0x = V1y)))) \quad (60)$$

Assume the following.

$$(\forall V0x \in ty\_2Einteger\_2Eint.(\forall V1y \in ty\_2Einteger\_2Eint. (\forall V2z \in ty\_2Einteger\_2Eint. ((p (ap (ap c\_2Einteger\_2Eint\_lt V1y) (ap (ap c\_2Einteger\_2Eint\_add V0x) (ap c\_2Einteger\_2Eint\_neg V2z)))) \Leftrightarrow (p (ap (ap c\_2Einteger\_2Eint\_lt (ap (ap c\_2Einteger\_2Eint\_add V1y) V2z)) V0x))))) \quad (61)$$

Assume the following.

$$((ap c\_2Einteger\_2Eint\_neg (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) = (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) \quad (62)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in ty\_2Einteger\_2Eint. (\forall V1n \in ty\_2Enum\_2Enum. \\
& (\forall V2m \in ty\_2Enum\_2Enum. (((ap (ap c\_2Einteger\_2Eint\_add \\
& (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) V0p) = V0p) \wedge ((( \\
& ap (ap c\_2Einteger\_2Eint\_add V0p) (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0)) = V0p) \wedge (((ap c\_2Einteger\_2Eint\_neg (ap c\_2Einteger\_2Eint\_of\_num \\
& c\_2Enum\_2E0)) = (ap c\_2Einteger\_2Eint\_of\_num c\_2Enum\_2E0)) \wedge \\
& (((ap c\_2Einteger\_2Eint\_neg (ap c\_2Einteger\_2Eint\_neg V0p)) = \\
& V0p) \wedge (((ap (ap c\_2Einteger\_2Eint\_add (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL V1n))) (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL V2m))) = (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Enumeral\_2EiZ (ap (ap c\_2Earithmetic\_2E\_2B \\
& V1n) V2m)))))) \wedge (((ap (ap c\_2Einteger\_2Eint\_add (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL V1n))) (ap c\_2Einteger\_2Eint\_neg \\
& (ap c\_2Einteger\_2Eint\_of\_num (ap c\_2Earithmetic\_2ENUMERAL \\
& V2m)))) = (ap (ap (ap (c\_2Ebool\_2ECOND ty\_2Einteger\_2Eint) (ap \\
& (ap c\_2Earithmetic\_2E\_3C\_3D V2m) V1n)) (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D V1n) \\
& V2m)))) (ap c\_2Einteger\_2Eint\_neg (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D V2m) \\
& V1n)))))) \wedge (((ap (ap c\_2Einteger\_2Eint\_add (ap c\_2Einteger\_2Eint\_neg \\
& (ap c\_2Einteger\_2Eint\_of\_num (ap c\_2Earithmetic\_2ENUMERAL \\
& V1n))) (ap c\_2Einteger\_2Eint\_of\_num (ap c\_2Earithmetic\_2ENUMERAL \\
& V2m))) = (ap (ap (ap (c\_2Ebool\_2ECOND ty\_2Einteger\_2Eint) (ap ( \\
& ap c\_2Earithmetic\_2E\_3C\_3D V1n) V2m)) (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D V2m) \\
& V1n)))) (ap c\_2Einteger\_2Eint\_neg (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D V1n) \\
& V2m)))))) \wedge (((ap (ap c\_2Einteger\_2Eint\_add (ap c\_2Einteger\_2Eint\_neg \\
& (ap c\_2Einteger\_2Eint\_of\_num (ap c\_2Earithmetic\_2ENUMERAL \\
& V1n))) (ap c\_2Einteger\_2Eint\_neg (ap c\_2Einteger\_2Eint\_of\_num \\
& (ap c\_2Earithmetic\_2ENUMERAL V2m)))) = (ap c\_2Einteger\_2Eint\_neg \\
& (ap c\_2Einteger\_2Eint\_of\_num (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap c\_2Enumeral\_2EiZ (ap (ap c\_2Earithmetic\_2E\_2B V1n) V2m))))))))))))))
\end{aligned}$$

(63)

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\
& \quad ((p (ap (ap c\_2Integer\_2Eint\_le (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad c\_2Enum\_2E0)) (ap c\_2Integer\_2Eint\_of\_num c\_2Enum\_2E0))) \Leftrightarrow \\
& \quad True) \wedge (((p (ap (ap c\_2Integer\_2Eint\_le (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad c\_2Enum\_2E0)) (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& \quad \quad V0n)))) \Leftrightarrow True) \wedge (((p (ap (ap c\_2Integer\_2Eint\_le (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad c\_2Enum\_2E0)) (ap c\_2Integer\_2Eint\_neg (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad (ap c\_2Arithmetic\_2ENUMERAL (ap c\_2Arithmetic\_2EBIT1 V0n)))))) \Leftrightarrow \\
& \quad False) \wedge (((p (ap (ap c\_2Integer\_2Eint\_le (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad c\_2Enum\_2E0)) (ap c\_2Integer\_2Eint\_neg (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad (ap c\_2Arithmetic\_2ENUMERAL (ap c\_2Arithmetic\_2EBIT2 V0n)))))) \Leftrightarrow \\
& \quad False) \wedge (((p (ap (ap c\_2Integer\_2Eint\_le (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad (ap c\_2Arithmetic\_2ENUMERAL (ap c\_2Arithmetic\_2EBIT1 V0n)))) \\
& \quad \quad (ap c\_2Integer\_2Eint\_of\_num c\_2Enum\_2E0))) \Leftrightarrow False) \wedge (((p \\
& \quad \quad (ap (ap c\_2Integer\_2Eint\_le (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad (ap c\_2Arithmetic\_2ENUMERAL (ap c\_2Arithmetic\_2EBIT2 V0n)))) \\
& \quad \quad (ap c\_2Integer\_2Eint\_of\_num c\_2Enum\_2E0))) \Leftrightarrow False) \wedge (((p \\
& \quad \quad (ap (ap c\_2Integer\_2Eint\_le (ap c\_2Integer\_2Eint\_neg (ap \\
& \quad \quad c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL (ap \\
& \quad \quad c\_2Arithmetic\_2EBIT1 V0n)))) (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad c\_2Enum\_2E0))) \Leftrightarrow True) \wedge (((p (ap (ap c\_2Integer\_2Eint\_le (ap \\
& \quad \quad c\_2Integer\_2Eint\_neg (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& \quad \quad (ap c\_2Arithmetic\_2EBIT2 V0n)))) (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad c\_2Enum\_2E0))) \Leftrightarrow True) \wedge (((p (ap (ap c\_2Integer\_2Eint\_le (ap \\
& \quad \quad c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL V0n))) \\
& \quad \quad (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& \quad \quad V1m)))) \Leftrightarrow (p (ap (ap c\_2Arithmetic\_2E\_3C\_3D V0n) V1m))) \wedge (((p ( \\
& \quad \quad ap (ap c\_2Integer\_2Eint\_le (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad (ap c\_2Arithmetic\_2ENUMERAL V0n)) (ap c\_2Integer\_2Eint\_neg \\
& \quad \quad (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& \quad \quad (ap c\_2Arithmetic\_2EBIT1 V1m)))))) \Leftrightarrow False) \wedge (((p (ap (ap c\_2Integer\_2Eint\_le \\
& \quad \quad (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& \quad \quad V0n)) (ap c\_2Integer\_2Eint\_neg (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad (ap c\_2Arithmetic\_2ENUMERAL (ap c\_2Arithmetic\_2EBIT2 V1m)))))) \Leftrightarrow \\
& \quad False) \wedge (((p (ap (ap c\_2Integer\_2Eint\_le (ap c\_2Integer\_2Eint\_neg \\
& \quad \quad (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& \quad \quad V0n)))) (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& \quad \quad V1m)))) \Leftrightarrow True) \wedge (((p (ap (ap c\_2Integer\_2Eint\_le (ap c\_2Integer\_2Eint\_neg \\
& \quad \quad (ap c\_2Integer\_2Eint\_of\_num (ap c\_2Arithmetic\_2ENUMERAL \\
& \quad \quad V0n)))) (ap c\_2Integer\_2Eint\_neg (ap c\_2Integer\_2Eint\_of\_num \\
& \quad \quad (ap c\_2Arithmetic\_2ENUMERAL V1m)))))) \Leftrightarrow (p (ap (ap c\_2Arithmetic\_2E\_3C\_3D \\
& \quad \quad V1m) V0n)))))))))
\end{aligned}$$

(64)

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\
& ((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) (ap c\_2Earithmetic\_2EBIT1 \\
& V0n))) \Leftrightarrow True) \wedge (((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) \\
& (ap c\_2Earithmetic\_2EBIT2 V0n))) \Leftrightarrow True) \wedge (((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& V0n) c\_2Earithmetic\_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& (ap c\_2Earithmetic\_2EBIT1 V0n)) (ap c\_2Earithmetic\_2EBIT1 V1m))) \Leftrightarrow \\
& (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0n) V1m))) \wedge (((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& (ap c\_2Earithmetic\_2EBIT2 V0n)) (ap c\_2Earithmetic\_2EBIT2 V1m))) \Leftrightarrow \\
& (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0n) V1m))) \wedge (((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& (ap c\_2Earithmetic\_2EBIT1 V0n)) (ap c\_2Earithmetic\_2EBIT2 V1m))) \Leftrightarrow \\
& (\neg (p (ap (ap c\_2Eprim\_rec\_2E\_3C V1m) V0n))) \wedge ((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& (ap c\_2Earithmetic\_2EBIT2 V0n)) (ap c\_2Earithmetic\_2EBIT1 V1m))) \Leftrightarrow \\
& (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0n) V1m))))))))))
\end{aligned} \tag{65}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\
& ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D c\_2Earithmetic\_2EZERO) V0n))) \Leftrightarrow \\
& True) \wedge (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT1 \\
& V0n)) c\_2Earithmetic\_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& (ap c\_2Earithmetic\_2EBIT2 V0n)) c\_2Earithmetic\_2EZERO)) \Leftrightarrow False) \wedge \\
& (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT1 \\
& V0n)) (ap c\_2Earithmetic\_2EBIT1 V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT1 \\
& V0n)) (ap c\_2Earithmetic\_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT2 \\
& V0n)) (ap c\_2Earithmetic\_2EBIT1 V1m))) \Leftrightarrow (\neg (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V1m) V0n)))) \wedge (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2EBIT2 \\
& V0n)) (ap c\_2Earithmetic\_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0n) V1m))))))))))
\end{aligned} \tag{66}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\
& (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D V0n) \\
& V1m)) = (ap (ap (ap (c\_2Ebool\_2ECOND ty\_2Enum\_2Enum) (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& V1m) V0n)) (ap c\_2Earithmetic\_2ENUMERAL (ap (ap (ap c\_2Enumeral\_2EiSUB \\
& c\_2Ebool\_2ET) V0n) V1m))) c\_2Enum\_2E0))))
\end{aligned} \tag{67}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f1 \in ty\_2Efrac\_2Efrac. ((ap c\_2Efrac\_2Efrac\_sgn ( \\
& ap c\_2Erat\_2Erep\_rat (ap c\_2Erat\_2Eabs\_rat V0f1))) = (ap c\_2Efrac\_2Efrac\_sgn \\
& V0f1)))
\end{aligned} \tag{68}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f1 \in ty\_2Efrac\_2Efrac. (\forall V1f2 \in ty\_2Efrac\_2Efrac. \\
& ((ap (ap c\_2Erat\_2Erat\_sub (ap c\_2Erat\_2Eabs\_rat V0f1)) (ap \\
& c\_2Erat\_2Eabs\_rat V1f2)) = (ap c\_2Erat\_2Eabs\_rat (ap (ap c\_2Efrac\_2Efrac\_sub \\
& V0f1) V1f2))))))
\end{aligned} \tag{69}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{70}$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{71}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{72}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{73}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \tag{74}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg \\
& p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{75}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{76}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{77}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))
\end{aligned} \tag{78}$$

**Theorem 1**

$(\forall V0f1 \in ty\_2Efrac\_2Efrac.(\forall V1f2 \in ty\_2Efrac\_2Efrac.$   
 $((p (ap (ap c\_2Erat\_2Erat\_les (ap c\_2Erat\_2Eabs\_rat V0f1)) ($   
 $ap c\_2Erat\_2Eabs\_rat V1f2))) \Leftrightarrow (p (ap (ap c\_2Einteger\_2Eint\_lt$   
 $(ap (ap c\_2Einteger\_2Eint\_mul (ap c\_2Efrac\_2Efrac\_nmr V0f1))$   
 $(ap c\_2Efrac\_2Efrac\_dnm V1f2))) (ap (ap c\_2Einteger\_2Eint\_mul$   
 $(ap c\_2Efrac\_2Efrac\_nmr V1f2)) (ap c\_2Efrac\_2Efrac\_dnm V0f1))))))$