

thm\_2Erat\_2ERAT\_2LES\_2IMP\_2NEQ (TMFfBG-  
MMTbfLa7ma2gmTsMWFeNfRPT2xkUn)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow p Q)$  of type  $\iota$ .

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P)))$

**Definition 5** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2EF))$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (1)$$

Let  $c\_2Earithmetic\_2EEVEN : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEVEN \in (2^{ty\_2Enum\_2Enum}) \quad (2)$$

Let  $c\_2Earithmetic\_2EODD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EODD \in (2^{ty\_2Enum\_2Enum}) \quad (3)$$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))))$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (4)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^\omega) \quad (5)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^\omega) \quad (6)$$

**Definition 8** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap c\_2Enum\_2EABS\_num ($

**Definition 9** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (\lambda x.x \in A \wedge p \text{ of type } \iota \Rightarrow \iota)$ .

**Definition 10** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40$

**Definition 11** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.$

**Definition 12** We define  $c\_2Earithmetic\_2E\_3E$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.$

**Definition 13** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in$

**Definition 14** We define  $c\_2Earithmetic\_2E\_3E\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.$

**Definition 15** We define  $c\_2Earithmetic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (7)$$

**Definition 16** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP).$

**Definition 17** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

**Definition 18** We define  $c\_2Eprim\_rec\_2EPRE$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap (ap (ap (c\_2Ebool\_2E$

Let  $c\_2Earithmetic\_2EEEXP : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEEXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (8)$$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (9)$$

Let  $c\_2Earithmetic\_2E\_2A : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2A \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (10)$$

**Definition 19** We define  $c\_2Enumeral\_2EiZ$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x.$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (11)$$

**Definition 20** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic\_2E$

Let  $ty\_2Efrac\_2Efrac : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Efrac\_2Efrac \quad (12)$$

Let  $ty\_2Erat\_2Erat : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erat\_2Erat \quad (13)$$

Let  $c\_2Erat\_2Erep\_rat\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erat\_2Erep\_rat\_CLASS \in ((2^{ty\_2Efrac\_2Efrac})^{ty\_2Erat\_2Erat}) \quad (14)$$

**Definition 21** We define  $c\_2Erat\_2Erep\_rat$  to be  $\lambda V0a \in ty\_2Erat\_2Erat.(ap (c\_2Emin\_2E\_40\ ty\_2Efrac\_2Efrac))$

Let  $ty\_2Einteger\_2Eint : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Einteger\_2Eint \quad (15)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A0.nonempty\ A0 \Rightarrow & \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod \\ & A0\ A1) \end{aligned} \quad (16)$$

Let  $c\_2Efrac\_2Erep\_frac : \iota$  be given. Assume the following.

$$c\_2Efrac\_2Erep\_frac \in ((ty\_2Epair\_2Eprod\ ty\_2Einteger\_2Eint) \\ (ty\_2Einteger\_2Eint)^{ty\_2Efrac\_2Efrac}) \quad (17)$$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow & \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND \\ & A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (18)$$

**Definition 22** We define  $c\_2Efrac\_2Efrac\_dnm$  to be  $\lambda V0f \in ty\_2Efrac\_2Efrac.(ap (c\_2Epair\_2ESND\ t))$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow & \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST \\ & A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (19)$$

**Definition 23** We define  $c\_2Efrac\_2Efrac\_nrm$  to be  $\lambda V0f \in ty\_2Efrac\_2Efrac.(ap (c\_2Epair\_2EFST\ t))$

Let  $c\_2Einteger\_2Eint\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{ty\_2Einteger\_2Eint}) \quad (20)$$

**Definition 24** We define  $c\_2Einteger\_2Eint\_REP$  to be  $\lambda V0a \in ty\_2Einteger\_2Eint.(ap (c\_2Emin\_2E\_40\ (t)))$

Let  $c\_2Einteger\_2Etint\_neg : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_neg \in ((ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)_{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum)} \quad (21)$$

Let  $c\_2Einteger\_2Etint\_eq : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_eq \in ((2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})_{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum)} \quad (22)$$

Let  $c\_2Einteger\_2Eint\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_ABS\_CLASS \in (ty\_2Einteger\_2Eint)^{(2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})_{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum)}} \quad (23)$$

**Definition 25** We define  $c\_2Einteger\_2Eint\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)$

**Definition 26** We define  $c\_2Einteger\_2Eint\_neg$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.(ap c\_2Einteger\_2Eint\_neg T1)$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b))^{((2^{A\_27b})^{A\_27a})} \quad (24)$$

**Definition 27** We define  $c\_2Epair\_2E2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2Epair\_2E2C A\_27a A\_27b) x y)$

Let  $c\_2Efrac\_2Eabs\_frac : \iota$  be given. Assume the following.

$$c\_2Efrac\_2Eabs\_frac \in (ty\_2Efrac\_2Efrac)^{(ty\_2Epair\_2Eprod ty\_2Einteger\_2Eint ty\_2Einteger\_2Eint)} \quad (25)$$

**Definition 28** We define  $c\_2Efrac\_2Efrac\_ainv$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac.(ap c\_2Efrac\_2Eabs\_frac f1)$

Let  $c\_2Einteger\_2Etint\_mul : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_mul \in (((ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)_{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})_{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)} \quad (26)$$

**Definition 29** We define  $c\_2Einteger\_2Eint\_mul$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.\lambda V1T2 \in ty\_2Einteger\_2Eint.(ap (c\_2Einteger\_2Eint\_mul T1 T2) V0)$

Let  $c\_2Einteger\_2Etint\_add : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_add \in (((ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)_{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})_{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)} \quad (27)$$

**Definition 30** We define  $c\_2Einteger\_2Eint\_add$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.\lambda V1T2 \in ty\_2Einteger\_2Eint.(ap (c\_2Einteger\_2Eint\_add T1 T2) V0)$

**Definition 31** We define  $c\_2Efrac\_2Efrac\_add$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac.\lambda V1f2 \in ty\_2Efrac\_2Efrac.(ap (c\_2Efrac\_2Efrac\_add f1 f2) V0)$

**Definition 32** We define  $c\_2Efrac\_2Efrac\_sub$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac.\lambda V1f2 \in ty\_2Efrac\_2Efrac$ .

**Definition 33** We define  $c\_2Erat\_2Erat\_equiv$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac.\lambda V1f2 \in ty\_2Efrac\_2Efrac$ .

Let  $c\_2Erat\_2Eabs\_rat\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erat\_2Eabs\_rat\_CLASS \in (ty\_2Erat\_2Erat^{(2^{ty\_2Efrac\_2Efrac})}) \quad (28)$$

**Definition 34** We define  $c\_2Erat\_2Eabs\_rat$  to be  $\lambda V0r \in ty\_2Efrac\_2Efrac.(ap\ c\_2Erat\_2Eabs\_rat\_CLASS)$ .

**Definition 35** We define  $c\_2Erat\_2Erat\_sub$  to be  $\lambda V0r1 \in ty\_2Erat\_2Erat.\lambda V1r2 \in ty\_2Erat\_2Erat.(ap\ c\_2Erat\_2Eabs\_rat)$ .

**Definition 36** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

**Definition 37** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2EZERO))$ .

**Definition 38** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Einteger\_2Eint\_of\_num : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_of\_num \in (ty\_2Einteger\_2Eint^{ty\_2Enum\_2Enum}) \quad (29)$$

Let  $c\_2Einteger\_2Etint\_lt : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)}) \quad (30)$$

**Definition 39** We define  $c\_2Einteger\_2Eint\_lt$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.\lambda V1T2 \in ty\_2Einteger\_2Eint$ .

**Definition 40** We define  $c\_2EintExtension\_2ESGN$  to be  $\lambda V0x \in ty\_2Einteger\_2Eint.(ap\ (ap\ (ap\ (c\_2Ebool\_2Ebool)))$

**Definition 41** We define  $c\_2Efrac\_2Efrac\_sgn$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac.(ap\ c\_2EintExtension\_2ESGN)$ .

**Definition 42** We define  $c\_2Erat\_2Erat\_sgn$  to be  $\lambda V0r \in ty\_2Erat\_2Erat.(ap\ c\_2Efrac\_2Efrac\_sgn)$ .

**Definition 43** We define  $c\_2Erat\_2Erat\_les$  to be  $\lambda V0r1 \in ty\_2Erat\_2Erat.\lambda V1r2 \in ty\_2Erat\_2Erat.(ap\ c\_2Efrac\_2Efrac\_sgn)$ .

**Definition 44** We define  $c\_2Erat\_2Erat\_gre$  to be  $\lambda V0r1 \in ty\_2Erat\_2Erat.\lambda V1r2 \in ty\_2Erat\_2Erat.(ap\ c\_2Efrac\_2Efrac\_sgn)$ .

**Definition 45** We define  $c\_2Efrac\_2Efrac\_1$  to be  $(ap\ c\_2Efrac\_2Eabs\_frac)$ .

**Definition 46** We define  $c\_2Erat\_2Erat\_1$  to be  $(ap\ c\_2Erat\_2Eabs\_rat\ c\_2Efrac\_2Efrac\_1)$ .

**Definition 47** We define  $c\_2Erat\_2Erat\_add$  to be  $\lambda V0r1 \in ty\_2Erat\_2Erat.\lambda V1r2 \in ty\_2Erat\_2Erat.(ap\ c\_2Efrac\_2Efrac\_1)$ .

**Definition 48** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0x \in A\_27a.(\lambda V1y \in A\_27b.V0x))$ .

**Definition 49** We define  $c\_2Ecombin\_2ES$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.(\lambda V0f \in ((A\_27c^{A\_27b})^{A\_27a}))$ .

**Definition 50** We define  $c\_2Ecombin\_2EI$  to be  $\lambda A\_27a : \iota.(ap\ (ap\ (c\_2Ecombin\_2ES\ A\_27a\ (A\_27a^{A\_27a})))$

Let  $c\_2Earithmetic\_2Enum\_CASE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2Earithmetic\_2Enum\_CASE A\_27a \in (((A\_27a^{(A\_27a^{ty\_2Enum\_2Enum})})^{A\_27a})^{ty\_2Enum\_2Enum}) \quad (31)$$

**Definition 51** We define  $c\_2Efrac\_2Efrac\_0$  to be  $(ap\ (c\_2Efrac\_2Eabs\_frac)\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ ty\_2Enum\_2Enum)\ (A\_27a))\ (A\_27a)))$ .

**Definition 52** We define  $c\_2Erat\_2Erat\_0$  to be  $(ap\ (c\_2Erat\_2Eabs\_rat)\ (c\_2Efrac\_2Efrac\_0))$ .

**Definition 53** We define  $c\_2Erelation\_2EWF$  to be  $\lambda A\_27a : \iota. \lambda V0R \in ((2^{A\_27a})^{A\_27a}). (ap\ (c\_2Ebool\_2E\_21)\ (A\_27a))$ .

Let  $c\_2Ebool\_2EARB : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2Ebool\_2EARB A\_27a \in A\_27a \quad (32)$$

**Definition 54** We define  $c\_2Erelation\_2ERESTRICT$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (A\_27b^{A\_27a}). \lambda V1L$

**Definition 55** We define  $c\_2Erelation\_2ETC$  to be  $\lambda A\_27a : \iota. \lambda V0R \in ((2^{A\_27a})^{A\_27a}). \lambda V1a \in A\_27a. \lambda V2b$

**Definition 56** We define  $c\_2Erelation\_2Eapprox$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0R \in ((2^{A\_27a})^{A\_27a}). \lambda V1M$

**Definition 57** We define  $c\_2Erelation\_2Ethe\_fun$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0R \in ((2^{A\_27a})^{A\_27a}). \lambda V1M$

**Definition 58** We define  $c\_2Erelation\_2EWFREC$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0R \in ((2^{A\_27a})^{A\_27a}). \lambda V1M$

**Definition 59** We define  $c\_2Erat\_2Erat\_of\_num$  to be  $(ap\ (ap\ (c\_2Erelation\_2EWFREC\ ty\_2Enum\_2Enum)\ (A\_27a))\ (A\_27a))$ .

Assume the following.

$$True \quad (33)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (34)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (35)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (36)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (37)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in \\
 & 2. (((((p V0x) \Leftrightarrow (p V1x\_27)) \wedge ((p V1x\_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y\_27)))) \Rightarrow \quad (38) \\
 & (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x\_27) \Rightarrow (p V3y\_27)))))))
 \end{aligned}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
 & ((ap c\_2Einteger\_2Eint\_of\_num V0m) = (ap c\_2Einteger\_2Eint\_of\_num \\
 & V1n)) \Leftrightarrow (V0m = V1n)))) \quad (39)
 \end{aligned}$$

Assume the following.

$((\forall V0n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B c\_2Enum\_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B V1n) c\_2Enum\_2E0) = V1n)) \wedge ((\forall V2n \in ty\_2Enum\_2Enum.((\forall V3m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B ap c\_2Earithmetic\_2ENUMERAL V2n)) (ap c\_2Earithmetic\_2ENUMERAL V3m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Enum\_2EiZ (ap (ap c\_2Earithmetic\_2E\_2B V2n) V3m))))))) \wedge ((\forall V4n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V4n) = c\_2Enum\_2E0)) \wedge ((\forall V5n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A V5n) c\_2Enum\_2E0) = c\_2Enum\_2E0)) \wedge ((\forall V6n \in ty\_2Enum\_2Enum.((\forall V7m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Earithmetic\_2ENUMERAL V6n)) (ap c\_2Earithmetic\_2ENUMERAL V7m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2A V6n) V7m))))))) \wedge ((\forall V8n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D c\_2Enum\_2E0) V8n) = c\_2Enum\_2E0)) \wedge ((\forall V9n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D V9n) c\_2Enum\_2E0) = V9n)) \wedge ((\forall V10n \in ty\_2Enum\_2Enum.((\forall V11m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D (ap c\_2Earithmetic\_2ENUMERAL V10n)) (ap c\_2Earithmetic\_2ENUMERAL V11m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D V10n) V11m))))))) \wedge ((\forall V12n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEEXP c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 V12n))) = c\_2Enum\_2E0)) \wedge ((\forall V13n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEEXP c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT2 V13n))) = c\_2Enum\_2E0)) \wedge ((\forall V14n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEEXP V14n) c\_2Enum\_2E0) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) \wedge ((\forall V15n \in ty\_2Enum\_2Enum.((\forall V16m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEEXP (ap c\_2Earithmetic\_2ENUMERAL V15n)) (ap c\_2Earithmetic\_2ENUMERAL V16m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2EEEXP V15n) V16m))))))) \wedge (((ap c\_2Enum\_2ESUC c\_2Enum\_2E0) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) \wedge ((\forall V17n \in ty\_2Enum\_2Enum.((ap c\_2Enum\_2ESUC (ap c\_2Earithmetic\_2ENUMERAL V17n)) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Enum\_2ESUC V17n))))))) \wedge (((ap c\_2Eprim\_rec\_2EPRE c\_2Enum\_2E0) = c\_2Enum\_2E0) \wedge ((\forall V18n \in ty\_2Enum\_2Enum.((ap c\_2Eprim\_rec\_2EPRE (ap c\_2Earithmetic\_2ENUMERAL V18n)) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Eprim\_rec\_2EPRE V18n))))))) \wedge ((\forall V19n \in ty\_2Enum\_2Enum.(((ap c\_2Earithmetic\_2ENUMERAL V19n) = c\_2Enum\_2E0) \Leftrightarrow (V19n = c\_2Earithmetic\_2EZERO))) \wedge ((\forall V20n \in ty\_2Enum\_2Enum.((c\_2Enum\_2E0 = (ap c\_2Earithmetic\_2ENUMERAL V20n)) \Leftrightarrow (V20n = c\_2Earithmetic\_2EZERO))) \wedge ((\forall V21n \in ty\_2Enum\_2Enum.((\forall V22m \in ty\_2Enum\_2Enum.(((ap c\_2Earithmetic\_2ENUMERAL V21n) = (ap c\_2Earithmetic\_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m))))))) \wedge ((\forall V23n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL V23n)) \Leftrightarrow False))) \wedge ((\forall V24n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL V24n)) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) V24n)))) \wedge ((\forall V25n \in ty\_2Enum\_2Enum.((\forall V26m \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL V25n)) (ap c\_2Earithmetic\_2ENUMERAL V26m)) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL V25n) V26m))))))) \wedge ((\forall V27n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3E c\_2Enum\_2E0) V27n)) \Leftrightarrow False))) \wedge ((\forall V28n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3E (ap c\_2Earithmetic\_2ENUMERAL V28n)) c\_2Enum\_2E0) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) V28n)))) \wedge ((\forall V29n \in ty\_2Enum\_2Enum.((\forall V30m \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3E c\_2Enum\_2E0) V29n)) (ap c\_2Earithmetic\_2ENUMERAL V30m)) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) V29n))))))) \wedge ((\forall V31n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3D c\_2Enum\_2E0) V31n)) \Leftrightarrow True))) \wedge ((\forall V32n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3C c\_2Enum\_2E0) V32n)) \Leftrightarrow False))) \wedge ((\forall V33n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3D c\_2Enum\_2E0) V33n)) \Leftrightarrow True))) \wedge ((\forall V34n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3D c\_2Enum\_2E0) V34n)) \Leftrightarrow False)))$

Assume the following.

$$\begin{aligned}
 & (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. \\
 & ((c\_2Earithmetic\_2EZERO = (ap c\_2Earithmetic\_2EBIT1 V0n)) \Leftrightarrow False) \wedge \\
 & (((ap c\_2Earithmetic\_2EBIT1 V0n) = c\_2Earithmetic\_2EZERO) \Leftrightarrow \\
 & False) \wedge (((c\_2Earithmetic\_2EZERO = (ap c\_2Earithmetic\_2EBIT2 \\
 & V0n)) \Leftrightarrow False) \wedge (((ap c\_2Earithmetic\_2EBIT2 V0n) = c\_2Earithmetic\_2EZERO) \Leftrightarrow \\
 & False) \wedge (((ap c\_2Earithmetic\_2EBIT1 V0n) = (ap c\_2Earithmetic\_2EBIT2 \\
 & V1m)) \Leftrightarrow False) \wedge (((ap c\_2Earithmetic\_2EBIT2 V0n) = (ap c\_2Earithmetic\_2EBIT1 \\
 & V1m)) \Leftrightarrow False) \wedge (((ap c\_2Earithmetic\_2EBIT1 V0n) = (ap c\_2Earithmetic\_2EBIT1 \\
 & V1m)) \Leftrightarrow (V0n = V1m)) \wedge (((ap c\_2Earithmetic\_2EBIT2 V0n) = (ap c\_2Earithmetic\_2EBIT2 \\
 & V1m)) \Leftrightarrow (V0n = V1m))))))) \\
 \end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0r1 \in ty\_2Erat\_2Erat. (\forall V1r2 \in ty\_2Erat\_2Erat. \\
 & ((ap (ap c\_2Erat\_2Erat\_sub V0r1) V1r2) = (ap c\_2Erat\_2Erat\_of\_num \\
 & c\_2Enum\_2E0)) \Leftrightarrow (V0r1 = V1r2)))) \\
 \end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
 & (\forall V0r1 \in ty\_2Erat\_2Erat. (((ap c\_2Erat\_2Erat\_sgn V0r1) = \\
 & (ap c\_2Einteger\_2Eint\_neg (ap c\_2Einteger\_2Eint\_of\_num \\
 & ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))) \Leftrightarrow \\
 & (p (ap (ap c\_2Erat\_2Erat\_les V0r1) (ap c\_2Erat\_2Erat\_of\_num \\
 & c\_2Enum\_2E0))) \wedge (((ap c\_2Erat\_2Erat\_sgn V0r1) = (ap c\_2Einteger\_2Eint\_of\_num \\
 & c\_2Enum\_2E0)) \Leftrightarrow (V0r1 = (ap c\_2Erat\_2Erat\_of\_num c\_2Enum\_2E0))) \wedge \\
 & (((ap c\_2Erat\_2Erat\_sgn V0r1) = (ap c\_2Einteger\_2Eint\_of\_num \\
 & ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))) \Leftrightarrow \\
 & (p (ap (ap c\_2Erat\_2Erat\_gre V0r1) (ap c\_2Erat\_2Erat\_of\_num \\
 & c\_2Enum\_2E0)))))) \\
 \end{aligned} \tag{43}$$

### Theorem 1

$$\begin{aligned}
 & (\forall V0r1 \in ty\_2Erat\_2Erat. (\forall V1r2 \in ty\_2Erat\_2Erat. \\
 & ((p (ap (ap c\_2Erat\_2Erat\_les V0r1) V1r2)) \Rightarrow (\neg(V0r1 = V1r2)))) \\
 \end{aligned}$$