

thm\_2Erat\_2ERAT\_\_LES\_\_SUB0 (TM-  
RMp3ZUTa2VHFPEZRsksgdEPAsw4m12zwG)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_27E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F))$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 8** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

**Definition 9** We define  $c\_2Earithmic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{4}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{5}$$

**Definition 10** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$   
Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (6)$$

**Definition 11** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic$

**Definition 12** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $ty\_2Einteger\_2Eint : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Einteger\_2Eint \quad (7)$$

Let  $c\_2Einteger\_2Eint\_of\_num : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_of\_num \in (ty\_2Einteger\_2Eint^{ty\_2Enum\_2Enum}) \quad (8)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (9)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (10)$$

**Definition 13** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2$

Let  $ty\_2Efrac\_2Efrac : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Efrac\_2Efrac \quad (11)$$

Let  $c\_2Efrac\_2Eabs\_frac : \iota$  be given. Assume the following.

$$c\_2Efrac\_2Eabs\_frac \in (ty\_2Efrac\_2Efrac^{(ty\_2Epair\_2Eprod\ ty\_2Einteger\_2Eint\ ty\_2Einteger\_2Eint)}) \quad (12)$$

**Definition 14** We define  $c\_2Efrac\_2Efrac\_1$  to be  $(ap\ c\_2Efrac\_2Eabs\_frac\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ ty\_2$

Let  $c\_2Efrac\_2Erep\_frac : \iota$  be given. Assume the following.

$$c\_2Efrac\_2Erep\_frac \in ((ty\_2Epair\_2Eprod\ ty\_2Einteger\_2Eint\ ty\_2Einteger\_2Eint)^{ty\_2Efrac\_2Efrac}) \quad (13)$$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND\ A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (14)$$

**Definition 15** We define  $c\_2Efrac\_2Efrac\_dnm$  to be  $\lambda V0f \in ty\_2Efrac\_2Efrac.(ap (c\_2Epair\_2ESND t$   
Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c\_2Epair\_2EFST \\ A.27a A.27b \in (A.27a^{(ty\_2Epair\_2Eprod A.27a A.27b)}) \end{aligned} \quad (15)$$

**Definition 16** We define  $c\_2Efrac\_2Efrac\_nmr$  to be  $\lambda V0f \in ty\_2Efrac\_2Efrac.(ap (c\_2Epair\_2EFST ty$   
Let  $c\_2Einteger\_2Eint\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{ty\_2Einteger\_2Eint\_REP\_CLASS}) \quad (16)$$

**Definition 17** We define  $c\_2Emin\_2E.40$  to be  $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$   
of type  $\iota \Rightarrow \iota$ .

**Definition 18** We define  $c\_2Einteger\_2Eint\_REP$  to be  $\lambda V0a \in ty\_2Einteger\_2Eint.(ap (c\_2Emin\_2E.40 t$   
Let  $c\_2Einteger\_2Eint\_mul : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_mul \in (((ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum ty\_2Enum\_2Enum)^{ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum})^{ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum}) \quad (17)$$

Let  $c\_2Einteger\_2Eint\_eq : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_eq \in ((2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum}) \quad (18)$$

Let  $c\_2Einteger\_2Eint\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_ABS\_CLASS \in (ty\_2Einteger\_2Eint)^{(2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})} \quad (19)$$

**Definition 19** We define  $c\_2Einteger\_2Eint\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum ty\_2Enum\_2Enum)$

**Definition 20** We define  $c\_2Einteger\_2Eint\_mul$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.\lambda V1T2 \in ty\_2Einteger\_2Eint$

**Definition 21** We define  $c\_2Erat\_2Erat\_equiv$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac.\lambda V1f2 \in ty\_2Efrac\_2Efrac$

Let  $ty\_2Erat\_2Erat : \iota$  be given. Assume the following.

$$nonempty ty\_2Erat\_2Erat \quad (20)$$

Let  $c\_2Erat\_2Eabs\_rat\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erat\_2Eabs\_rat\_CLASS \in (ty\_2Erat\_2Erat)^{(2^{ty\_2Efrac\_2Efrac})} \quad (21)$$

**Definition 22** We define  $c\_2Erat\_2Eabs\_rat$  to be  $\lambda V0r \in ty\_2Efrac\_2Efrac.(ap c\_2Erat\_2Eabs\_rat\_CLASS r)$

**Definition 23** We define  $c\_2Erat\_2Erat\_1$  to be  $(ap c\_2Erat\_2Eabs\_rat c\_2Efrac\_2Efrac\_1)$ .



**Definition 39** We define  $c\_2Erelation\_2Ethe\_fun$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0R \in ((2^{A\_27a})^{A\_27a}). \lambda V1M$

**Definition 40** We define  $c\_2Erelation\_2EWFREC$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0R \in ((2^{A\_27a})^{A\_27a}). \lambda V1M$

**Definition 41** We define  $c\_2Erat\_2Erat\_of\_num$  to be  $(ap (ap (c\_2Erelation\_2EWFREC ty\_2Enum\_2Enum$

Let  $c\_2Einteger\_2Etint\_neg : \iota$  be given. Assume the following.

$$\begin{aligned} c\_2Einteger\_2Etint\_neg \in ((ty\_2Epair\_2Eprod ty\_2Enum\_2Enum \\ ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)}) \end{aligned} \quad (26)$$

**Definition 42** We define  $c\_2Einteger\_2Eint\_neg$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint. (ap c\_2Einteger\_2Eint$

**Definition 43** We define  $c\_2Efrac\_2Efrac\_ainv$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac. (ap c\_2Efrac\_2Eabs\_fn$

**Definition 44** We define  $c\_2Erat\_2Erat\_ainv$  to be  $\lambda V0r1 \in ty\_2Erat\_2Erat. (ap c\_2Erat\_2Eabs\_rat (ap c$

**Definition 45** We define  $c\_2Efrac\_2Efrac\_sub$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac. \lambda V1f2 \in ty\_2Efrac\_2Efrac$

**Definition 46** We define  $c\_2Erat\_2Erat\_sub$  to be  $\lambda V0r1 \in ty\_2Erat\_2Erat. \lambda V1r2 \in ty\_2Erat\_2Erat. (ap$

Let  $c\_2Einteger\_2Etint\_lt : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_lt \in ((2^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod ty\_2Enum\_2Enum)}) \quad (27)$$

**Definition 47** We define  $c\_2Einteger\_2Eint\_lt$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint. \lambda V1T2 \in ty\_2Einteger$

**Definition 48** We define  $c\_2EintExtension\_2ESGN$  to be  $\lambda V0x \in ty\_2Einteger\_2Eint. (ap (ap (ap (c\_2Eboo$

**Definition 49** We define  $c\_2Efrac\_2Efrac\_sgn$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac. (ap c\_2EintExtension\_2ES$

**Definition 50** We define  $c\_2Erat\_2Erat\_sgn$  to be  $\lambda V0r \in ty\_2Erat\_2Erat. (ap c\_2Efrac\_2Efrac\_sgn (ap c$

**Definition 51** We define  $c\_2Erat\_2Erat\_les$  to be  $\lambda V0r1 \in ty\_2Erat\_2Erat. \lambda V1r2 \in ty\_2Erat\_2Erat. (ap$

Assume the following.

$$True \quad (28)$$

Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (29)$$

Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (30)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (31)$$

Assume the following.

$$(\forall V0a \in ty\_2Erat\_2Erat. (\forall V1b \in ty\_2Erat\_2Erat. (\forall V2c \in ty\_2Erat\_2Erat. ((ap (ap c\_2Erat\_2Erat\_add V0a) (ap (ap c\_2Erat\_2Erat\_add V1b) V2c)) = (ap (ap c\_2Erat\_2Erat\_add (ap (ap c\_2Erat\_2Erat\_add V0a) V1b)) V2c)))))) \quad (32)$$

Assume the following.

$$(\forall V0a \in ty\_2Erat\_2Erat. ((ap (ap c\_2Erat\_2Erat\_add V0a) (ap c\_2Erat\_2Erat\_of\_num c\_2Enum\_2E0)) = V0a)) \quad (33)$$

Assume the following.

$$(\forall V0a \in ty\_2Erat\_2Erat. ((ap (ap c\_2Erat\_2Erat\_add (ap c\_2Erat\_2Erat\_of\_num c\_2Enum\_2E0)) V0a) = V0a)) \quad (34)$$

Assume the following.

$$(\forall V0a \in ty\_2Erat\_2Erat. ((ap (ap c\_2Erat\_2Erat\_add (ap c\_2Erat\_2Erat\_ainv V0a)) V0a) = (ap c\_2Erat\_2Erat\_of\_num c\_2Enum\_2E0))) \quad (35)$$

Assume the following.

$$(\forall V0r1 \in ty\_2Erat\_2Erat. (\forall V1r2 \in ty\_2Erat\_2Erat. ((ap (ap c\_2Erat\_2Erat\_sub V0r1) V1r2) = (ap (ap c\_2Erat\_2Erat\_add V0r1) (ap c\_2Erat\_2Erat\_ainv V1r2)))))) \quad (36)$$

Assume the following.

$$(\forall V0r1 \in ty\_2Erat\_2Erat. (\forall V1r2 \in ty\_2Erat\_2Erat. (\forall V2r3 \in ty\_2Erat\_2Erat. ((p (ap (ap c\_2Erat\_2Erat\_les (ap (ap c\_2Erat\_2Erat\_add V0r1) V2r3)) (ap (ap c\_2Erat\_2Erat\_add V1r2) V2r3))) \Leftrightarrow (p (ap (ap c\_2Erat\_2Erat\_les V0r1) V1r2)))))) \quad (37)$$

**Theorem 1**

$$(\forall V0r1 \in ty\_2Erat\_2Erat. (\forall V1r2 \in ty\_2Erat\_2Erat. ((p (ap (ap c\_2Erat\_2Erat\_les (ap (ap c\_2Erat\_2Erat\_sub V0r1) V1r2)) (ap c\_2Erat\_2Erat\_of\_num c\_2Enum\_2E0))) \Leftrightarrow (p (ap (ap c\_2Erat\_2Erat\_les V0r1) V1r2))))))$$