

thm_2Erat_2ERAT__LSUB__LEQ
(TMHK7HZgNjbx4iUpi99eg1tBGkyNsH6vvx)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 5 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $ty_2Erat_2Erat : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erat_2Erat \tag{1}$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{2}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{3}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{4}$$

Definition 6 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 7 We define $c_2Earithmic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{5}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{6}$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (7)$$

Definition 9 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B$

Definition 10 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $ty_2Einteger_2Eint : \iota$ be given. Assume the following.

$$nonempty\ ty_2Einteger_2Eint \quad (8)$$

Let $c_2Einteger_2Eint_of_num : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_of_num \in (ty_2Einteger_2Eint^{ty_2Enum_2Enum}) \quad (9)$$

Let $ty_2Efrac_2Efrac : \iota$ be given. Assume the following.

$$nonempty\ ty_2Efrac_2Efrac \quad (10)$$

Let $c_2Erat_2Erep_rat_CLASS : \iota$ be given. Assume the following.

$$c_2Erat_2Erep_rat_CLASS \in ((2^{ty_2Efrac_2Efrac})^{ty_2Erat_2Erat}) \quad (11)$$

Definition 11 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A$.if $(\exists x \in A.p\ (ap\ P\ x))$ then (the $(\lambda x.x \in A \wedge P\ x)$ of type $\iota \Rightarrow \iota$).

Definition 12 We define $c_2Erat_2Erep_rat$ to be $\lambda V0a \in ty_2Erat_2Erat.(ap\ (c_2Emin_2E_40\ ty_2Efrac_2Efrac$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (12)$$

Let $c_2Efrac_2Erep_frac : \iota$ be given. Assume the following.

$$c_2Efrac_2Erep_frac \in ((ty_2Epair_2Eprod\ ty_2Einteger_2Eint\ ty_2Einteger_2Eint)^{ty_2Efrac_2Efrac}) \quad (13)$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c_2Epair_2ESND\ A.27a\ A.27b \in (A.27b^{(ty_2Epair_2Eprod\ A.27a\ A.27b)}) \quad (14)$$

Definition 13 We define $c_2Efrac_2Efrac_dnm$ to be $\lambda V0f \in ty_2Efrac_2Efrac.(ap\ (c_2Epair_2ESND\ t$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (15)$$

Definition 14 We define $c_2Efrac_2Efrac_nrm$ to be $\lambda V0f \in ty_2Efrac_2Efrac.(ap\ (c_2Epair_2EFST\ ty_2Efrac_2Efrac_nrm\ f))$

Let $c_2Einteger_2Eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{ty_2Einteger_2Eint_REP_CLASS}) \quad (16)$$

Definition 15 We define $c_2Einteger_2Eint_REP$ to be $\lambda V0a \in ty_2Einteger_2Eint.(ap\ (c_2Emin_2E40\ ty_2Einteger_2Eint_REP\ a))$

Let $c_2Einteger_2Etint_neg : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_neg \in ((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)^{(ty_2Einteger_2Etint_neg)}) \quad (17)$$

Let $c_2Einteger_2Etint_eq : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{(ty_2Einteger_2Etint_eq)}) \quad (18)$$

Let $c_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint)^{(2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{c_2Einteger_2Eint_ABS_CLASS}} \quad (19)$$

Definition 16 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)$

Definition 17 We define $c_2Einteger_2Eint_neg$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.(ap\ c_2Einteger_2Eint_neg\ T1)$

Definition 18 We define $c_2Ebool_2E2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E21\ 2)\ t1\ t2)))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (20)$$

Definition 19 We define c_2Epair_2E2C to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2E2C\ x\ y))$

Let $c_2Efrac_2Eabs_frac : \iota$ be given. Assume the following.

$$c_2Efrac_2Eabs_frac \in (ty_2Efrac_2Efrac)^{(ty_2Epair_2Eprod\ ty_2Einteger_2Eint\ ty_2Einteger_2Eint)} \quad (21)$$

Definition 20 We define $c_2Efrac_2Efrac_ainv$ to be $\lambda V0f1 \in ty_2Efrac_2Efrac.(ap\ c_2Efrac_2Eabs_frac\ f1)$

Let $c_2Einteger_2Etint_mul : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_mul \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum))\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum))\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum) \quad (22)$$

Definition 21 We define $c_2Einteger_2Eint_mul$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint$.

Let $c_2Einteger_2Etint_add : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_add \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum))\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum))\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum) \quad (23)$$

Definition 22 We define $c_2Einteger_2Eint_add$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint$.

Definition 23 We define $c_2Efrac_2Efrac_add$ to be $\lambda V0f1 \in ty_2Efrac_2Efrac.\lambda V1f2 \in ty_2Efrac_2Efrac$.

Definition 24 We define $c_2Efrac_2Efrac_sub$ to be $\lambda V0f1 \in ty_2Efrac_2Efrac.\lambda V1f2 \in ty_2Efrac_2Efrac$.

Definition 25 We define $c_2Erat_2Erat_equiv$ to be $\lambda V0f1 \in ty_2Efrac_2Efrac.\lambda V1f2 \in ty_2Efrac_2Efrac$.

Let $c_2Erat_2Eabs_rat_CLASS : \iota$ be given. Assume the following.

$$c_2Erat_2Eabs_rat_CLASS \in (ty_2Erat_2Erat^{(2^{ty_2Efrac_2Efrac})}) \quad (24)$$

Definition 26 We define $c_2Erat_2Eabs_rat$ to be $\lambda V0r \in ty_2Efrac_2Efrac.(ap\ c_2Erat_2Eabs_rat_CLASS)$.

Definition 27 We define $c_2Erat_2Erat_sub$ to be $\lambda V0r1 \in ty_2Erat_2Erat.\lambda V1r2 \in ty_2Erat_2Erat.(ap\ c_2Erat_2Eabs_rat)$.

Let $c_2Einteger_2Etint_lt : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)}\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum))\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum))\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum) \quad (25)$$

Definition 28 We define $c_2Einteger_2Eint_lt$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint$.

Definition 29 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E21\ 2))\ (\lambda V0t \in 2.V0t)$.

Definition 30 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap\ c_2Ebool_2EF))))$.

Definition 31 We define $c_2EintExtension_2ESGN$ to be $\lambda V0x \in ty_2Einteger_2Eint.(ap\ (ap\ (ap\ (c_2Ebool_2EF))))$.

Definition 32 We define $c_2Efrac_2Efrac_sgn$ to be $\lambda V0f1 \in ty_2Efrac_2Efrac.(ap\ c_2EintExtension_2ESGN)$.

Definition 33 We define $c_2Erat_2Erat_sgn$ to be $\lambda V0r \in ty_2Erat_2Erat.(ap\ c_2Efrac_2Efrac_sgn\ (ap\ c_2Ebool_2EF))$.

Definition 34 We define $c_2Erat_2Erat_les$ to be $\lambda V0r1 \in ty_2Erat_2Erat.\lambda V1r2 \in ty_2Erat_2Erat.(ap\ c_2Erat_2Erat_sgn)$.

Definition 35 We define $c_2Erat_2Erat_leq$ to be $\lambda V0r1 \in ty_2Erat_2Erat.\lambda V1r2 \in ty_2Erat_2Erat.(ap\ c_2Erat_2Erat_les)$.

Definition 36 We define $c_2Erat_2Erat_add$ to be $\lambda V0r1 \in ty_2Erat_2Erat. \lambda V1r2 \in ty_2Erat_2Erat. (ap$

Assume the following.

$$True \tag{26}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \tag{27}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \tag{28}$$

Assume the following.

$$\begin{aligned} & (\forall V0r1 \in ty_2Erat_2Erat. (\forall V1r2 \in ty_2Erat_2Erat. \\ & (\forall V2r3 \in ty_2Erat_2Erat. (((ap\ (ap\ c_2Erat_2Erat_sub\ V0r1) \\ & V1r2) = V2r3) \Leftrightarrow (V0r1 = (ap\ (ap\ c_2Erat_2Erat_add\ V1r2)\ V2r3)))))) \end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned} & (\forall V0r1 \in ty_2Erat_2Erat. (\forall V1r2 \in ty_2Erat_2Erat. \\ & (\forall V2r3 \in ty_2Erat_2Erat. ((p\ (ap\ (ap\ c_2Erat_2Erat_les \\ & (ap\ (ap\ c_2Erat_2Erat_sub\ V0r1)\ V1r2))\ V2r3)) \Leftrightarrow (p\ (ap\ (ap\ c_2Erat_2Erat_les \\ & V0r1)\ (ap\ (ap\ c_2Erat_2Erat_add\ V1r2)\ V2r3)))))) \end{aligned} \tag{30}$$

Theorem 1

$$\begin{aligned} & (\forall V0r1 \in ty_2Erat_2Erat. (\forall V1r2 \in ty_2Erat_2Erat. \\ & (\forall V2r3 \in ty_2Erat_2Erat. ((p\ (ap\ (ap\ c_2Erat_2Erat_leq \\ & (ap\ (ap\ c_2Erat_2Erat_sub\ V0r1)\ V1r2))\ V2r3)) \Leftrightarrow (p\ (ap\ (ap\ c_2Erat_2Erat_leq \\ & V0r1)\ (ap\ (ap\ c_2Erat_2Erat_add\ V1r2)\ V2r3)))))) \end{aligned}$$