

thm_2Erat_2ERAT__MINV__MUL
(TMP7oWc3Bmk6p8qY2fq7rEZAiyTe8w5Noks)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Definition 7 We define $c_2Emarker_2EAC$ to be $\lambda V0b1 \in 2.\lambda V1b2 \in 2.(ap (ap c_2Ebool_2E_2F_5C V0b1) V1b2)$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 8 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Definition 9 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 10 We define c_Enum_ESUC to be $\lambda V0m \in ty_Enum_Enum.(ap\ c_Enum_EABS_num$
Let $c_Earithmic_E_B : \iota$ be given. Assume the following.

$$c_Earithmic_E_B \in ((ty_Enum_Enum^{ty_Enum_Enum})^{ty_Enum_Enum}) \quad (6)$$

Definition 11 We define $c_Earithmic_EBIT1$ to be $\lambda V0n \in ty_Enum_Enum.(ap\ (ap\ c_Earithmic_E_B$

Definition 12 We define $c_Earithmic_ENUMERAL$ to be $\lambda V0x \in ty_Enum_Enum.V0x$.

Let $ty_Efrac_Efrac : \iota$ be given. Assume the following.

$$nonempty\ ty_Efrac_Efrac \quad (7)$$

Let $ty_Erat_Erat : \iota$ be given. Assume the following.

$$nonempty\ ty_Erat_Erat \quad (8)$$

Let $c_Erat_Erep_rat_CLASS : \iota$ be given. Assume the following.

$$c_Erat_Erep_rat_CLASS \in ((2^{ty_Efrac_Efrac})^{ty_Erat_Erat}) \quad (9)$$

Definition 13 We define $c_Emin_E_40$ to be $\lambda A.\lambda P \in 2^A$.if $(\exists x \in A.p\ (ap\ P\ x))$ then $(the\ (\lambda x.x \in A \wedge P\ x)$
of type $\iota \Rightarrow \iota$.

Definition 14 We define $c_Erat_Erep_rat$ to be $\lambda V0a \in ty_Erat_Erat.(ap\ (c_Emin_E_40\ ty_Efrac_Efrac$

Let $ty_Einteger_Eint : \iota$ be given. Assume the following.

$$nonempty\ ty_Einteger_Eint \quad (10)$$

Let $ty_Epair_Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_Epair_Eprod\ A0\ A1) \quad (11)$$

Let $c_Efrac_Erep_frac : \iota$ be given. Assume the following.

$$c_Efrac_Erep_frac \in ((ty_Epair_Eprod\ ty_Einteger_Eint\ ty_Einteger_Eint)^{ty_Efrac_Efrac}) \quad (12)$$

Let $c_Epair_EFAST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c_Epair_EFAST\ A.27a\ A.27b \in (A.27a^{(ty_Epair_Eprod\ A.27a\ A.27b)}) \quad (13)$$

Definition 15 We define $c_Efrac_Efrac_nmr$ to be $\lambda V0f \in ty_Efrac_Efrac.(ap\ (c_Epair_EFAST\ ty_Efrac_Efrac$

Let $c_2Einteger_2Eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{ty_2Einteger_2Eint})$$
(14)

Definition 16 We define $c_2Einteger_2Eint_REP$ to be $\lambda V0a \in ty_2Einteger_2Eint.(ap\ (c_2Emin_2E40\ t$

Let $c_2Einteger_2Eint_neg : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_neg \in ((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)^{ty_2Einteger_2Eint})$$
(15)

Let $c_2Einteger_2Eint_eq : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{ty_2Einteger_2Eint})$$
(16)

Let $c_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint)^{2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)}}$$
(17)

Definition 17 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)$

Definition 18 We define $c_2Einteger_2Eint_neg$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.(ap\ c_2Einteger_2Eint$

Let $c_2Einteger_2Eint_of_num : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_of_num \in (ty_2Einteger_2Eint)^{ty_2Enum_2Enum}$$
(18)

Let $c_2Einteger_2Eint_lt : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)})^{ty_2Einteger_2Eint})$$
(19)

Definition 19 We define $c_2Einteger_2Eint_lt$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger$

Definition 20 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.$

Definition 21 We define $c_2Einteger_2EABS$ to be $\lambda V0n \in ty_2Einteger_2Eint.(ap\ (ap\ (ap\ (c_2Ebool_2ECOND$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}$$
(20)

Definition 22 We define $c_2Efrac_2Efrac_dnm$ to be $\lambda V0f \in ty_2Efrac_2Efrac.(ap\ (c_2Epair_2ESND\ t$

Definition 23 We define $c_2EintExtension_2ESGN$ to be $\lambda V0x \in ty_2Einteger_2Eint.(ap\ (ap\ (ap\ (c_2Ebool$

Definition 24 We define $c_2Efrac_2Efrac_sgn$ to be $\lambda V0f1 \in ty_2Efrac_2Efrac.(ap\ c_2EintExtension_2ESGN$

Let $c_2Einteger_2Etint_mul : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_mul \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum))\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum))\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum) \quad (21)$$

Definition 25 We define $c_2Einteger_2Eint_mul$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)\ ((2^{A_27b})^{A_27a})) \quad (22)$$

Definition 26 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2E_2C\ x\ y))$

Let $c_2Efrac_2Eabs_frac : \iota$ be given. Assume the following.

$$c_2Efrac_2Eabs_frac \in (ty_2Efrac_2Efrac\ (ty_2Epair_2Eprod\ ty_2Einteger_2Eint\ ty_2Einteger_2Eint)) \quad (23)$$

Definition 27 We define $c_2Efrac_2Efrac_minv$ to be $\lambda V0f1 \in ty_2Efrac_2Efrac.(ap\ c_2Efrac_2Eabs_frac\ f1)$

Definition 28 We define $c_2Erat_2Erat_equiv$ to be $\lambda V0f1 \in ty_2Efrac_2Efrac.\lambda V1f2 \in ty_2Efrac_2Efrac$

Let $c_2Erat_2Eabs_rat_CLASS : \iota$ be given. Assume the following.

$$c_2Erat_2Eabs_rat_CLASS \in (ty_2Erat_2Erat\ (2^{ty_2Efrac_2Efrac})) \quad (24)$$

Definition 29 We define $c_2Erat_2Eabs_rat$ to be $\lambda V0r \in ty_2Efrac_2Efrac.(ap\ c_2Erat_2Eabs_rat_CLASS\ r)$

Definition 30 We define $c_2Erat_2Erat_minv$ to be $\lambda V0r1 \in ty_2Erat_2Erat.(ap\ c_2Erat_2Eabs_rat\ r1)$

Definition 31 We define $c_2Efrac_2Efrac_1$ to be $(ap\ c_2Efrac_2Eabs_frac\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Efrac_2Efrac_minv\ ty_2Efrac_2Efrac_minv))\ ty_2Efrac_2Efrac_minv))\ ty_2Efrac_2Efrac_minv)$

Definition 32 We define $c_2Erat_2Erat_1$ to be $(ap\ c_2Erat_2Eabs_rat\ c_2Efrac_2Efrac_1)$.

Let $c_2Einteger_2Etint_add : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_add \in (((ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum)\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum))\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum))\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ ty_2Enum_2Enum) \quad (25)$$

Definition 33 We define $c_2Einteger_2Eint_add$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint$

Definition 34 We define $c_2Efrac_2Efrac_add$ to be $\lambda V0f1 \in ty_2Efrac_2Efrac.\lambda V1f2 \in ty_2Efrac_2Efrac$

Definition 35 We define $c_2Erat_2Erat_add$ to be $\lambda V0r1 \in ty_2Erat_2Erat.\lambda V1r2 \in ty_2Erat_2Erat$

Definition 36 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

Definition 37 We define $c_Ecombin_2ES$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. (\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

Definition 38 We define $c_Ecombin_2EI$ to be $\lambda A_27a : \iota. (ap (ap (c_Ecombin_2ES A_27a (A_27a^{A_27a})) A_27a))$

Let $c_Earithmetic_2Enum_CASE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_Earithmetic_2Enum_CASE A_27a \in ((A_27a^{(A_27a^{ty_2Enum_2Enum})})_{A_27a})_{ty_2Enum_2Enum} \quad (26)$$

Definition 39 We define $c_Efrac_2Efrac_0$ to be $(ap c_Efrac_2Eabs_frac (ap (ap (c_Epair_2E_2C ty_2Enum_2Enum))))$

Definition 40 We define $c_Erat_2Erat_0$ to be $(ap c_Erat_2Eabs_rat c_Efrac_2Efrac_0)$.

Definition 41 We define $c_Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_Emin_2E_3D_3D_3E V0t) c_Ebool_2E_7E))$

Definition 42 We define $c_Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap V0P (ap (c_Emin_2E_40))))$

Definition 43 We define $c_ERelation_2EWF$ to be $\lambda A_27a : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). (ap (c_Ebool_2E_21))$

Let $c_Ebool_2EARB : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_Ebool_2EARB A_27a \in A_27a \quad (27)$$

Definition 44 We define $c_ERelation_2ERESTRICT$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (A_27b^{A_27a}). \lambda V1f \in (A_27a^{A_27b}).$

Definition 45 We define $c_ERelation_2ETC$ to be $\lambda A_27a : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1a \in A_27a. \lambda V2b \in A_27a.$

Definition 46 We define $c_ERelation_2Eapprox$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1M \in (A_27a^{A_27b}).$

Definition 47 We define $c_ERelation_2Ethe_fun$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1M \in (A_27a^{A_27b}).$

Definition 48 We define $c_ERelation_2EWFREC$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1M \in (A_27a^{A_27b}).$

Definition 49 We define $c_Erat_2Erat_of_num$ to be $(ap (ap (c_ERelation_2EWFREC ty_2Enum_2Enum)))$

Definition 50 We define $c_Efrac_2Efrac_mul$ to be $\lambda V0f1 \in ty_2Efrac_2Efrac. \lambda V1f2 \in ty_2Efrac_2Efrac.$

Definition 51 We define $c_Erat_2Erat_mul$ to be $\lambda V0r1 \in ty_2Erat_2Erat. \lambda V1r2 \in ty_2Erat_2Erat. (ap (c_Efrac_2Efrac_mul V0r1 V1r2))$

Assume the following.

$$True \quad (28)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (29)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (30)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (31)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (34)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (35)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (36)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ & ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in \\ & 2. (((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0f \in ((A_27a^{A_27a})^{A_27a}). \\ & ((\forall V1x \in A_27a. (\forall V2y \in A_27a. (\forall V3z \in A_27a. \\ & ((ap\ (ap\ V0f\ V1x)\ (ap\ (ap\ V0f\ V2y)\ V3z)) = (ap\ (ap\ V0f\ (ap\ (ap\ V0f\ V1x) \\ & V2y))\ V3z)))) \Rightarrow ((\forall V4x \in A_27a. (\forall V5y \in A_27a. ((ap\ \\ & (ap\ V0f\ V4x)\ V5y) = (ap\ (ap\ V0f\ V5y)\ V4x)))) \Rightarrow (\forall V6x \in A_27a. (\\ & \forall V7y \in A_27a. (\forall V8z \in A_27a. ((ap\ (ap\ V0f\ V6x)\ (ap\ (ap \\ & V0f\ V7y)\ V8z)) = (ap\ (ap\ V0f\ V7y)\ (ap\ (ap\ V0f\ V6x)\ V8z)))))))))) \end{aligned} \quad (39)$$

Assume the following.

$$\begin{aligned}
& (\forall V0a \in ty_2Erat_2Erat. (\forall V1b \in ty_2Erat_2Erat. (\\
& \quad \forall V2c \in ty_2Erat_2Erat. ((ap (ap c_2Erat_2Erat_mul V0a) \\
& (ap (ap c_2Erat_2Erat_mul V1b) V2c)) = (ap (ap c_2Erat_2Erat_mul \\
& \quad (ap (ap c_2Erat_2Erat_mul V0a) V1b)) V2c)))))) \quad (40)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0a \in ty_2Erat_2Erat. (\forall V1b \in ty_2Erat_2Erat. (\\
& (ap (ap c_2Erat_2Erat_mul V0a) V1b) = (ap (ap c_2Erat_2Erat_mul \\
& \quad V1b) V0a)))) \quad (41)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0a \in ty_2Erat_2Erat. ((ap (ap c_2Erat_2Erat_mul V0a) \\
& (ap c_2Erat_2Erat_of_num (ap c_2Earithmic_2ENUMERAL (ap \\
& \quad c_2Earithmic_2EBIT1 c_2Earithmic_2EZERO)))) = V0a)) \quad (42)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0a \in ty_2Erat_2Erat. ((\neg(V0a = (ap c_2Erat_2Erat_of_num \\
& c_2Enum_2E0))) \Rightarrow ((ap (ap c_2Erat_2Erat_mul V0a) (ap c_2Erat_2Erat_minv \\
& V0a)) = (ap c_2Erat_2Erat_of_num (ap c_2Earithmic_2ENUMERAL \\
& \quad (ap c_2Earithmic_2EBIT1 c_2Earithmic_2EZERO)))))) \quad (43)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0r1 \in ty_2Erat_2Erat. (\forall V1r2 \in ty_2Erat_2Erat. \\
& (\forall V2r3 \in ty_2Erat_2Erat. ((\neg(V2r3 = (ap c_2Erat_2Erat_of_num \\
& c_2Enum_2E0))) \Rightarrow (((ap (ap c_2Erat_2Erat_mul V2r3) V0r1) = (ap \\
& \quad (ap c_2Erat_2Erat_mul V2r3) V1r2)) \Leftrightarrow (V0r1 = V1r2)))))) \quad (44)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0r1 \in ty_2Erat_2Erat. (\forall V1r2 \in ty_2Erat_2Erat. \\
& ((\neg((ap (ap c_2Erat_2Erat_mul V0r1) V1r2) = (ap c_2Erat_2Erat_of_num \\
& c_2Enum_2E0))) \Leftrightarrow ((\neg(V0r1 = (ap c_2Erat_2Erat_of_num c_2Enum_2E0))) \wedge \\
& \quad (\neg(V1r2 = (ap c_2Erat_2Erat_of_num c_2Enum_2E0)))))) \quad (45)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& (\forall V0a \in ty_2Erat_2Erat. (\forall V1b \in ty_2Erat_2Erat. (\\
& ((\neg(V0a = (ap c_2Erat_2Erat_of_num c_2Enum_2E0))) \wedge (\neg(V1b = \\
& (ap c_2Erat_2Erat_of_num c_2Enum_2E0)))) \Rightarrow ((ap c_2Erat_2Erat_minv \\
& (ap (ap c_2Erat_2Erat_mul V0a) V1b)) = (ap (ap c_2Erat_2Erat_mul \\
& \quad (ap c_2Erat_2Erat_minv V0a)) (ap c_2Erat_2Erat_minv V1b))))))
\end{aligned}$$