

thm_2Erat_2ERAT_OF_NUM_LEQ (TMdDwnnXSehe1GczhzK12t3c93rBgEENJBh)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 8 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{4}$$

Let $ty_2Einteger_2Eint : \iota$ be given. Assume the following.

$$nonempty\ ty_2Einteger_2Eint \quad (5)$$

Let $c_2Einteger_2Eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Eenum_2Eenum\ ty_2Eenum_2Eenum)})^{ty_2Einteger_2Eint}) \quad (6)$$

Definition 9 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A$.if $(\exists x \in A.p (ap\ P\ x))$ then (the $(\lambda x.x \in A \wedge p\ x)$ of type $\iota \Rightarrow \iota$).

Definition 10 We define $c_2Einteger_2Eint_REP$ to be $\lambda V0a \in ty_2Einteger_2Eint.(ap\ (c_2Emin_2E40\ a))$

Let $c_2Einteger_2Etint_It : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_It \in ((2^{(ty_2Epair_2Eprod\ ty_2Eenum_2Eenum\ ty_2Eenum_2Eenum)})^{(ty_2Epair_2Eprod\ ty_2Eenum_2Eenum)}) \quad (7)$$

Definition 11 We define $c_2Einteger_2Eint_It$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint.$

Let $c_2Eenum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Eenum_2EREP_num \in (\omega^{ty_2Eenum_2Eenum}) \quad (8)$$

Let $c_2Eenum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Eenum_2ESUC_REP \in (\omega^{\omega}) \quad (9)$$

Definition 12 We define c_2Eenum_2ESUC to be $\lambda V0m \in ty_2Eenum_2Eenum.(ap\ c_2Eenum_2EABS_num\ m)$

Definition 13 We define c_2Ebool_2E3F to be $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P\ (ap\ (c_2Emin_2E40\ a)\ P)))$

Definition 14 We define $c_2Eprim_rec_2E3C$ to be $\lambda V0m \in ty_2Eenum_2Eenum.\lambda V1n \in ty_2Eenum_2Eenum.$

Definition 15 We define $c_2Ebool_2E5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E21\ 2)\ t1\ t2)))$

Definition 16 We define $c_2Earithmic_2E3C_3D$ to be $\lambda V0m \in ty_2Eenum_2Eenum.\lambda V1n \in ty_2Eenum_2Eenum.$

Let $ty_2Efrac_2Efrac : \iota$ be given. Assume the following.

$$nonempty\ ty_2Efrac_2Efrac \quad (10)$$

Let $c_2Efrac_2Erep_frac : \iota$ be given. Assume the following.

$$c_2Efrac_2Erep_frac \in ((ty_2Epair_2Eprod\ ty_2Einteger_2Eint\ ty_2Einteger_2Eint)^{ty_2Efrac_2Efrac}) \quad (11)$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.\lambda 27a.nonempty\ A.\lambda 27b.nonempty\ A.\lambda 27c.c_2Epair_2ESND\ A.\lambda 27a.\lambda 27b \in (A.\lambda 27b)^{(ty_2Epair_2Eprod\ A.\lambda 27a.\lambda 27b)} \quad (12)$$

Definition 17 We define $c_2Efrac_2Efrac_dnm$ to be $\lambda V0f \in ty_2Efrac_2Efrac.(ap (c_2Epair_2ESND t$
Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c_2Epair_2EFST \\ A.27a A.27b \in (A.27a^{(ty_2Epair_2Eprod A.27a A.27b)}) \end{aligned} \quad (13)$$

Definition 18 We define $c_2Efrac_2Efrac_nmr$ to be $\lambda V0f \in ty_2Efrac_2Efrac.(ap (c_2Epair_2EFST ty$
Let $c_2Einteger_2Etint_mul : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_mul \in (((ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum ty_2Enum_2Enum) (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)) (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)) \quad (14)$$

Let $c_2Einteger_2Etint_eq : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_eq \in ((2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)}) (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)) \quad (15)$$

Let $c_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint^{(2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})}) \quad (16)$$

Definition 19 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Enum_2Enum ty$

Definition 20 We define $c_2Einteger_2Eint_mul$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger$

Definition 21 We define $c_2Einteger_2Eint_le$ to be $\lambda V0x \in ty_2Einteger_2Eint.\lambda V1y \in ty_2Einteger_2E$

Let $ty_2Erat_2Erat : \iota$ be given. Assume the following.

$$nonempty ty_2Erat_2Erat \quad (17)$$

Definition 22 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum}) ty_2Enum_2Enum) \quad (18)$$

Definition 23 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic$

Definition 24 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Einteger_2Eint_of_num : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_of_num \in (ty_2Einteger_2Eint^{ty_2Enum_2Enum}) \quad (19)$$

Let $c_2Erat_2Erep_rat_CLASS : \iota$ be given. Assume the following.

$$c_2Erat_2Erep_rat_CLASS \in ((2^{ty_2Efrac_2Efrac})^{ty_2Erat_2Erat}) \quad (20)$$

Definition 25 We define $c_Erat_Erep_rat$ to be $\lambda V0a \in ty_Erat_Erat.(ap (c_Emin_E40 ty_Efrac$

Let $c_Einteger_Eint_neg : \iota$ be given. Assume the following.

$$\begin{aligned} c_Einteger_Eint_neg \in & ((ty_Epair_Eprod ty_Eenum_Eenum \\ & ty_Eenum_Eenum)^{(ty_Epair_Eprod ty_Eenum_Eenum ty_Eenum_Eenum)}) \end{aligned} \quad (21)$$

Definition 26 We define $c_Einteger_Eint_neg$ to be $\lambda V0T1 \in ty_Einteger_Eint.(ap c_Einteger_Eint$

Let $c_Epair_EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow & c_Epair_EABS_prod \\ A_27a A_27b \in & ((ty_Epair_Eprod A_27a A_27b)^{(2^{A_27b} A_27a)}) \end{aligned} \quad (22)$$

Definition 27 We define $c_Epair_E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2$

Let $c_Efrac_Eabs_frac : \iota$ be given. Assume the following.

$$c_Efrac_Eabs_frac \in (ty_Efrac_Efrac^{(ty_Epair_Eprod ty_Einteger_Eint ty_Einteger_Eint)}) \quad (23)$$

Definition 28 We define $c_Efrac_Efrac_ainv$ to be $\lambda V0f1 \in ty_Efrac_Efrac.(ap c_Efrac_Eabs_f$

Let $c_Einteger_Eint_add : \iota$ be given. Assume the following.

$$\begin{aligned} c_Einteger_Eint_add \in & (((ty_Epair_Eprod ty_Eenum_Eenum \\ & ty_Eenum_Eenum)^{(ty_Epair_Eprod ty_Eenum_Eenum ty_Eenum_Eenum)})^{(ty_Epair_Eprod ty_Eenum_Eenum ty_Eenum_Eenum)}) \end{aligned} \quad (24)$$

Definition 29 We define $c_Einteger_Eint_add$ to be $\lambda V0T1 \in ty_Einteger_Eint.\lambda V1T2 \in ty_Einteger$

Definition 30 We define $c_Efrac_Efrac_add$ to be $\lambda V0f1 \in ty_Efrac_Efrac.\lambda V1f2 \in ty_Efrac_Efrac$

Definition 31 We define $c_Efrac_Efrac_sub$ to be $\lambda V0f1 \in ty_Efrac_Efrac.\lambda V1f2 \in ty_Efrac_Efrac$

Definition 32 We define $c_Erat_Erat_equiv$ to be $\lambda V0f1 \in ty_Efrac_Efrac.\lambda V1f2 \in ty_Efrac_Efrac$

Let $c_Erat_Eabs_rat_CLASS : \iota$ be given. Assume the following.

$$c_Erat_Eabs_rat_CLASS \in (ty_Erat_Erat^{(2^{ty_Efrac_Efrac})}) \quad (25)$$

Definition 33 We define $c_Erat_Eabs_rat$ to be $\lambda V0r \in ty_Efrac_Efrac.(ap c_Erat_Eabs_rat_CLASS$

Definition 34 We define $c_Erat_Erat_sub$ to be $\lambda V0r1 \in ty_Erat_Erat.\lambda V1r2 \in ty_Erat_Erat.(ap$

Definition 35 We define c_Ebool_ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.$

Definition 36 We define $c_EintExtension_ESGN$ to be $\lambda V0x \in ty_Einteger_Eint.(ap (ap (ap (c_Eboo$

Definition 37 We define $c_Efrac_Efrac_sgn$ to be $\lambda V0f1 \in ty_Efrac_Efrac.(ap c_EintExtension_ESGN$

Assume the following.

$$True \quad (28)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (29)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p\ V0t)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & (\forall V0a \in ty_2Einteger_2Eint.(\forall V1b \in ty_2Einteger_2Eint. \\ & ((p\ (ap\ (ap\ c_2Einteger_2Eint_lt\ (ap\ c_2Einteger_2Eint_of_num \\ c_2Enum_2E0))\ V1b)) \Rightarrow ((ap\ c_2Efrac_2Efrac_nmr\ (ap\ c_2Efrac_2Eabs_frac \\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Einteger_2Eint\ ty_2Einteger_2Eint) \\ V0a)\ V1b))) = V0a)))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & (\forall V0a \in ty_2Einteger_2Eint.(\forall V1b \in ty_2Einteger_2Eint. \\ & ((p\ (ap\ (ap\ c_2Einteger_2Eint_lt\ (ap\ c_2Einteger_2Eint_of_num \\ c_2Enum_2E0))\ V1b)) \Rightarrow ((ap\ c_2Efrac_2Efrac_dnm\ (ap\ c_2Efrac_2Eabs_frac \\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Einteger_2Eint\ ty_2Einteger_2Eint) \\ V0a)\ V1b))) = V1b)))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Einteger_2Eint.((ap\ (ap\ c_2Einteger_2Eint_mul \\ V0x)\ (ap\ c_2Einteger_2Eint_of_num\ (ap\ c_2Earithmetic_2ENUMERAL \\ (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO)))) = V0x)) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} & (p\ (ap\ (ap\ c_2Einteger_2Eint_lt\ (ap\ c_2Einteger_2Eint_of_num \\ c_2Enum_2E0))\ (ap\ c_2Einteger_2Eint_of_num\ (ap\ c_2Earithmetic_2ENUMERAL \\ (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO)))))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\\ & (p\ (ap\ (ap\ c_2Einteger_2Eint_le\ (ap\ c_2Einteger_2Eint_of_num \\ V0m))\ (ap\ c_2Einteger_2Eint_of_num\ V1n))) \Leftrightarrow (p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D \\ V0m)\ V1n)))))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned}
& (\forall V0f1 \in ty_2Efrac_2Efrac. (\forall V1f2 \in ty_2Efrac_2Efrac. \\
& ((p (ap (ap c_2Erat_2Erat_leq (ap c_2Erat_2Eabs_rat V0f1)) (\\
& ap c_2Erat_2Eabs_rat V1f2))) \Leftrightarrow (p (ap (ap c_2Einteger_2Eint_le \\
& (ap (ap c_2Einteger_2Eint_mul (ap c_2Efrac_2Efrac_nmr V0f1)) \\
& (ap c_2Efrac_2Efrac_dnm V1f2))) (ap (ap c_2Einteger_2Eint_mul \\
& (ap c_2Efrac_2Efrac_nmr V1f2)) (ap c_2Efrac_2Efrac_dnm V0f1))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n1 \in ty_2Enum_2Enum. ((ap c_2Erat_2Erat_of_num V0n1) = \\
& (ap c_2Erat_2Eabs_rat (ap c_2Efrac_2Eabs_frac (ap (ap (c_2Epair_2E_2C \\
& ty_2Einteger_2Eint ty_2Einteger_2Eint) (ap c_2Einteger_2Eint_of_num \\
& V0n1)) (ap c_2Einteger_2Eint_of_num (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))))))
\end{aligned} \tag{37}$$

Theorem 1

$$\begin{aligned}
& (\forall V0a \in ty_2Enum_2Enum. (\forall V1b \in ty_2Enum_2Enum. (\\
& (p (ap (ap c_2Erat_2Erat_leq (ap c_2Erat_2Erat_of_num V0a)) \\
& (ap c_2Erat_2Erat_of_num V1b))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0a) V1b))))
\end{aligned}$$