

thm_2Erat_2ERAT__SGN__EQ0
(TMdXZ2SBynsdoryqCvvmNikCAAWDg2onzGt)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 3 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 4 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ (ap\ c_2Enum_2EREP_num\ c_2Enum_2ESUC_REP))$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{6}$$

Definition 7 We define `c_2Earithmic_2EBIT1` to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmic_2EBIT1))$

Definition 8 We define `c_2Earithmic_2ENUMERAL` to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let `ty_2Einteger_2Eint` : ι be given. Assume the following.

$$nonempty\ ty_2Einteger_2Eint \quad (7)$$

Let `c_2Einteger_2Eint_of_num` : ι be given. Assume the following.

$$c_2Einteger_2Eint_of_num \in (ty_2Einteger_2Eint^{ty_2Enum_2Enum}) \quad (8)$$

Let `ty_2Efrac_2Efrac` : ι be given. Assume the following.

$$nonempty\ ty_2Efrac_2Efrac \quad (9)$$

Let `ty_2Erat_2Erat` : ι be given. Assume the following.

$$nonempty\ ty_2Erat_2Erat \quad (10)$$

Let `c_2Erat_2Erep_rat_CLASS` : ι be given. Assume the following.

$$c_2Erat_2Erep_rat_CLASS \in ((2^{ty_2Efrac_2Efrac})^{ty_2Erat_2Erat}) \quad (11)$$

Definition 9 We define `c_2Emin_2E_40` to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (the (\lambda x.x \in A \wedge p x)) \text{ of type } \iota \Rightarrow \iota$.

Definition 10 We define `c_2Erat_2Erep_rat` to be $\lambda V0a \in ty_2Erat_2Erat.(ap (c_2Emin_2E_40\ ty_2Efrac_2Efrac))$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (12)$$

Let `c_2Efrac_2Erep_frac` : ι be given. Assume the following.

$$c_2Efrac_2Erep_frac \in ((ty_2Epair_2Eprod\ ty_2Einteger_2Eint\ ty_2Einteger_2Eint)^{ty_2Efrac_2Efrac}) \quad (13)$$

Let `c_2Epair_2ESND` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c_2Epair_2ESND\ A.27a\ A.27b \in (A.27b^{(ty_2Epair_2Eprod\ A.27a\ A.27b)}) \quad (14)$$

Definition 11 We define `c_2Efrac_2Efrac_dnm` to be $\lambda V0f \in ty_2Efrac_2Efrac.(ap (c_2Epair_2ESND\ ty_2Efrac_2Efrac))$

Let `c_2Epair_2EFST` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c_2Epair_2EFST\ A.27a\ A.27b \in (A.27a^{(ty_2Epair_2Eprod\ A.27a\ A.27b)}) \quad (15)$$

Definition 12 We define $c_Efrac_Efrac_nmr$ to be $\lambda V0f \in ty_Efrac_Efrac.(ap (c_Epair_EFST ty_Efrac_Efrac))$.
Let $c_Einteger_Eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_Einteger_Eint_REP_CLASS \in ((2^{(ty_Epair_Eprod ty_Eenum_Eenum ty_Eenum_Eenum)})^{ty_Einteger_Eint})$$
(16)

Definition 13 We define $c_Einteger_Eint_REP$ to be $\lambda V0a \in ty_Einteger_Eint.(ap (c_Emin_E.40 ty_Einteger_Eint))$.
Let $c_Einteger_Eint_neg : \iota$ be given. Assume the following.

$$c_Einteger_Eint_neg \in ((ty_Epair_Eprod ty_Eenum_Eenum ty_Eenum_Eenum)^{ty_Einteger_Eint})^{(ty_Epair_Eprod ty_Eenum_Eenum ty_Eenum_Eenum)}$$
(17)

Let $c_Einteger_Eint_eq : \iota$ be given. Assume the following.

$$c_Einteger_Eint_eq \in ((2^{(ty_Epair_Eprod ty_Eenum_Eenum ty_Eenum_Eenum)})^{ty_Epair_Eprod ty_Eenum_Eenum})^{ty_Einteger_Eint}$$
(18)

Let $c_Einteger_Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_Einteger_Eint_ABS_CLASS \in (ty_Einteger_Eint)^{(2^{(ty_Epair_Eprod ty_Eenum_Eenum ty_Eenum_Eenum)})^{ty_Einteger_Eint}}$$
(19)

Definition 14 We define $c_Einteger_Eint_ABS$ to be $\lambda V0r \in (ty_Epair_Eprod ty_Eenum_Eenum ty_Eenum_Eenum)$.

Definition 15 We define $c_Einteger_Eint_neg$ to be $\lambda V0T1 \in ty_Einteger_Eint.(ap c_Einteger_Eint)$.

Definition 16 We define $c_Emin_E.3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 17 We define $c_Ebool_E.2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_E.21 2) (\lambda V2t \in 2))))$.

Let $c_Epair_EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_Epair_EABS_prod A_27a A_27b \in ((ty_Epair_Eprod A_27a A_27b)^{(2^{A_27b} A_27a})}$$
(20)

Definition 18 We define $c_Epair_E.2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_Epair_E.2C))$.

Let $c_Efrac_Eabs_frac : \iota$ be given. Assume the following.

$$c_Efrac_Eabs_frac \in (ty_Efrac_Efrac)^{(ty_Epair_Eprod ty_Einteger_Eint ty_Einteger_Eint)}$$
(21)

Definition 19 We define $c_Efrac_Efrac_ainv$ to be $\lambda V0f1 \in ty_Efrac_Efrac.(ap c_Efrac_Eabs_frac)$.

Let $c_Einteger_Eint_mul : \iota$ be given. Assume the following.

$$c_Einteger_Eint_mul \in (((ty_Epair_Eprod ty_Eenum_Eenum ty_Eenum_Eenum)^{ty_Einteger_Eint})^{ty_Epair_Eprod ty_Eenum_Eenum ty_Eenum_Eenum})^{ty_Einteger_Eint}$$
(22)

Definition 39 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

Definition 40 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2ES A_27a (A_27a^{A_27a})) A_27a))$

Let $c_2Earithmetic_2Enum_CASE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Earithmetic_2Enum_CASE A_27a \in \left((A_27a^{(A_27a^{ty_2Enum_2Enum})})_{A_27a} \right)_{ty_2Enum_2Enum} \quad (26)$$

Definition 41 We define $c_2Efrac_2Efrac_0$ to be $(ap c_2Efrac_2Eabs_frac (ap (ap (c_2Epair_2E_2C ty_2Enum_2Enum))$

Definition 42 We define $c_2Erat_2Erat_0$ to be $(ap c_2Erat_2Eabs_rat c_2Efrac_2Efrac_0)$.

Definition 43 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_7E))$

Definition 44 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 45 We define $c_2Erelation_2EWF$ to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).(ap (c_2Ebool_2E_21$

Let $c_2Ebool_2EARB : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ebool_2EARB A_27a \in A_27a \quad (27)$$

Definition 46 We define $c_2Erelation_2ERESTRICT$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1$

Definition 47 We define $c_2Erelation_2ETC$ to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1a \in A_27a.\lambda V2b$

Definition 48 We define $c_2Erelation_2Eapprox$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1M$

Definition 49 We define $c_2Erelation_2Ethe_fun$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1M$

Definition 50 We define $c_2Erelation_2EWFREC$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1M$

Definition 51 We define $c_2Erat_2Erat_of_num$ to be $(ap (ap (c_2Erelation_2EWFREC ty_2Enum_2Enum$

Definition 52 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Assume the following.

$$True \quad (28)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (29)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (30) \end{aligned}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)) \quad (31)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.(V0x = V0x)) \quad (32)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t))) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (33)$$

Assume the following.

$$(\forall V0r1 \in ty.2Erat.2Erat.((((ap c.2Erat.2Erat.sgn V0r1) = (ap c.2Einteger.2Eint.neg (ap c.2Einteger.2Eint.of_num (ap c.2Earithmic.2ENUMERAL (ap c.2Earithmic.2EBIT1 c.2Earithmic.2EZERO)))))) \Leftrightarrow (p (ap (ap c.2Erat.2Erat.les V0r1) (ap c.2Erat.2Erat.of_num c.2Enum.2E0)))) \wedge (((ap c.2Erat.2Erat.sgn V0r1) = (ap c.2Einteger.2Eint.of_num c.2Enum.2E0)) \Leftrightarrow (V0r1 = (ap c.2Erat.2Erat.of_num c.2Enum.2E0))) \wedge (((ap c.2Erat.2Erat.sgn V0r1) = (ap c.2Einteger.2Eint.of_num (ap c.2Earithmic.2ENUMERAL (ap c.2Earithmic.2EBIT1 c.2Earithmic.2EZERO)))) \Leftrightarrow (p (ap (ap c.2Erat.2Erat.gre V0r1) (ap c.2Erat.2Erat.of_num c.2Enum.2E0)))))) \quad (34)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (35)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (36)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (37)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (38)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (39)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(\\
& p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\\
& \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))
\end{aligned} \tag{44}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \tag{45}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{46}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \tag{47}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{48}$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \tag{49}$$

Theorem 1

$$\begin{aligned} & (\forall V0r \in ty_2Erat_2Erat. (((ap\ c_2Erat_2Erat_sgn\ V0r) = \\ & (ap\ c_2Einteger_2Eint_of_num\ c_2Enum_2E0)) \Leftrightarrow (V0r = (ap\ c_2Erat_2Erat_of_num \\ & c_2Enum_2E0))) \wedge (((ap\ c_2Einteger_2Eint_of_num\ c_2Enum_2E0) = \\ & (ap\ c_2Erat_2Erat_sgn\ V0r)) \Leftrightarrow (V0r = (ap\ c_2Erat_2Erat_of_num \\ & c_2Enum_2E0)))) \end{aligned}$$