

# thm\_2Erat\_2ERAT\_\_SUB\_\_ADDAINV (TMG4yuVSwjprtldtLYF2FmvsCbdcrcdT1oh)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let  $ty\_2Einteger\_2Eint : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Einteger\_2Eint \quad (1)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod \\ A0\ A1) \end{aligned} \quad (2)$$

Let  $ty\_2Efrac\_2Efrac : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Efrac\_2Efrac \quad (3)$$

Let  $c\_2Efrac\_2Erep\_frac : \iota$  be given. Assume the following.

$$c\_2Efrac\_2Erep\_frac \in ((ty\_2Epair\_2Eprod\ ty\_2Einteger\_2Eint \\ ty\_2Einteger\_2Eint)^{ty\_2Efrac\_2Efrac}) \quad (4)$$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND \\ A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (5)$$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Efrac\_2Efrac\_dnm$  to be  $\lambda V0f \in ty\_2Efrac\_2Efrac. (ap (c\_2Epair\_2ESND\ ty0f))$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST \\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (6)$$

**Definition 5** We define  $c\_2Efrac\_2Efrac\_nmr$  to be  $\lambda V0f \in ty\_2Efrac\_2Efrac.(ap\ (c\_2Epair\_2EFST\ ty\_2Enum\_2Enum)\ f)$ . Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

*nonempty* *ty\_2Enum\_2Enum* (7)

Let  $c\_2Einteger\_2Eint\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum) \} ty\_2Einteger\_2Eint\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)$$

**Definition 6** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p \ (ap \ P \ x)) \ \text{then } (\lambda x.x \in A \wedge p \ \text{of type } \iota \Rightarrow \iota)$ .

**Definition 7** We define  $c\_2Einteger\_2Eint\_REP$  to be  $\lambda V0a \in ty\_2Einteger\_2Eint.(ap\ (c\_2Emin\_2E\_40\ (ty$

Let  $c_2Einteger_2Etint\_neg : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_neg \in ((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\\ ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)}) \quad (9)$$

Let  $c_2Einteger_2Eint\_eq : \iota$  be given. Assume the following.

$$c_2Einteger_2Etint\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)})\^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)} \quad (10)$$

Let  $c\_2Einteger\_2Eint\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Eint\_ABS\_CLASS \in (ty\_2Einteger\_2Eint^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})})$$

**Definition 8** We define  $c_2Einteger_2Eint\_ABS$  to be  $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Enum\_2Enum\ ty_2Enum\ ty_2Enum)$

**Definition 9** We define  $c\_2Einteger\_2Eint\_neg$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.(ap\ c\_2Einteger\_2Eint\_$

**Definition 10** We define  $c_{\text{2Emin\_2E\_3D\_3D\_3E}}$  to be  $\lambda P \in 2.\lambda Q \in 2.\text{inj\_o } (p \rightarrow_p Q)$  of type  $\iota$ .

**Definition 11** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow c_{2Epair\_2EABS\_prod}\ A_{27a}\ A_{27b} \in ((ty_{2Epair\_2Eprod}\ A_{27a}\ A_{27b})^{((2^{A_{27b}})^{A_{27a}})}) \quad (12)$$

**Definition 12** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A.\_27a : \iota.\lambda A.\_27b : \iota.\lambda V0x \in A.\_27a.\lambda V1y \in A.\_27b.(ap\ (c\_2Epair\ A)\ x\ y)$

Let  $c_2 \in \mathbb{R}$  be given. Assume the following.

$$c_2Efrac_2Eabs_2Efrac \in (ty_2Efrac_2Efrac(ty_2Epair_2Eprod\ ty_2Einteger_2Eint\ ty_2Einteger_2Eint)) \\ (13)$$

**Definition 13** We define  $c\_2Efrac\_2Efrac\_ainv$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac.(ap\ c\_2Efrac\_2Eabs\_frac\ f1)$

Let  $ty\_2Erat\_2Erat : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erat\_2Erat \quad (14)$$

Let  $c\_2Erat\_2Erep\_rat\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erat\_2Erep\_rat\_CLASS \in ((2^{ty\_2Efrac\_2Efrac})^{ty\_2Erat\_2Erat}) \quad (15)$$

**Definition 14** We define  $c\_2Erat\_2Erep\_rat$  to be  $\lambda V0a \in ty\_2Erat\_2Erat.(ap\ (c\_2Emin\_2E\_40\ ty\_2Efrac\_2Efrac)\ a)$

Let  $c\_2Einteger\_2Etint\_mul : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_mul \in (((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{\dots})^{\dots} \quad (16)$$

**Definition 15** We define  $c\_2Einteger\_2Eint\_mul$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.\lambda V1T2 \in ty\_2Einteger\_2Eint.(ap\ (c\_2Emin\_2E\_40\ ty\_2Efrac\_2Efrac)\ T1\ T2)$

**Definition 16** We define  $c\_2Erat\_2Erat\_equiv$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac.\lambda V1f2 \in ty\_2Efrac\_2Efrac.(ap\ (c\_2Emin\_2E\_40\ ty\_2Efrac\_2Efrac)\ f1\ f2)$

Let  $c\_2Erat\_2Eabs\_rat\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erat\_2Eabs\_rat\_CLASS \in (ty\_2Erat\_2Erat)^{(2^{ty\_2Efrac\_2Efrac})} \quad (17)$$

**Definition 17** We define  $c\_2Erat\_2Eabs\_rat$  to be  $\lambda V0r \in ty\_2Efrac\_2Efrac.(ap\ c\_2Erat\_2Eabs\_rat\_CLASS\ r)$

**Definition 18** We define  $c\_2Erat\_2Erat\_ainv$  to be  $\lambda V0r1 \in ty\_2Erat\_2Erat.(ap\ c\_2Erat\_2Eabs\_rat\ (ap\ c\_2Erat\_2Eabs\_rat\_CLASS\ r1))$

Let  $c\_2Einteger\_2Etint\_add : \iota$  be given. Assume the following.

$$c\_2Einteger\_2Etint\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{\dots})^{\dots} \quad (18)$$

**Definition 19** We define  $c\_2Einteger\_2Eint\_add$  to be  $\lambda V0T1 \in ty\_2Einteger\_2Eint.\lambda V1T2 \in ty\_2Einteger\_2Eint.(ap\ (c\_2Emin\_2E\_40\ ty\_2Efrac\_2Efrac)\ T1\ T2)$

**Definition 20** We define  $c\_2Efrac\_2Efrac\_add$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac.\lambda V1f2 \in ty\_2Efrac\_2Efrac.(ap\ (c\_2Emin\_2E\_40\ ty\_2Efrac\_2Efrac)\ f1\ f2)$

**Definition 21** We define  $c\_2Erat\_2Erat\_add$  to be  $\lambda V0r1 \in ty\_2Erat\_2Erat.\lambda V1r2 \in ty\_2Erat\_2Erat.(ap\ (c\_2Emin\_2E\_40\ ty\_2Efrac\_2Efrac)\ r1\ r2)$

**Definition 22** We define  $c\_2Efrac\_2Efrac\_sub$  to be  $\lambda V0f1 \in ty\_2Efrac\_2Efrac.\lambda V1f2 \in ty\_2Efrac\_2Efrac.(ap\ (c\_2Emin\_2E\_40\ ty\_2Efrac\_2Efrac)\ f1\ f2)$

**Definition 23** We define  $c\_2Erat\_2Erat\_sub$  to be  $\lambda V0r1 \in ty\_2Erat\_2Erat.\lambda V1r2 \in ty\_2Erat\_2Erat.(ap\ (c\_2Emin\_2E\_40\ ty\_2Efrac\_2Efrac)\ r1\ r2)$

Assume the following.

$$True \quad (19)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (20)$$

Assume the following.

$$\begin{aligned}
 & ((\forall V0x \in ty\_2Efrac\_2Efrac. (\forall V1y \in ty\_2Efrac\_2Efrac. \\
 & ((ap c\_2Erat\_2Eabs\_rat (ap (ap c\_2Efrac\_2Efrac\_add (ap c\_2Erat\_2Erep\_rat \\
 & (ap c\_2Erat\_2Eabs\_rat V0x)) V1y)) = (ap c\_2Erat\_2Eabs\_rat ( \\
 & ap (ap c\_2Efrac\_2Efrac\_add V0x) V1y))))))) \wedge (\forall V2x \in ty\_2Efrac\_2Efrac. \\
 & (\forall V3y \in ty\_2Efrac\_2Efrac. ((ap c\_2Erat\_2Eabs\_rat (ap ( \\
 & ap c\_2Efrac\_2Efrac\_add V2x) (ap c\_2Erat\_2Erep\_rat (ap c\_2Erat\_2Eabs\_rat \\
 & V3y)))) = (ap c\_2Erat\_2Eabs\_rat (ap (ap c\_2Efrac\_2Efrac\_add \\
 & V2x) V3y)))))))
 \end{aligned} \tag{21}$$

### Theorem 1

$$\begin{aligned}
 & (\forall V0r1 \in ty\_2Erat\_2Erat. (\forall V1r2 \in ty\_2Erat\_2Erat. \\
 & ((ap (ap c\_2Erat\_2Erat\_sub V0r1) V1r2) = (ap (ap c\_2Erat\_2Erat\_add \\
 & V0r1) (ap c\_2Erat\_2Erat\_ainv V1r2))))))
 \end{aligned}$$