

thm_2Erat_2Erat_0
 (TMGeVC7DV52kXqbTFhJfHXBQtxX1GVzoQNC)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (1)$$

Let $c_2Earithmetic_2EEVEN : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEVEN \in (2^{ty_2Enum_2Enum}) \quad (2)$$

Let $c_2Earithmetic_2EODD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EODD \in (2^{ty_2Enum_2Enum}) \quad (3)$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A. \lambda a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})) (\lambda V1P \in 2.V1P)) a))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF))$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. inj_o (t1 = t2))))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (4)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (5)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (6)$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ ($

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$.

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A-2^{\lceil a \rceil}}). (ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 11 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.$

Definition 12 We define c_2 to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.$

Definition 13 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 14 We define c_2Earthmetic_2E_3E_3D to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (7)$$

define c_2Enum_2E0 to be (ap c_2Enum_2EABS__num c_2E

Definition 16 We define $c_2\text{-Ebool-2ECOND}$ to be $\lambda A.\lambda 27a:\iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.27a.(\lambda V2t2 \in A.27a.($

Let c be given. Assume the following.

$c : \text{Earithmetic} \rightarrow \text{EXP} \in ((tu : \text{Enum} \rightarrow \text{Enum})^{\text{ty_Enum_Enum}})$

(8)

Let c_2 be given. Assume the following.

$\circ 2E_{\text{arithmetics}}, 2E, 2D \in ((tu, 2E_{\text{num}}, 2E_{\text{num}}), tu, 2E_{\text{num}}, 2E_{\text{num}})$

Let c_2 be given. Assume the following. (9)

$$(10)$$

DEFINITION 13 We define standard deviation to be $\sqrt{\sigma^2}$, where σ^2 is the variance.

© 2010 Pearson Education, Inc., publishing as Pearson Addison Wesley.

Let $\mathcal{C} \subseteq \mathcal{B}(X)$ be a metric space. Assume the following.

$$c_2 \text{Earthmet}_2 \text{E}_2 B \in ((\nu_2 \text{Earthmet}_2 \text{Earthmet}_2)^*)^*$$

Definition 26 We define $c_{\text{ZLArithmetc-ZEBITZ}}$ to be $\lambda v \ \forall n \in \text{tg-ZEname-ZEname}.(ap \ (ap \ c_{\text{ZLArithmetc}} \ v \ n) \ n)$

Definition 21 We define $c_{\text{ZLArithmetc}}\text{EBT1}$ to be $\lambda v \ \forall n \in \text{tg_ZENam_ZENam} . (ap \ (ap \ c_{\text{ZLArithmetc}}\text{EBT1} \ v) \ n)$

Definition 22 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Definition 23 We define $c_2Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.$

Let $ty_2Einteger_2Eint : \iota$ be given. Assume the following.

$$nonempty\ ty_2Einteger_2Eint \quad (12)$$

Let $c_2Einteger_2Eint_of_num : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_of_num \in (ty_2Einteger_2Eint ty_2Enum_2Enum) \quad (13)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A0.nonempty\ A0 \Rightarrow & \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod \\ & A0\ A1) \end{aligned} \quad (14)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow & \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ & A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (15)$$

Definition 24 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ (V0x\ V1y))$

Let $ty_2Efrac_2Efrac : \iota$ be given. Assume the following.

$$nonempty\ ty_2Efrac_2Efrac \quad (16)$$

Let $c_2Efrac_2Eabs_frac : \iota$ be given. Assume the following.

$$c_2Efrac_2Eabs_frac \in (ty_2Efrac_2Efrac ty_2Epair_2Eprod\ ty_2Einteger_2Eint\ ty_2Einteger_2Eint) \quad (17)$$

Definition 25 We define $c_2Efrac_2Efrac_0$ to be $(ap\ c_2Efrac_2Eabs_frac\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Efrac_2Efrac)\ A_27a)\ A_27b))$

Let $c_2Efrac_2Erep_frac : \iota$ be given. Assume the following.

$$c_2Efrac_2Erep_frac \in ((ty_2Epair_2Eprod\ ty_2Einteger_2Eint\ ty_2Einteger_2Eint)^{ty_2Efrac_2Efrac}) \quad (18)$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow & \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND \\ & A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (19)$$

Definition 26 We define $c_2Efrac_2Efrac_dnm$ to be $\lambda V0f \in ty_2Efrac_2Efrac. (ap\ (c_2Epair_2ESND\ t\ f))$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow & \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ & A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (20)$$

Definition 27 We define $c_2Efrac_2Efrac_nmr$ to be $\lambda V0f \in ty_2Efrac_2Efrac.(ap (c_2Epair_2EFST ty_2Efrac_2Efrac) f)$

Let $c_2Einteger_2Eint_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_REP_CLASS \in ((2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{ty_2Einteger_2Eint})^{(ty_2Epair_2Eprod ty_2Enum_2Enum)} \quad (21)$$

Definition 28 We define $c_2Einteger_2Eint_REP$ to be $\lambda V0a \in ty_2Einteger_2Eint.(ap (c_2Emin_2E_40 (ty_2Einteger_2Eint))) a$

Let $c_2Einteger_2Etint_mul : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_mul \in (((ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)^{(ty_2Epair_2Eprod ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum)} \quad (22)$$

Let $c_2Einteger_2Etint_eq : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_eq \in ((2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum)} \quad (23)$$

Let $c_2Einteger_2Eint_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Einteger_2Eint_ABS_CLASS \in (ty_2Einteger_2Eint)^{(2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum)}} \quad (24)$$

Definition 29 We define $c_2Einteger_2Eint_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum) r$

Definition 30 We define $c_2Einteger_2Eint_mul$ to be $\lambda V0T1 \in ty_2Einteger_2Eint.\lambda V1T2 \in ty_2Einteger_2Eint. T1 * T2$

Definition 31 We define $c_2Erat_2Erat_equiv$ to be $\lambda V0f1 \in ty_2Efrac_2Efrac.\lambda V1f2 \in ty_2Efrac_2Efrac. f1 = f2$

Let $ty_2Erat_2Erat : \iota$ be given. Assume the following.

$$nonempty ty_2Erat_2Erat \quad (25)$$

Let $c_2Erat_2Eabs_rat_CLASS : \iota$ be given. Assume the following.

$$c_2Erat_2Eabs_rat_CLASS \in (ty_2Erat_2Erat)^{(2^{(ty_2Efrac_2Efrac)})} \quad (26)$$

Definition 32 We define $c_2Erat_2Eabs_rat$ to be $\lambda V0r \in ty_2Efrac_2Efrac.(ap c_2Erat_2Eabs_rat_CLASS r)$

Let $c_2Erat_2Erep_rat_CLASS : \iota$ be given. Assume the following.

$$c_2Erat_2Erep_rat_CLASS \in ((2^{(ty_2Efrac_2Efrac)})^{ty_2Erat_2Erat}) \quad (27)$$

Definition 33 We define $c_2Erat_2Erep_rat$ to be $\lambda V0a \in ty_2Erat_2Erat.(ap (c_2Emin_2E_40 ty_2Efrac_2Efrac) a)$

Let $c_2Einteger_2Etint_add : \iota$ be given. Assume the following.

$$c_2Einteger_2Etint_add \in (((ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)^{(ty_2Epair_2Eprod ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum)} \quad (28)$$

Definition 34 We define $c_2Einteger_2Eint_add$ to be $\lambda V0T1 \in ty_2Einteger_2Eint. \lambda V1T2 \in ty_2Einteger_2Eint. V0 + V1 = T1$

Definition 35 We define $c_2Efrac_2Efrac_add$ to be $\lambda V0f1 \in ty_2Efrac_2Efrac. \lambda V1f2 \in ty_2Efrac_2Efrac. V0/f1 + V1/f2 = f1 + f2$

Definition 36 We define $c_2Erat_2Erat_add$ to be $\lambda V0r1 \in ty_2Erat_2Erat. \lambda V1r2 \in ty_2Erat_2Erat. (ap (c_2Erat_2Erat_0 V0r1) V1r2)$

Definition 37 We define $c_2Efrac_2Efrac_1$ to be $(ap (c_2Efrac_2Eabs_frac (ap (ap (c_2Epair_2E2C ty_2Efrac_2Efrac) V0f1) V1f2))$

Definition 38 We define $c_2Erat_2Erat_1$ to be $(ap (c_2Erat_2Eabs_rat c_2Efrac_2Efrac_1))$

Definition 39 We define $c_2Erat_2Erat_0$ to be $(ap (c_2Erat_2Eabs_rat c_2Efrac_2Efrac_0))$

Definition 40 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0x \in A_27a. (\lambda V1y \in A_27b. V0x = V1y))$

Definition 41 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. (\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

Definition 42 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota. (ap (ap (c_2Ecombin_2ES A_27a (A_27a^{A_27a}) A_27b)))$

Let $c_2Earithmetic_2Enum_CASE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Earithmetic_2Enum_CASE A_27a \in (((A_27a^{(A_27a^{ty_2Eenum_2Enum})^{A_27a})^{ty_2Eenum_2Enum}})^{A_27a}) \quad (29)$$

Definition 43 We define $c_2Erelation_2EWF$ to be $\lambda A_27a : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). (ap (c_2Ebool_2E21$

Let $c_2Ebool_2EARB : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Ebool_2EARB A_27a \in A_27a \quad (30)$$

Definition 44 We define $c_2Erelation_2EREstrict$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (A_27b^{A_27a}). \lambda V1f \in (A_27a^{A_27b})$

Definition 45 We define $c_2Erelation_2ETC$ to be $\lambda A_27a : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1a \in A_27a. \lambda V2b \in A_27b. V0R = V1a \wedge V0R = V2b$

Definition 46 We define $c_2Erelation_2Eapprox$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1M \in A_27a. \lambda V2N \in A_27b. V0R = V1M \wedge V0R = V2N$

Definition 47 We define $c_2Erelation_2Ethe_fun$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1M \in A_27a. \lambda V2N \in A_27b. V0R = V1M \wedge V0R = V2N$

Definition 48 We define $c_2Erelation_2EWFREC$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1M \in A_27a. \lambda V2N \in A_27b. V0R = V1M \wedge V0R = V2N$

Definition 49 We define $c_2Erat_2Erat_of_num$ to be $(ap (ap (c_2Erelation_2EWFREC ty_2Enum_2Enum)))$

Definition 50 We define $c_2Erelation_2Einv_image$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A_27b})^{A_27b}). \lambda V1M \in A_27a. \lambda V2N \in A_27b. V0R = V1M \wedge V0R = V2N$

Assume the following.

$$\begin{aligned} \forall A_27a.\text{nonempty } A_27a \Rightarrow & ((\forall V0v \in A_27a.(\forall V1f \in \\ (A_27a^{ty_2Enum_2Enum}).((ap (ap (ap (c_2Earithmetic_2Enum_CASE \\ A_27a) c_2Enum_2E0) V0v) V1f) = V0v))) \wedge (\forall V2n \in ty_2Enum_2Enum. \\ (\forall V3v \in A_27a.(\forall V4f \in (A_27a^{ty_2Enum_2Enum}).((ap \\ (ap (ap (c_2Earithmetic_2Enum_CASE A_27a) (ap c_2Enum_2ESUC \\ V2n)) V3v) V4f) = (ap V4f V2n))))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\\ ((ap (ap c_2Earithmetic_2E_2B c_2Enum_2E0) V0m) = V0m) \wedge (((ap (\\ ap c_2Earithmetic_2E_2B V0m) c_2Enum_2E0) = V0m) \wedge (((ap (ap c_2Earithmetic_2E_2B \\ (ap c_2Enum_2ESUC V0m)) V1n) = (ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B \\ V0m) V1n))) \wedge ((ap (ap c_2Earithmetic_2E_2B V0m) (ap c_2Enum_2ESUC \\ V1n)) = (ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B V0m) V1n))))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\\ (ap (ap c_2Earithmetic_2E_2B V0m) V1n) = (ap (ap c_2Earithmetic_2E_2B \\ V1n) V0m)))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\\ (p (ap (ap c_2Eprim_rec_2E_3C (ap c_2Enum_2ESUC V0m)) (ap c_2Enum_2ESUC \\ V1n))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C V0m) V1n)))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\\ (\neg(p (ap (ap c_2Eprim_rec_2E_3C V0m) V1n))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\ V1n) V0m)))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\
& ((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V0m) = c_2Enum_2E0) \wedge \\
& (((ap (ap c_2Earithmetic_2E_2A V0m) c_2Enum_2E0) = c_2Enum_2E0) \wedge \\
& (((ap (ap c_2Earithmetic_2E_2A (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) V0m) = V0m) \wedge \\
& (((ap (ap c_2Earithmetic_2E_2A V0m) (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) = V0m) \wedge \\
& ((ap (ap c_2Earithmetic_2E_2A (ap c_2Enum_2ESUC V0m)) V1n) = (ap \\
& (ap c_2Earithmetic_2E_2B (ap (ap c_2Earithmetic_2E_2A V0m) V1n)) \\
& V1n)) \wedge ((ap (ap c_2Earithmetic_2E_2A V0m) (ap c_2Enum_2ESUC V1n)) = \\
& (ap (ap c_2Earithmetic_2E_2B V0m) (ap (ap c_2Earithmetic_2E_2A \\
& V0m) V1n)))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\
& \forall V2p \in ty_2Enum_2Enum. ((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& (ap (ap c_2Earithmetic_2E_2B V0m) V1n)) (ap (ap c_2Earithmetic_2E_2B \\
& V0m) V2p))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D V1n) V2p))))))
\end{aligned} \tag{37}$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. ((ap c_2Enum_2ESUC V0n) = (ap (ap \\
c_2Earithmetic_2E_2B (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
c_2Earithmetic_2EZERO))) V0n))) \tag{38}$$

Assume the following.

$$True \tag{39}$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\
V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \tag{40}$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \tag{41}$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \tag{42}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a. nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in \\
& A_27a. (p V0t) \Leftrightarrow (p V0t)))
\end{aligned} \tag{43}$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \quad (44)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (45)$$

Assume the following.

$$\begin{aligned} &(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ &(p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ &((((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t))))))) \end{aligned} \quad (46)$$

Assume the following.

$$\begin{aligned} &(\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ &(((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ &(p V0t)) \Leftrightarrow (p V0t))))))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned} &(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ &True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ &((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))) \end{aligned} \quad (48)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t)) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ ((\neg False) \Leftrightarrow True)))) \quad (49)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow \\ True)) \quad (50)$$

Assume the following.

$$\begin{aligned} &(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ &(p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg \\ &(p V0t))))))) \end{aligned} \quad (51)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (\\ (p V1B) \vee (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C))))))) \quad (52)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee \\ (p V0A)))))) \quad (53)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A) \vee (\neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B))))))) \quad (54)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow False) \Leftrightarrow ((p V0t) \Leftrightarrow False))) \quad (55)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. ((ap(c_2Ecombin_2El(A_27a) V0x) = V0x))) \quad (56)$$

Assume the following.

$(\forall V0n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B c_2Enum_2E0) V0n) = V0n)) \wedge (\forall V1n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B V1n) c_2Enum_2E0) = V1n)) \wedge (\forall V2n \in ty_2Enum_2Enum.(\forall V3m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B ap c_2Earithmetic_2ENUMERAL V2n)) (ap c_2Earithmetic_2ENUMERAL V3m)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Enumeral_2EiZ (ap (ap c_2Earithmetic_2E_2B V2n) V3m)))))) \wedge (\forall V4n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V4n) = c_2Enum_2E0)) \wedge ((\forall V5n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A V5n) c_2Enum_2E0) = c_2Enum_2E0)) \wedge ((\forall V6n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A (ap c_2Earithmetic_2ENUMERAL V6n)) (ap c_2Earithmetic_2ENUMERAL V7m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2A V6n) V7m)))))) \wedge ((\forall V8n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D c_2Enum_2E0) V8n) = c_2Enum_2E0)) \wedge ((\forall V9n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D V9n) c_2Enum_2E0) = V9n)) \wedge ((\forall V10n \in ty_2Enum_2Enum.(\forall V11m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D (ap c_2Earithmetic_2ENUMERAL V10n)) (ap c_2Earithmetic_2ENUMERAL V11m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D V10n) V11m)))))) \wedge ((\forall V12n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEEXP c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 V12n))) = c_2Enum_2E0)) \wedge ((\forall V13n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEEXP c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT2 V13n))) = c_2Enum_2E0)) \wedge ((\forall V14n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEEXP V14n) c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) \wedge ((\forall V15n \in ty_2Enum_2Enum.(\forall V16m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEEXP (ap c_2Earithmetic_2ENUMERAL V15n)) (ap c_2Earithmetic_2ENUMERAL V16m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2EEEXP V15n) V16m)))))) \wedge (((ap c_2Enum_2ESUC c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))) \wedge ((\forall V17n \in ty_2Enum_2Enum.((ap c_2Enum_2ESUC (ap c_2Earithmetic_2ENUMERAL V17n)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Enum_2ESUC V17n)))))) \wedge (((ap c_2Eprim_rec_2EPRE c_2Enum_2E0) = c_2Enum_2E0) \wedge ((\forall V18n \in ty_2Enum_2Enum.((ap c_2Eprim_rec_2EPRE (ap c_2Earithmetic_2ENUMERAL V18n)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Eprim_rec_2EPRE V18n)))))) \wedge ((\forall V19n \in ty_2Enum_2Enum.((ap c_2Earithmetic_2ENUMERAL V19n) = c_2Enum_2E0) \Leftrightarrow (V19n = c_2Earithmetic_2EZERO))) \wedge ((\forall V20n \in ty_2Enum_2Enum.((c_2Enum_2E0 = (ap c_2Earithmetic_2ENUMERAL V20n)) \Leftrightarrow (V20n = c_2Earithmetic_2EZERO))) \wedge ((\forall V21n \in ty_2Enum_2Enum.((\forall V22m \in ty_2Enum_2Enum.(((ap c_2Earithmetic_2ENUMERAL V21n) = (ap c_2Earithmetic_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))))) \wedge ((\forall V23n \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C V23n) c_2Enum_2E0)) \Leftrightarrow False))) \wedge ((\forall V24n \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL V24n)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) V24n)))))) \wedge ((\forall V25n \in ty_2Enum_2Enum.((\forall V26m \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL V25n)) (ap c_2Earithmetic_2ENUMERAL V26m)))))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C V25n) V26m)))))) \wedge ((\forall V27n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3E c_2Enum_2E0) V27n)) \Leftrightarrow False))) \wedge ((\forall V28n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3E c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL V28n)) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL V28n)) c_2Enum_2E0)))))) \wedge ((\forall V29n \in ty_2Enum_2Enum.((\forall V30m \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C c_2Enum_2E0) V29n)) \Leftrightarrow False))) \wedge ((\forall V31n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C c_2Enum_2E0) V31n)) \Leftrightarrow True))) \wedge ((\forall V32n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C c_2Enum_2E0) V32n)) \Leftrightarrow True))) \wedge ((\forall V33n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C c_2Enum_2E0) V33n)) \Leftrightarrow True))) \wedge ((\forall V34n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C c_2Enum_2E0) V34n)) \Leftrightarrow True)))$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. \\
& ((p (ap (ap c_2Earithmetic_2E_3C_3D c_2Earithmetic_2EZERO) V0n)) \Leftrightarrow \\
& True) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& (ap c_2Earithmetic_2EBIT2 V0n)) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge \\
& (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT2 \\
& V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow (\neg(p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V1m) V0n))) \wedge ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT2 \\
& V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))))))))))) \\
\end{aligned} \tag{58}$$

Assume the following.

$$(p (ap (c_2Erelation_2EWF ty_2Enum_2Enum) c_2Eprim_rec_2E_3C)) \tag{59}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow (\\
& \forall V0R \in ((2^{A_27b})^{A_27b}). (\forall V1f \in (A_27b^{A_27a}). (\\
& p (ap (c_2Erelation_2EWF A_27b) V0R)) \Rightarrow (p (ap (c_2Erelation_2EWF \\
& A_27a) (ap (ap (c_2Erelation_2Einv_image A_27a A_27b) V0R) V1f)))))) \\
\end{aligned} \tag{60}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow (\\
& \forall V0f \in (A_27b^{A_27a}). (\forall V1R \in ((2^{A_27a})^{A_27a}). (\forall V2y \in \\
& A_27a. (\forall V3z \in A_27a. ((p (ap (ap V1R V2y) V3z)) \Rightarrow ((ap (ap (ap \\
& (ap (c_2Erelation_2ERESTRICT A_27a A_27b) V0f) V1R) V3z) V2y) = \\
& (ap V0f V2y))))))) \\
\end{aligned} \tag{61}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow (\\
& \forall V0M \in ((A_27b^{A_27a})^{(A_27b^{A_27a})}). (\forall V1R \in ((2^{A_27a})^{A_27a}). \\
& (\forall V2f \in (A_27b^{A_27a}). (V2f = (ap (ap (c_2Erelation_2EWFREC \\
& A_27a A_27b) V1R) V0M)) \Rightarrow ((p (ap (c_2Erelation_2EWF A_27a) V1R)) \Rightarrow \\
& (\forall V3x \in A_27a. ((ap V2f V3x) = (ap (ap V0M (ap (ap (c_2Erelation_2ERESTRICT \\
& A_27a A_27b) V2f) V1R) V3x))))))) \\
\end{aligned} \tag{62}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{63}$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (64)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (65)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (66)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (67)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V1q))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p))))))))))) \quad (68)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))) \quad (69)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))) \quad (70)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \quad (71)$$

Theorem 1

$$((ap c_2Erat_2Erat_of_num c_2Enum_2E0) = (ap c_2Erat_2Eabs_rat c_2Efrac_2Efrac_0))$$