

thm\_2EreaderMonad\_2EFMAP\_o  
(TMZ8v7jiqwAm5CQ21xaAiuJHGhrcK829JPT)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))))$

**Definition 4** We define  $c\_2Ecombin\_2Eo$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in (A\_27b^{A\_27c}).\lambda V1g \in (A\_27c^{A\_27a}).(\lambda V2x \in A\_27a.(ap V0f V2x) = (ap V1g V2x)))$

**Definition 5** We define  $c\_2EreaderMonad\_2EFMAP$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27s : \iota.\lambda V0f \in (A\_27b^{A\_27a}).(\lambda V1g \in (A\_27s^{A\_27a}).(\lambda V2x \in A\_27a.(ap V0f V2x) = (ap V1g V2x))))$

Assume the following.

$$True \tag{1}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p V0t)) \Leftrightarrow (p V0t))) \tag{2}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \tag{3}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{4}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow (\forall V0f \in (A\_27b^{A\_27a}).(\forall V1g \in (A\_27b^{A\_27a}).((V0f = V1g) \Leftrightarrow (\forall V2x \in A\_27a.((ap V0f V2x) = (ap V1g V2x)))))) \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& nonempty\ A\_27c \Rightarrow (\forall V0f \in (A\_27b^{A\_27a}). (\forall V1g \in (A\_27a^{A\_27c}). \\
& (\forall V2x \in A\_27c. ((ap\ (ap\ (ap\ (c\_2Ecombin\_2Eo\ A\_27c\ A\_27b\ A\_27a) \\
& V0f)\ V1g)\ V2x) = (ap\ V0f\ (ap\ V1g\ V2x))))))
\end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0f \in (A\_27b^{A\_27a}). \\
& (\forall V1g \in (A\_27a^{A\_27c}). (\forall V2h \in (A\_27c^{A\_27d}). ((ap\ ( \\
& ap\ (c\_2Ecombin\_2Eo\ A\_27d\ A\_27b\ A\_27a)\ V0f)\ (ap\ (ap\ (c\_2Ecombin\_2Eo \\
& A\_27d\ A\_27a\ A\_27c)\ V1g)\ V2h)) = (ap\ (ap\ (c\_2Ecombin\_2Eo\ A\_27d\ A\_27b \\
& A\_27c)\ (ap\ (ap\ (c\_2Ecombin\_2Eo\ A\_27c\ A\_27b\ A\_27a)\ V0f)\ V1g))\ V2h))))))
\end{aligned} \tag{7}$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0f \in (A\_27c^{A\_27d}). \\
& (\forall V1g \in (A\_27d^{A\_27b}). ((ap\ (c\_2EreaderMonad\_2EFMAP\ A\_27b \\
& A\_27c\ A\_27a)\ (ap\ (ap\ (c\_2Ecombin\_2Eo\ A\_27b\ A\_27c\ A\_27d)\ V0f)\ V1g)) = \\
& (ap\ (ap\ (c\_2Ecombin\_2Eo\ (A\_27b^{A\_27a})\ (A\_27c^{A\_27a})\ (A\_27d^{A\_27a})) \\
& (ap\ (c\_2EreaderMonad\_2EFMAP\ A\_27d\ A\_27c\ A\_27a)\ V0f))\ (ap\ (c\_2EreaderMonad\_2EFMAP \\
& A\_27b\ A\_27d\ A\_27a)\ V1g))))))
\end{aligned}$$