

thm\_2Ereal\_2EABS\_\_POW2  
(TMGdE9NqEoxWhueEeFG53ppjwpKFrdbBaWCN)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P))$

**Definition 4** We define  $c\_2Ebool\_2E\_EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_EF))$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \tag{1}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{2}$$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \tag{3}$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})\ ty\_2Erealax\_2Ereal) \tag{4}$$

**Definition 8** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if\ (\exists x \in A.p\ (ap\ P\ x))\ \mathbf{then}\ (the\ (\lambda x.x \in A \wedge p))$  of type  $\iota \Rightarrow \iota$ .

**Definition 9** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap (c\_2Emin\_2E40 (ty$

Let  $c\_2Erealax\_2Etrealm\_neg : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_neg \in ((ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)) \quad (5)$$

Let  $c\_2Erealax\_2Etrealm\_eq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_eq \in ((2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)) \quad (6)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal)^{(2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)}} \quad (7)$$

**Definition 10** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)$

**Definition 11** We define  $c\_2Erealax\_2Ereal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap c\_2Erealax\_2Ereal$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (8)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (9)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum)^{\omega} \quad (10)$$

**Definition 12** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal)^{ty\_2Enum\_2Enum} \quad (11)$$

Let  $c\_2Erealax\_2Etrealm\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_lt \in ((2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)) \quad (12)$$

**Definition 13** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 14** We define  $c\_2Ereal\_2Ereal\_lte$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

**Definition 15** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

**Definition 16** We define  $c\_2Ereal\_2Eabs$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.(ap (ap (ap (c\_2Ebool\_2ECOND$

**Definition 17** We define  $c\_2\text{Earithmetic\_2EZERO}$  to be  $c\_2\text{Enum\_2E0}$ .

Let  $c\_2\text{Enum\_2EREP\_num} : \iota$  be given. Assume the following.

$$c\_2\text{Enum\_2EREP\_num} \in (\text{omega}^{ty\_2\text{Enum\_2Enum}}) \quad (13)$$

Let  $c\_2\text{Enum\_2ESUC\_REP} : \iota$  be given. Assume the following.

$$c\_2\text{Enum\_2ESUC\_REP} \in (\text{omega}^{\text{omega}}) \quad (14)$$

**Definition 18** We define  $c\_2\text{Enum\_2ESUC}$  to be  $\lambda V0m \in ty\_2\text{Enum\_2Enum} . (ap\ c\_2\text{Enum\_2EABS\_num}$

Let  $c\_2\text{Earithmetic\_2E\_2B} : \iota$  be given. Assume the following.

$$c\_2\text{Earithmetic\_2E\_2B} \in ((ty\_2\text{Enum\_2Enum}^{ty\_2\text{Enum\_2Enum}})_{ty\_2\text{Enum\_2Enum}}) \quad (15)$$

**Definition 19** We define  $c\_2\text{Earithmetic\_2EBIT2}$  to be  $\lambda V0n \in ty\_2\text{Enum\_2Enum} . (ap\ (ap\ c\_2\text{Earithmetic}$

**Definition 20** We define  $c\_2\text{Earithmetic\_2ENUMERAL}$  to be  $\lambda V0x \in ty\_2\text{Enum\_2Enum} . V0x$ .

Let  $c\_2\text{Ereal\_2Epow} : \iota$  be given. Assume the following.

$$c\_2\text{Ereal\_2Epow} \in ((ty\_2\text{Erealax\_2Ereal}^{ty\_2\text{Enum\_2Enum}})_{ty\_2\text{Erealax\_2Ereal}}) \quad (16)$$

Assume the following.

$$\text{True} \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2 . (((\text{True} \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow \text{True}) \Leftrightarrow \\ & (p\ V0t)) \wedge (((\text{False} \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow \text{False}) \Leftrightarrow \neg( \\ & p\ V0t)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty\_2\text{Erealax\_2Ereal} . (((ap\ c\_2\text{Ereal\_2Eabs}\ V0x) = \\ & V0x) \Leftrightarrow (p\ (ap\ (ap\ c\_2\text{Ereal\_2Ereal\_lte}\ (ap\ c\_2\text{Ereal\_2Ereal\_of\_num}\ \\ & c\_2\text{Enum\_2E0}))\ V0x)))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty\_2\text{Erealax\_2Ereal} . (p\ (ap\ (ap\ c\_2\text{Ereal\_2Ereal\_lte}\ \\ & (ap\ c\_2\text{Ereal\_2Ereal\_of\_num}\ c\_2\text{Enum\_2E0}))\ (ap\ (ap\ c\_2\text{Ereal\_2Epow}\ \\ & V0x)\ (ap\ c\_2\text{Earithmetic\_2ENUMERAL}\ (ap\ c\_2\text{Earithmetic\_2EBIT2}\ \\ & c\_2\text{Earithmetic\_2EZERO)))))) \end{aligned} \quad (20)$$

**Theorem 1**

$$\begin{aligned} & (\forall V0x \in ty\_2\text{Erealax\_2Ereal} . (((ap\ c\_2\text{Ereal\_2Eabs}\ (ap\ (ap\ \\ & c\_2\text{Ereal\_2Epow}\ V0x)\ (ap\ c\_2\text{Earithmetic\_2ENUMERAL}\ (ap\ c\_2\text{Earithmetic\_2EBIT2}\ \\ & c\_2\text{Earithmetic\_2EZERO)))) = (ap\ (ap\ c\_2\text{Ereal\_2Epow}\ V0x)\ (ap\ c\_2\text{Earithmetic\_2ENUMERAL}\ \\ & (ap\ c\_2\text{Earithmetic\_2EBIT2}\ c\_2\text{Earithmetic\_2EZERO)))))) \end{aligned}$$