

# thm\_2Ereal\_2ENUM\_\_FLOOR\_\_LE (TM- bYX1sVCA67gcKxamtYfmUXoLKGqPPHthL)

October 26, 2020

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let  $c\_2Earithmetic\_2EEVEN : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEVEN \in (2^{ty\_2Enum\_2Enum}) \tag{2}$$

Let  $c\_2Earithmetic\_2EODD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EODD \in (2^{ty\_2Enum\_2Enum}) \tag{3}$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2EF$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (omega^{ty\_2Enum\_2Enum}) \tag{4}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (omega^{omega}) \tag{5}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{omega}) \tag{6}$$

**Definition 8** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

**Definition 9** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x))$  **then** (the  $(\lambda x.x \in A \wedge p$   
of type  $\iota \Rightarrow \iota$ ).

**Definition 10** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 11** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 12** We define  $c\_2Earithmetic\_2E\_3E$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 13** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

**Definition 14** We define  $c\_2Earithmetic\_2E\_3E\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \text{omega} \quad (7)$$

**Definition 15** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 16** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

**Definition 17** We define  $c\_2Eprim\_rec\_2EPRE$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ (ap\ (ap\ (c\_2Ebool\_2E$

Let  $c\_2Earithmetic\_2EEXP : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (8)$$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (9)$$

**Definition 18** We define  $c\_2Enumeral\_2EiZ$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (10)$$

**Definition 19** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic$

**Definition 20** We define  $c\_2Earithmetic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

Let  $c\_2Earithmetic\_2E\_2A : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2A \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (11)$$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (12)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (13)$$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \quad (14)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal}) \quad (15)$$

**Definition 21** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap\ (c\_2Emin\_2E40\ ty\_2Erealax\_2Ereal)\ a)$

Let  $c\_2Erealax\_2Etrealmul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealmul \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal})^{ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal})^{ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal} \quad (16)$$

Let  $c\_2Erealax\_2Etrealeq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealeq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal})^{ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal} \quad (17)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal)^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal}} \quad (18)$$

**Definition 22** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)$

**Definition 23** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

Let  $c\_2Erealax\_2Ereal\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal})^{ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal} \quad (19)$$

**Definition 24** We define  $c\_2Erealax\_2Ereal\_lte$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 25** We define  $c\_2Ereal\_2Ereal\_lte$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

Let  $c\_2Erealax\_2Ereal\_mul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_mul \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal})^{ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal})^{ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal} \quad (20)$$

**Definition 26** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 27** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

**Definition 28** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic\_2E\_2B V0n) c\_2Enum\_2E0)$

**Definition 29** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (21)$$

**Definition 30** We define  $c\_2Ereal\_2Ereal\_gt$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

**Definition 31** We define  $c\_2Ecombin\_2Eo$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in (A\_27b^{A\_27c}).\lambda V1g \in (A\_27a^{A\_27c})$

Let  $c\_2Ewhile\_2EWHILE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Ewhile\_2EWHILE A\_27a \in (((A\_27a^{A\_27a})^{(A\_27a^{A\_27a})})^{(2^{A\_27a})}) \quad (22)$$

**Definition 32** We define  $c\_2Ewhile\_2ELEAST$  to be  $\lambda V0P \in (2^{ty\_2Enum\_2Enum}).(ap (ap (ap (c\_2Ewhile\_2EWHILE P) V0m) V0m) V0m)$

**Definition 33** We define  $c\_2Ereal\_2ENUM\_2FLOOR$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.(ap c\_2Ewhile\_2ELEAST (ap c\_2Ereal\_2Ereal\_of\_num x))$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.( \\ & ((ap (ap c\_2Earithmetic\_2E\_2B c\_2Enum\_2E0) V0m) = V0m) \wedge (((ap ( \\ & ap c\_2Earithmetic\_2E\_2B V0m) c\_2Enum\_2E0) = V0m) \wedge (((ap (ap c\_2Earithmetic\_2E\_2B \\ & (ap c\_2Enum\_2ESUC V0m)) V1n) = (ap c\_2Enum\_2ESUC (ap (ap c\_2Earithmetic\_2E\_2B \\ & V0m) V1n))) \wedge ((ap (ap c\_2Earithmetic\_2E\_2B V0m) (ap c\_2Enum\_2ESUC \\ & V1n)) = (ap c\_2Enum\_2ESUC (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n)))))))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.( \\ & (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n) = (ap (ap c\_2Earithmetic\_2E\_2B \\ & V1n) V0m)))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum.((V0m = c\_2Enum\_2E0) \vee (\exists V1n \in \\ & ty\_2Enum\_2Enum.(V0m = (ap c\_2Enum\_2ESUC V1n)))))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.( \\ & (\neg(p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) V1n))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\ & V1n) V0m)))))) \end{aligned} \quad (26)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.((ap\ c\_2Enum\_2ESUC\ V0m) = (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO)))))) \quad (27)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.((ap\ (ap\ c\_2Earithmetic\_2E\_2A\ V0m)\ (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO)))) = V0m)) \quad (28)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.((ap\ (ap\ c\_2Earithmetic\_2E\_2A\ c\_2Enum\_2E0)\ V0m) = c\_2Enum\_2E0) \wedge (((ap\ (ap\ c\_2Earithmetic\_2E\_2A\ V0m)\ c\_2Enum\_2E0) = c\_2Enum\_2E0) \wedge (((ap\ (ap\ c\_2Earithmetic\_2E\_2A\ (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO)))\ V0m) = V0m) \wedge (((ap\ (ap\ c\_2Earithmetic\_2E\_2A\ V0m)\ (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO))) = V0m) \wedge ((ap\ (ap\ c\_2Earithmetic\_2E\_2A\ (ap\ c\_2Enum\_2ESUC\ V0m))\ V1n) = (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ (ap\ c\_2Earithmetic\_2E\_2A\ V0m)\ V1n))\ V1n)) \wedge ((ap\ (ap\ c\_2Earithmetic\_2E\_2A\ V0m)\ (ap\ c\_2Enum\_2ESUC\ V1n)) = (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ (ap\ (ap\ c\_2Earithmetic\_2E\_2A\ V0m)\ V1n)))))))))) \quad (29)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.(\forall V2p \in ty\_2Enum\_2Enum.((p\ (ap\ (ap\ c\_2Earithmetic\_2E\_3C\_3D\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ V1n))\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0m)\ V2p))) \Leftrightarrow (p\ (ap\ (ap\ c\_2Earithmetic\_2E\_3C\_3D\ V1n)\ V2p)))))) \quad (30)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.((ap\ c\_2Enum\_2ESUC\ V0n) = (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO)))\ V0n))) \quad (31)$$

Assume the following.

$$True \quad (32)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p\ V0t) \Leftrightarrow (p\ V0t)))) \quad (33)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\
& (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (34)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\
& (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (35)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True))) \quad (36)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in \\
& A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (37)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\
& p V0t)))))) \quad (38)
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow False) \Leftrightarrow ((p V0t) \Leftrightarrow False))) \quad (39)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow \\
& ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (40)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in \\
& 2.(((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))))) \Rightarrow \\
& (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27)))))) \quad (41)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B \\
& \quad c\_2Enum\_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty\_2Enum\_2Enum.((ap \\
& \quad (ap c\_2Earithmetic\_2E\_2B V1n) c\_2Enum\_2E0) = V1n)) \wedge ((\forall V2n \in \\
& \quad ty\_2Enum\_2Enum.(\forall V3m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V2n)) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V3m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Enumeral\_2EiZ (ap \\
& \quad (ap c\_2Earithmetic\_2E\_2B V2n) V3m)))))) \wedge ((\forall V4n \in ty\_2Enum\_2Enum. \\
& \quad ((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V4n) = c\_2Enum\_2E0)) \wedge \\
& \quad ((\forall V5n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A \\
& \quad V5n) c\_2Enum\_2E0) = c\_2Enum\_2E0)) \wedge ((\forall V6n \in ty\_2Enum\_2Enum. \\
& \quad (\forall V7m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A ( \\
& \quad ap c\_2Earithmetic\_2ENUMERAL V6n)) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V7m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2A \\
& \quad V6n) V7m)))))) \wedge ((\forall V8n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D \\
& \quad c\_2Enum\_2E0) V8n) = c\_2Enum\_2E0)) \wedge ((\forall V9n \in ty\_2Enum\_2Enum. \\
& \quad ((ap (ap c\_2Earithmetic\_2E\_2D V9n) c\_2Enum\_2E0) = V9n)) \wedge ((\forall V10n \in \\
& \quad ty\_2Enum\_2Enum.(\forall V11m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V10n)) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V11m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D \\
& \quad V10n) V11m)))))) \wedge ((\forall V12n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEXP \\
& \quad c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
& \quad V12n))) = c\_2Enum\_2E0)) \wedge ((\forall V13n \in ty\_2Enum\_2Enum.((ap \\
& \quad (ap c\_2Earithmetic\_2EEXP c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Earithmetic\_2EBIT2 V13n))) = c\_2Enum\_2E0)) \wedge ((\forall V14n \in \\
& \quad ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEXP V14n) c\_2Enum\_2E0) = \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) \wedge \\
& \quad ((\forall V15n \in ty\_2Enum\_2Enum.(\forall V16m \in ty\_2Enum\_2Enum. \\
& \quad ((ap (ap c\_2Earithmetic\_2EEXP (ap c\_2Earithmetic\_2ENUMERAL V15n)) \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V16m)) = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap (ap c\_2Earithmetic\_2EEXP V15n) V16m)))))) \wedge ((ap c\_2Enum\_2ESUC \\
& \quad c\_2Enum\_2E0) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
& \quad c\_2Earithmetic\_2EZERO))) \wedge ((\forall V17n \in ty\_2Enum\_2Enum. ( \\
& \quad (ap c\_2Enum\_2ESUC (ap c\_2Earithmetic\_2ENUMERAL V17n)) = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Enum\_2ESUC V17n)))))) \wedge ((ap c\_2Eprim\_rec\_2EPRE c\_2Enum\_2E0) = \\
& \quad c\_2Enum\_2E0) \wedge ((\forall V18n \in ty\_2Enum\_2Enum.((ap c\_2Eprim\_rec\_2EPRE \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V18n)) = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Eprim\_rec\_2EPRE V18n)))))) \wedge ((\forall V19n \in ty\_2Enum\_2Enum. \\
& \quad (((ap c\_2Earithmetic\_2ENUMERAL V19n) = c\_2Enum\_2E0) \Leftrightarrow (V19n = c\_2Earithmetic\_2EZERO))) \wedge \\
& \quad ((\forall V20n \in ty\_2Enum\_2Enum.((c\_2Enum\_2E0 = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V20n)) \Leftrightarrow (V20n = c\_2Earithmetic\_2EZERO))) \wedge ((\forall V21n \in ty\_2Enum\_2Enum. \\
& \quad (\forall V22m \in ty\_2Enum\_2Enum.(((ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V21n) = (ap c\_2Earithmetic\_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))))) \wedge \\
& \quad ((\forall V23n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V23n) c\_2Enum\_2E0)) \Leftrightarrow False)) \wedge ((\forall V24n \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V24n))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) \\
& \quad V24n)))))) \wedge ((\forall V25n \in ty\_2Enum\_2Enum.(\forall V26m \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Eprim\_rec\_2E\_3C (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V25n)) (ap c\_2Earithmetic\_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V25n) V26m)))))) \wedge ((\forall V27n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3E \\
& \quad c\_2Enum\_2E0) V27n)) \Leftrightarrow False)) \wedge ((\forall V28n \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Earithmetic\_2E\_3E (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V28n)) c\_2Enum\_2E0)) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) \\
& \quad V28n)))))) \wedge ((\forall V29n \in ty\_2Enum\_2Enum.(\forall V30m \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Earithmetic\_2E\_3E (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V29n)) (ap c\_2Earithmetic\_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V30m) V29n)))))) \wedge ((\forall V31n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& \quad c\_2Enum\_2E0) V31n)) \Leftrightarrow True)) \wedge ((\forall V32n \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2ENUMERAL
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\
& ((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmic\_2EZERO) (ap c\_2Earithmic\_2EBIT1 \\
& V0n))) \Leftrightarrow True) \wedge (((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmic\_2EZERO) \\
& (ap c\_2Earithmic\_2EBIT2 V0n))) \Leftrightarrow True) \wedge (((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& V0n) c\_2Earithmic\_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& (ap c\_2Earithmic\_2EBIT1 V0n)) (ap c\_2Earithmic\_2EBIT1 V1m))) \Leftrightarrow \\
& (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0n) V1m))) \wedge (((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& (ap c\_2Earithmic\_2EBIT2 V0n)) (ap c\_2Earithmic\_2EBIT2 V1m))) \Leftrightarrow \\
& (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0n) V1m))) \wedge (((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& (ap c\_2Earithmic\_2EBIT1 V0n)) (ap c\_2Earithmic\_2EBIT2 V1m))) \Leftrightarrow \\
& (\neg (p (ap (ap c\_2Eprim\_rec\_2E\_3C V1m) V0n))) \wedge ((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& (ap c\_2Earithmic\_2EBIT2 V0n)) (ap c\_2Earithmic\_2EBIT1 V1m))) \Leftrightarrow \\
& (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0n) V1m))))))))))
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\
& ((p (ap (ap c\_2Earithmic\_2E\_3C\_3D c\_2Earithmic\_2EZERO) V0n))) \Leftrightarrow \\
& True) \wedge (((p (ap (ap c\_2Earithmic\_2E\_3C\_3D (ap c\_2Earithmic\_2EBIT1 \\
& V0n)) c\_2Earithmic\_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c\_2Earithmic\_2E\_3C\_3D \\
& (ap c\_2Earithmic\_2EBIT2 V0n)) c\_2Earithmic\_2EZERO)) \Leftrightarrow False) \wedge \\
& (((p (ap (ap c\_2Earithmic\_2E\_3C\_3D (ap c\_2Earithmic\_2EBIT1 \\
& V0n)) (ap c\_2Earithmic\_2EBIT1 V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmic\_2E\_3C\_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c\_2Earithmic\_2E\_3C\_3D (ap c\_2Earithmic\_2EBIT1 \\
& V0n)) (ap c\_2Earithmic\_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmic\_2E\_3C\_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c\_2Earithmic\_2E\_3C\_3D (ap c\_2Earithmic\_2EBIT2 \\
& V0n)) (ap c\_2Earithmic\_2EBIT1 V1m))) \Leftrightarrow (\neg (p (ap (ap c\_2Earithmic\_2E\_3C\_3D \\
& V1m) V0n)))) \wedge (((p (ap (ap c\_2Earithmic\_2E\_3C\_3D (ap c\_2Earithmic\_2EBIT2 \\
& V0n)) (ap c\_2Earithmic\_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmic\_2E\_3C\_3D \\
& V0n) V1m))))))))))
\end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. ((ap (ap c\_2Erealax\_2Ereal\_add \\
& V0x) (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) = V0x))
\end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& ((\neg (p (ap (ap c\_2Erealax\_2Ereal\_lt V0x) V1y))) \Leftrightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte \\
& V1y) V0x))))))
\end{aligned} \tag{46}$$



Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.(p (ap (ap c\_2Ereal\_2Ereal\_lte (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) (ap c\_2Ereal\_2Ereal\_of\_num V0n)))) \quad (47)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.(p (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num V0m)) (ap c\_2Ereal\_2Ereal\_of\_num V1n)))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) V1n)))) \quad (48)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.(p (ap (ap c\_2Erealax\_2Ereal\_add (ap c\_2Ereal\_2Ereal\_of\_num V0m)) (ap c\_2Ereal\_2Ereal\_of\_num V1n)) = (ap c\_2Ereal\_2Ereal\_of\_num (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n)))))) \quad (49)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.(p (ap (ap c\_2Erealax\_2Ereal\_mul (ap c\_2Ereal\_2Ereal\_of\_num V0m)) (ap c\_2Ereal\_2Ereal\_of\_num V1n)) = (ap c\_2Ereal\_2Ereal\_of\_num (ap (ap c\_2Earithmetic\_2E\_2A V0m) V1n)))))) \quad (50)$$

Assume the following.

$$(\forall V0w \in ty\_2Erealax\_2Ereal.(\forall V1x \in ty\_2Erealax\_2Ereal.(\forall V2y \in ty\_2Erealax\_2Ereal.(\forall V3z \in ty\_2Erealax\_2Ereal.(((p (ap (ap c\_2Erealax\_2Ereal\_lt V0w) V1x)) \wedge (p (ap (ap c\_2Ereal\_2Ereal\_lte V2y) V3z)))) \Rightarrow (p (ap (ap c\_2Erealax\_2Ereal\_lt (ap (ap c\_2Erealax\_2Ereal\_add V0w) V2y)) (ap (ap c\_2Erealax\_2Ereal\_add V1x) V3z)))))))))) \quad (51)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.((p (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) V0x)) \Rightarrow (\forall V1y \in ty\_2Erealax\_2Ereal.(\exists V2n \in ty\_2Enum\_2Enum.(p (ap (ap c\_2Erealax\_2Ereal\_lt V1y) (ap (ap c\_2Erealax\_2Ereal\_mul (ap c\_2Ereal\_2Ereal\_of\_num V2n)) V0x)))))))))) \quad (52)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (53)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (54)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (55)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (56)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (57)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (58)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (59)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (60)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (61)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (62)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (63)$$

Assume the following.

$$(\forall V0Q \in (2^{ty\_2Enum\_2Enum}). (\forall V1P \in (2^{ty\_2Enum\_2Enum}). (((\exists V2n \in ty\_2Enum\_2Enum. (p (ap V1P V2n))) \wedge (\forall V3n \in ty\_2Enum\_2Enum. (((\forall V4m \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Eprim\_rec\_2E\_3C V4m) V3n)) \Rightarrow (\neg(p (ap V1P V4m)))) \wedge (p (ap V1P V3n))) \Rightarrow (p (ap V0Q V3n)))))) \Rightarrow (p (ap V0Q (ap c\_2Ewhile\_2ELEAST V1P)))))) \quad (64)$$

**Theorem 1**

$$\begin{aligned} & (\forall V0x \in ty\_2Erealax\_2Ereal. ((p (ap (ap c\_2Ereal\_2Ereal\_lte \\ & (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) V0x)) \Rightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte \\ & (ap c\_2Ereal\_2Ereal\_of\_num (ap c\_2Ereal\_2ENUM\_FLOOR V0x))) \\ & V0x)))) \end{aligned}$$