

# thm\_2Ereal\_2EREAL (TMWrbeHj1mgbghUkUog83iSxpR8umh4JpeK)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_21$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \tag{1}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{2}$$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \tag{3}$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})_{ty\_2Erealax}) \tag{4}$$

**Definition 3** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap\ P\ x))$  **then** (the  $(\lambda x.x \in A \wedge p)$  of type  $\iota \Rightarrow \iota$ ).

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a})))$

**Definition 5** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap (c\_2Emin\_2E\_40 (ty$

Let  $c\_2Erealax\_2Etreall\_add : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreall\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)_{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)})_{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)})_{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)} \tag{5}$$

Let  $c\_2Erealax\_2Etreall\_eq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreall\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)) \quad (6)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal)^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})} \quad (7)$$

**Definition 6** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)$

**Definition 7** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (8)$$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (9)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (10)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (11)$$

**Definition 8** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ m)$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (12)$$

**Definition 9** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 10** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 11** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ t1\ t2)))$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (13)$$

**Definition 12** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2EABS\_prod\ x\ y))$

**Definition 13** We define  $c\_2Ehrat\_2Etrat\_1$  to be  $(ap\ (ap\ (c\_2Epair\_2E\_2C\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)))$

Let  $c\_2Eh\_rat\_2E\_tr\_at\_eq : \iota$  be given. Assume the following.

$$c\_2Eh\_rat\_2E\_tr\_at\_eq \in ((2^{(ty\_2E\_pair\_2E\_prod\ ty\_2E\_num\_2E\_num\ ty\_2E\_num\_2E\_num)})^{(ty\_2E\_pair\_2E\_prod\ ty\_2E\_num\_2E\_num)}) \quad (14)$$

Let  $ty\_2Eh\_rat\_2Eh\_rat : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eh\_rat\_2Eh\_rat \quad (15)$$

Let  $c\_2Eh\_rat\_2Eh\_rat\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Eh\_rat\_2Eh\_rat\_ABS\_CLASS \in (ty\_2Eh\_rat\_2Eh\_rat^{(2^{(ty\_2E\_pair\_2E\_prod\ ty\_2E\_num\_2E\_num\ ty\_2E\_num\_2E\_num)})}) \quad (16)$$

**Definition 14** We define  $c\_2Eh\_rat\_2Eh\_rat\_ABS$  to be  $\lambda V0r \in (ty\_2E\_pair\_2E\_prod\ ty\_2E\_num\_2E\_num\ ty\_2E\_num\_2E\_num)$

**Definition 15** We define  $c\_2Eh\_rat\_2Eh\_rat\_1$  to be  $(ap\ c\_2Eh\_rat\_2Eh\_rat\_ABS\ c\_2Eh\_rat\_2E\_tr\_at\_1)$ .

Let  $c\_2Eh\_rat\_2Eh\_rat\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Eh\_rat\_2Eh\_rat\_REP\_CLASS \in ((2^{(ty\_2E\_pair\_2E\_prod\ ty\_2E\_num\_2E\_num\ ty\_2E\_num\_2E\_num)})^{ty\_2Eh\_rat\_2Eh\_rat}) \quad (17)$$

**Definition 16** We define  $c\_2Eh\_rat\_2Eh\_rat\_REP$  to be  $\lambda V0a \in ty\_2Eh\_rat\_2Eh\_rat.(ap\ (c\_2E\_min\_2E\_40\ (ty\_2E\_num\_2E\_num)))$

Let  $c\_2Eh\_rat\_2E\_tr\_at\_add : \iota$  be given. Assume the following.

$$c\_2Eh\_rat\_2E\_tr\_at\_add \in (((ty\_2E\_pair\_2E\_prod\ ty\_2E\_num\_2E\_num\ ty\_2E\_num\_2E\_num)^{ty\_2E\_pair\_2E\_prod\ ty\_2E\_num\_2E\_num})^{(ty\_2E\_pair\_2E\_prod\ ty\_2E\_num\_2E\_num)}) \quad (18)$$

**Definition 17** We define  $c\_2Eh\_rat\_2Eh\_rat\_add$  to be  $\lambda V0T1 \in ty\_2Eh\_rat\_2Eh\_rat.\lambda V1T2 \in ty\_2Eh\_rat\_2Eh\_rat$

**Definition 18** We define  $c\_2E\_bool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P\ (ap\ (c\_2E\_min\_2E\_40\ (ty\_2E\_num\_2E\_num))))$

**Definition 19** We define  $c\_2Eh\_real\_2Eh\_rat\_lt$  to be  $\lambda V0x \in ty\_2Eh\_rat\_2Eh\_rat.\lambda V1y \in ty\_2Eh\_rat\_2Eh\_rat$

**Definition 20** We define  $c\_2Eh\_real\_2E\_cut\_of\_hrat$  to be  $\lambda V0x \in ty\_2Eh\_rat\_2Eh\_rat.(\lambda V1y \in ty\_2Eh\_rat\_2Eh\_rat)$

Let  $c\_2Eh\_real\_2Eh\_real : \iota$  be given. Assume the following.

$$c\_2Eh\_real\_2Eh\_real \in (ty\_2Eh\_real\_2Eh\_real^{(2^{ty\_2Eh\_rat\_2Eh\_rat})}) \quad (19)$$

**Definition 21** We define  $c\_2Eh\_real\_2Eh\_real\_1$  to be  $(ap\ c\_2Eh\_real\_2Eh\_real\ (ap\ c\_2Eh\_real\_2E\_cut\_of\_hrat))$

**Definition 22** We define  $c\_2E\_realax\_2E\_treal\_0$  to be  $(ap\ (ap\ (c\_2E\_pair\_2E\_2C\ ty\_2Eh\_real\_2Eh\_real\ ty\_2Eh\_real)))$

**Definition 23** We define  $c\_2E\_realax\_2E\_real\_0$  to be  $(ap\ c\_2E\_realax\_2E\_real\_ABS\ c\_2E\_realax\_2E\_treal\_0)$ .

**Definition 24** We define  $c\_2E\_arithmic\_2E\_ZERO$  to be  $c\_2E\_num\_2E0$ .

Let  $c\_2E\_arithmic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2E\_arithmic\_2E\_2B \in ((ty\_2E\_num\_2E\_num)^{ty\_2E\_num\_2E\_num})^{ty\_2E\_num\_2E\_num} \quad (20)$$

**Definition 25** We define  $c\_2Earithmic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmic\_2EBIT1$

**Definition 26** We define  $c\_2Earithmic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (21)$$

Let  $c\_2Ehreal\_2Ecut : \iota$  be given. Assume the following.

$$c\_2Ehreal\_2Ecut \in ((2^{ty\_2Ehreal\_2Ehreal})^{ty\_2Ehreal\_2Ehreal}) \quad (22)$$

**Definition 27** We define  $c\_2Ehreal\_2Ehreal\_add$  to be  $\lambda V0X \in ty\_2Ehreal\_2Ehreal.\lambda V1Y \in ty\_2Ehreal\_2Ehreal$

**Definition 28** We define  $c\_2Erealax\_2Ereal\_1$  to be  $(ap (ap (c\_2Epair\_2E\_2C ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal$

**Definition 29** We define  $c\_2Erealax\_2Ereal\_1$  to be  $(ap c\_2Erealax\_2Ereal\_ABS c\_2Erealax\_2Ereal\_1)$ .

Assume the following.

$$True \quad (23)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (24)$$

Assume the following.

$$\begin{aligned} &(((ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0) = c\_2Erealax\_2Ereal\_0) \wedge \\ &(\forall V0n \in ty\_2Enum\_2Enum.((ap c\_2Ereal\_2Ereal\_of\_num \\ (ap c\_2Enum\_2ESUC V0n)) = (ap (ap c\_2Erealax\_2Ereal\_add (ap c\_2Ereal\_2Ereal\_of\_num \\ V0n)) c\_2Erealax\_2Ereal\_1)))) \end{aligned} \quad (25)$$

Assume the following.

$$(c\_2Erealax\_2Ereal\_1 = (ap c\_2Ereal\_2Ereal\_of\_num (ap c\_2Earithmic\_2ENUMERAL (ap c\_2Earithmic\_2EBIT1 c\_2Earithmic\_2EZERO)))) \quad (26)$$

**Theorem 1**

$$\begin{aligned} &(\forall V0n \in ty\_2Enum\_2Enum.((ap c\_2Ereal\_2Ereal\_of\_num \\ (ap c\_2Enum\_2ESUC V0n)) = (ap (ap c\_2Erealax\_2Ereal\_add (ap c\_2Ereal\_2Ereal\_of\_num \\ V0n)) (ap c\_2Ereal\_2Ereal\_of\_num (ap c\_2Earithmic\_2ENUMERAL \\ (ap c\_2Earithmic\_2EBIT1 c\_2Earithmic\_2EZERO)))))) \end{aligned}$$