

thm_2Ereal_2EREAL_1 (TMLf1tUFy1TtFX6uEVv21fpVDirCgmkbJo)

October 26, 2020

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 3 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 4 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V1x \in 2.V1x))$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ (ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{6}$$

Definition 7 We define `c.Earithmic.EBIT1` to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c.Earithmic.$

Definition 8 We define `c.Earithmic.ENUMERAL` to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 9 We define `c.Emin.E3D.3D.3E` to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 10 We define `c.Ebool.E2F.5C` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c.Ebool.E21 2) (\lambda V2t \in$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (7)$$

Let `c_2Epair_2EABS_prod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c_2Epair_2EABS_prod A.27a A.27b \in ((ty_2Epair_2Eprod A.27a A.27b)^{(2^{A.27b})^{A.27a}}) \quad (8)$$

Definition 11 We define `c_2Epair_2E_2C` to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0x \in A.27a.\lambda V1y \in A.27b.(ap (c.$

Definition 12 We define `c.Ehrat.Etrat_1` to be $(ap (ap (c_2Epair_2E_2C ty_2Enum_2Enum ty_2Enum.$

Let `c_2Ehrat_2Etrat_eq` : ι be given. Assume the following.

$$c_2Ehrat_2Etrat_eq \in ((2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{(ty_2Epair_2Eprod ty_2Enum_2Enum)}) \quad (9)$$

Let `ty_2Ehrat_2Ehrat` : ι be given. Assume the following.

$$nonempty ty_2Ehrat_2Ehrat \quad (10)$$

Let `c_2Ehrat_2Ehrat_ABS_CLASS` : ι be given. Assume the following.

$$c_2Ehrat_2Ehrat_ABS_CLASS \in (ty_2Ehrat_2Ehrat^{(2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})}) \quad (11)$$

Definition 13 We define `c_2Ehrat_2Ehrat_ABS` to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum.$

Definition 14 We define `c_2Ehrat_2Ehrat_1` to be $(ap c_2Ehrat_2Ehrat_ABS c_2Ehrat_2Etrat_1)$.

Let `c_2Ehrat_2Ehrat_REP_CLASS` : ι be given. Assume the following.

$$c_2Ehrat_2Ehrat_REP_CLASS \in ((2^{(ty_2Epair_2Eprod ty_2Enum_2Enum ty_2Enum_2Enum)})^{ty_2Ehrat_2Ehrat}) \quad (12)$$

Definition 15 We define `c_2Emin_2E_40` to be $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge$ of type $\iota \Rightarrow \iota$.

Definition 16 We define `c_2Ehrat_2Ehrat_REP` to be $\lambda V0a \in ty_2Ehrat_2Ehrat.(ap (c_2Emin_2E_40 (ty_2Enum.$

Let $c_2Eh_rat_2E_trac_add : \iota$ be given. Assume the following.

$$c_2Eh_rat_2E_trac_add \in (((ty_2Epair_2Eprod\ ty_2Eenum_2Eenum\ ty_2Eenum_2Eenum)^{(ty_2Epair_2Eprod\ ty_2Eenum_2Eenum)})) \quad (13)$$

Definition 17 We define $c_2Eh_rat_2E_trac_add$ to be $\lambda V0T1 \in ty_2Eh_rat_2E_trac.\lambda V1T2 \in ty_2Eh_rat_2E_trac$

Definition 18 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 19 We define $c_2Ehreal_2E_hrac_lt$ to be $\lambda V0x \in ty_2Eh_rat_2E_trac.\lambda V1y \in ty_2Eh_rat_2E_trac$

Definition 20 We define $c_2Ehreal_2E_cut_of_hrac$ to be $\lambda V0x \in ty_2Eh_rat_2E_trac.(\lambda V1y \in ty_2Eh_rat_2E_trac$

Let $ty_2Ehreal_2E_hreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2E_hreal \quad (14)$$

Let $c_2Ehreal_2E_hreal : \iota$ be given. Assume the following.

$$c_2Ehreal_2E_hreal \in (ty_2Ehreal_2E_hreal^{(2^{ty_2Eh_rat_2E_trac})}) \quad (15)$$

Definition 21 We define $c_2Ehreal_2E_hreal_1$ to be $(ap\ c_2Ehreal_2E_hreal\ (ap\ c_2Ehreal_2E_cut_of_hrac$

Let $c_2Ehreal_2E_cut : \iota$ be given. Assume the following.

$$c_2Ehreal_2E_cut \in ((2^{ty_2Eh_rat_2E_trac})^{ty_2Ehreal_2E_hreal}) \quad (16)$$

Definition 22 We define $c_2Ehreal_2E_hreal_add$ to be $\lambda V0X \in ty_2Ehreal_2E_hreal.\lambda V1Y \in ty_2Ehreal_2E_hreal$

Definition 23 We define $c_2Erealax_2E_treal_1$ to be $(ap\ (ap\ (c_2Epair_2E_2C\ ty_2Ehreal_2E_hreal\ ty_2Ehreal_2E_hreal$

Let $c_2Erealax_2E_treal_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2E_treal_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2E_hreal\ ty_2Ehreal_2E_hreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2E_hreal)}) \quad (17)$$

Let $ty_2Erealax_2E_treal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2E_treal \quad (18)$$

Let $c_2Erealax_2E_treal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2E_treal_ABS_CLASS \in (ty_2Erealax_2E_treal^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2E_hreal\ ty_2Ehreal_2E_hreal)})}) \quad (19)$$

Definition 24 We define $c_2Erealax_2E_treal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2E_hreal\ ty_2Ehreal_2E_hreal$

Definition 25 We define $c_2Erealax_2E_treal_1$ to be $(ap\ c_2Erealax_2E_treal_ABS\ c_2Erealax_2E_treal_1)$.

Let $c_2Ereal_2E_treal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2E_treal_of_num \in (ty_2Erealax_2E_treal^{ty_2Eenum_2Eenum}) \quad (20)$$

Definition 26 We define $c_2Erealax_2Ereal_0$ to be $(ap (ap (c_2Epair_2E_2C ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)))$

Definition 27 We define $c_2Erealax_2Ereal_0$ to be $(ap c_2Erealax_2Ereal_ABS c_2Erealax_2Ereal_0)$.

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal_REP_CLASS})$$
(21)

Definition 28 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E_40 (ty_2Erealax_2Ereal_REP a)))$

Let $c_2Erealax_2Ereal_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_add \in (((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal) (ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal))^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})$$
(22)

Definition 29 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.$

Assume the following.

$$((ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)) = (ap c_2Enum_2ESUC c_2Enum_2E0))$$
(23)

Assume the following.

$$True$$
(24)

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True))$$
(25)

Assume the following.

$$(((ap c_2Ereal_2Ereal_of_num c_2Enum_2E0) = c_2Erealax_2Ereal_0) \wedge (\forall V0n \in ty_2Eenum_2Eenum.((ap c_2Ereal_2Ereal_of_num (ap c_2Enum_2ESUC V0n)) = (ap (ap c_2Erealax_2Ereal_add (ap c_2Ereal_2Ereal_of_num V0n)) c_2Erealax_2Ereal_1))))$$
(26)

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.((ap (ap c_2Erealax_2Ereal_add c_2Erealax_2Ereal_0) V0x) = V0x))$$
(27)

Theorem 1

$$(c_2Erealax_2Ereal_1 = (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))))$$