

thm\_2Ereal\_2EREAL\_ARCH  
(TMXyPE65dLwkQ8HBtGEFzateS1jZiqJvGo8)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 3** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 4** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{4}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{5}$$

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))$

**Definition 6** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ (ap\ c\_2Enum\_2EREP\_num\ c\_2Enum\_2ESUC\_REP))$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{6}$$

**Definition 7** We define  $c\_2Earithmic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmic\_2EBIT1) n)$

**Definition 8** We define  $c\_2Earithmic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (7)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (8)$$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \quad (9)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal}) \quad (10)$$

**Definition 9** We define  $c\_2Emin\_2E40$  to be  $\lambda A.\lambda P \in 2^A$ .if  $(\exists x \in A.p (ap\ P\ x))$  then (the  $(\lambda x.x \in A \wedge p\ x)$  of type  $\iota \Rightarrow \iota$ ).

**Definition 10** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap (c\_2Emin\_2E40) a)$

Let  $c\_2Erealax\_2Etrealmul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealmul \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal})^{ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal}) \quad (11)$$

Let  $c\_2Erealax\_2Etrealeq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealeq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal}) \quad (12)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal)^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})} \quad (13)$$

**Definition 11** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)$

**Definition 12** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal)^{ty\_2Enum\_2Enum} \quad (14)$$

Let  $c\_2Erealax\_2Ereal\_add : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal})^{ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal}) \quad (15)$$

**Definition 13** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$ .  
Let  $c\_2Erealax\_2Etrealm\_neg : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_neg \in ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal) (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)) \quad (16)$$

**Definition 14** We define  $c\_2Erealax\_2Ereal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap\ c\_2Erealax\_2Ereal$ .

**Definition 15** We define  $c\_2Ereal\_2Ereal\_sub$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$ .

Let  $c\_2Erealax\_2Etrealm\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)} (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)) (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)) \quad (17)$$

**Definition 16** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$ .

**Definition 17** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 18** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2.$

**Definition 19** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 20** We define  $c\_2Ereal\_2Esup$  to be  $\lambda V0P \in (2^{ty\_2Erealax\_2Ereal}).(ap\ (c\_2Emin\_2E\_40\ ty\_2Erealax\_2Ereal$

**Definition 21** We define  $c\_2Ebool\_2E\_F$  to be  $(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 22** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_7E$

**Definition 23** We define  $c\_2Ereal\_2Ereal\_lte$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$ .

**Definition 24** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2.$

Assume the following.

$$True \quad (18)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (22)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (23)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (24)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (25)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (26)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.(\neg(p (ap (ap c\_2Erealax\_2Ereal\_lt V0x) V0x)))) \quad (27)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.((ap (ap c\_2Erealax\_2Ereal\_mul (ap c\_2Ereal\_2Ereal\_of\_num (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))) V0x) = V0x)) \quad (28)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.(\forall V1y \in ty\_2Erealax\_2Ereal.(\forall V2z \in ty\_2Erealax\_2Ereal.((ap (ap c\_2Erealax\_2Ereal\_mul (ap (ap c\_2Erealax\_2Ereal\_add V0x) V1y)) V2z) = (ap (ap c\_2Erealax\_2Ereal\_add (ap (ap c\_2Erealax\_2Ereal\_mul V0x) V2z)) (ap (ap c\_2Erealax\_2Ereal\_mul V1y) V2z)))))) \quad (29)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.(\forall V1y \in ty\_2Erealax\_2Ereal.((\neg(p (ap (ap c\_2Erealax\_2Ereal\_lt V0x) V1y))) \Leftrightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte V1y) V0x)))) \quad (30)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& ((p (ap (ap c\_2Erealax\_2Ereal\_lt V0x) (ap (ap c\_2Erealax\_2Ereal\_add \\
& V0x) V1y))) \Leftrightarrow (p (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num \\
& c\_2Enum\_2E0)) V1y))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& (ap (ap c\_2Erealax\_2Ereal\_add (ap c\_2Ereal\_2Ereal\_of\_num \\
& V0m)) (ap c\_2Ereal\_2Ereal\_of\_num V1n)) = (ap c\_2Ereal\_2Ereal\_of\_num \\
& (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& (\forall V2z \in ty\_2Erealax\_2Ereal. ((p (ap (ap c\_2Erealax\_2Ereal\_lt \\
& (ap (ap c\_2Ereal\_2Ereal\_sub V0x) V1y)) V2z)) \Leftrightarrow (p (ap (ap c\_2Erealax\_2Ereal\_lt \\
& V0x) (ap (ap c\_2Erealax\_2Ereal\_add V2z) V1y))))))
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{ty\_2Erealax\_2Ereal}). (((\exists V1x \in ty\_2Erealax\_2Ereal. \\
& (p (ap V0P V1x))) \wedge (\exists V2z \in ty\_2Erealax\_2Ereal. (\forall V3x \in \\
& ty\_2Erealax\_2Ereal. ((p (ap V0P V3x)) \Rightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte \\
& V3x) V2z)))))) \Rightarrow (\forall V4y \in ty\_2Erealax\_2Ereal. ((\exists V5x \in \\
& ty\_2Erealax\_2Ereal. ((p (ap V0P V5x)) \wedge (p (ap (ap c\_2Erealax\_2Ereal\_lt \\
& V4y) V5x)))) \Leftrightarrow (p (ap (ap c\_2Erealax\_2Ereal\_lt V4y) (ap c\_2Ereal\_2Esup \\
& V0P))))))
\end{aligned} \tag{34}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{35}$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{36}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{38}$$

Assume the following.

$$(\forall V0A \in 2.((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (39)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg( \\ & p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (40)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ & (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \end{aligned} \quad (41)$$

**Theorem 1**

$$\begin{aligned} & (\forall V0x \in ty\_2Erealax\_2Ereal.((p (ap (ap c\_2Erealax\_2Ereal\_lt \\ & (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) V0x)) \Rightarrow (\forall V1y \in \\ & ty\_2Erealax\_2Ereal.(\exists V2n \in ty\_2Enum\_2Enum.(p (ap (ap c\_2Erealax\_2Ereal\_lt \\ & V1y) (ap (ap c\_2Erealax\_2Ereal\_mul (ap c\_2Ereal\_2Ereal\_of\_num \\ & V2n)) V0x)))))) \end{aligned}$$