

thm\_2Ereal\_2EREAL\_\_FACT\_\_NZ  
(TMVH2odwwAHN18tQPbi1mvXGNJfowfGonj3)

October 26, 2020

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let  $c\_2Earithmetic\_2EFACT : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EFACT \in (ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum}) \tag{2}$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

**Definition 7** We define  $c\_2Ebool\_2E\_2E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (omega^{ty\_2Enum\_2Enum}) \tag{3}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (omega^{omega}) \tag{4}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{omega}) \tag{5}$$

**Definition 8** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

**Definition 9** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x.x \in A \wedge p$   
of type  $\iota \Rightarrow \iota$ .

**Definition 10** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 11** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{6}$$

**Definition 12** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $ty\_2Erealx\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealx\_2Ereal \tag{7}$$

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealx\_2Ereal^{ty\_2Enum\_2Enum}) \tag{8}$$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \tag{9}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{10}$$

Let  $c\_2Erealx\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealx\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealx\_2Ereal}) \tag{11}$$

**Definition 13** We define  $c\_2Erealx\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealx\_2Ereal.(ap\ (c\_2Emin\_2E\_40\ (t$

Let  $c\_2Erealx\_2Etreallt : \iota$  be given. Assume the following.

$$c\_2Erealx\_2Etreallt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \tag{12}$$

**Definition 14** We define  $c\_2Erealx\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealx\_2Ereal.\lambda V1T2 \in ty\_2Erealx\_2Ereal$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.(p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C\ c\_2Enum\_2E0)\ (ap\ c\_2Earithmetic\_2EFACT\ V0n)))) \tag{13}$$

Assume the following.

$$True \quad (14)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (15)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (p (ap (ap c\_2Erealx\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num V0m)) (ap c\_2Ereal\_2Ereal\_of\_num V1n))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) V1n)))))) \quad (16)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealx\_2Ereal. ((p (ap (ap c\_2Erealx\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) V0x)) \Rightarrow (\neg(V0x = (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)))))) \quad (17)$$

**Theorem 1**

$$(\forall V0n \in ty\_2Enum\_2Enum. (\neg((ap c\_2Ereal\_2Ereal\_of\_num (ap c\_2Earithmetic\_2EFACT V0n)) = (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0))))$$