

thm\_2Ereal\_2EREAL\_\_IMP\_\_LE\_\_INF  
(TMb7c8RgLRm8Jm9cRAb3Fx9zMrRnGKyBKs)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_21$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \tag{1}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{2}$$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \tag{3}$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal}) \tag{4}$$

**Definition 3** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap\ P\ x))$  then (the  $(\lambda x.x \in A \wedge p)$  of type  $\iota \Rightarrow \iota$ ).

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a})))$

**Definition 5** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap (c\_2Emin\_2E\_40 (ty$

Let  $c\_2Erealax\_2Etrealm\_neg : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_neg \in ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal}) \tag{5}$$

Let  $c\_2Erealax\_2Etreall\_eq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreall\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)) \quad (6)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal)^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})} \quad (7)$$

**Definition 6** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)$

**Definition 7** We define  $c\_2Erealax\_2Ereal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap\ c\_2Erealax\_2Ereal\_neg)$

Let  $c\_2Erealax\_2Etreall\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreall\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)) \quad (8)$$

**Definition 8** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 9** We define  $c\_2Emin\_2E3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 10** We define  $c\_2Ebool\_2E2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E21\ 2)\ (\lambda V2t \in 2.V0t))))$

**Definition 11** We define  $c\_2Ebool\_2E3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E40\ 2)\ V0P))))$

**Definition 12** We define  $c\_2Ereal\_2Esup$  to be  $\lambda V0P \in (2^{ty\_2Erealax\_2Ereal}).(ap\ (c\_2Emin\_2E40\ ty\_2Erealax\_2Ereal)\ V0P)$

**Definition 13** We define  $c\_2Ereal\_2Einf$  to be  $\lambda V0p \in (2^{ty\_2Erealax\_2Ereal}).(ap\ c\_2Erealax\_2Ereal\_neg\ (ap\ c\_2Erealax\_2Ereal\ V0p))$

**Definition 14** We define  $c\_2Ebool\_2E2F$  to be  $(ap\ (c\_2Ebool\_2E21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 15** We define  $c\_2Ebool\_2E7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E21))$

**Definition 16** We define  $c\_2Ereal\_2Ereal\_lte$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

**Definition 17** We define  $c\_2Ebool\_2E5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E21\ 2)\ (\lambda V2t \in 2.V0t))))$

Assume the following.

$$True \quad (9)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (10)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (11)$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg(p V0t)))) \quad (12)$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow \text{False}) \Rightarrow (\neg(p V0t)))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow \text{False}))) \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((\text{True} \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge \text{True}) \Leftrightarrow \\ & (p V0t)) \wedge (((\text{False} \wedge (p V0t)) \Leftrightarrow \text{False}) \wedge (((p V0t) \wedge \text{False}) \Leftrightarrow \text{False}) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((\text{True} \vee (p V0t)) \Leftrightarrow \text{True}) \wedge (((p V0t) \vee \text{True}) \Leftrightarrow \text{True}) \wedge \\ & (((\text{False} \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \text{False}) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ & (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((\text{True} \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow \text{True}) \Leftrightarrow \\ & \text{True}) \wedge (((\text{False} \Rightarrow (p V0t)) \Leftrightarrow \text{True}) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow \text{True}) \wedge (( \\ & (p V0t) \Rightarrow \text{False}) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg \text{True}) \Leftrightarrow \text{False}) \wedge \\ & ((\neg \text{False}) \Leftrightarrow \text{True})))) \end{aligned} \quad (18)$$

Assume the following.

$$\forall A_{.27a}.nonempty \ A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.((V0x = V0x) \Leftrightarrow \text{True})) \quad (19)$$

Assume the following.

$$\forall A_{.27a}.nonempty \ A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.(\forall V1y \in A_{.27a}.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (20)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((\text{True} \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow \text{True}) \Leftrightarrow \\ & (p V0t)) \wedge (((\text{False} \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow \text{False}) \Leftrightarrow (\neg( \\ & p V0t)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\exists V1x \in A.27a.(p\ (ap\ V0P\ V1x)))) \Leftrightarrow (\forall V2x \in A.27a.(\neg(p\ (ap\ V0P\ V2x)))))) \quad (22)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p\ V0A) \vee (p\ V1B) \vee (p\ V2C))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C)))))) \quad (23)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((p\ V1B) \vee (p\ V0A)))))) \quad (24)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \vee \neg(p\ V1B))) \wedge ((\neg((p\ V0A) \vee (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \wedge \neg(p\ V1B)))))))) \quad (25)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (26)$$

Assume the following.

$$2.(((p\ V0x) \Leftrightarrow (p\ V1x.27)) \wedge ((p\ V1x.27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y.27)))) \Rightarrow 2.(((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x.27) \Rightarrow (p\ V3y.27)))) \quad (27)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.((ap\ c\_2Erealax\_2Ereal\_neg\ (ap\ c\_2Erealax\_2Ereal\_neg\ V0x)) = V0x)) \quad (28)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.(\forall V1y \in ty\_2Erealax\_2Ereal.(((p\ (ap\ (ap\ c\_2Ereal\_2Ereal\_lte\ (ap\ c\_2Erealax\_2Ereal\_neg\ V0x))\ (ap\ c\_2Erealax\_2Ereal\_neg\ V1y))) \Leftrightarrow (p\ (ap\ (ap\ c\_2Ereal\_2Ereal\_lte\ V1y)\ V0x)))))) \quad (29)$$

Assume the following.

$$(\forall V0p \in (2^{ty\_2Erealax\_2Ereal}).(\forall V1x \in ty\_2Erealax\_2Ereal.(((\exists V2r \in ty\_2Erealax\_2Ereal.(p\ (ap\ V0p\ V2r))) \wedge (\forall V3r \in ty\_2Erealax\_2Ereal.((p\ (ap\ V0p\ V3r)) \Rightarrow (p\ (ap\ (ap\ c\_2Ereal\_2Ereal\_lte\ V3r)\ V1x)))))) \Rightarrow (p\ (ap\ (ap\ c\_2Ereal\_2Ereal\_lte\ (ap\ c\_2Ereal\_2Esup\ V0p))\ V1x)))))) \quad (30)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (32)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (33)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (34)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (35)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ((p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (36)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ((p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (37)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ((p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (38)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (39)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (40)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (41)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (42)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (43)$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (44)$$

**Theorem 1**

$$\begin{aligned} & (\forall V0p \in (2^{ty\_2Erealax\_2Ereal}). (\forall V1r \in ty\_2Erealax\_2Ereal. \\ & ((\exists V2x \in ty\_2Erealax\_2Ereal. (p (ap V0p V2x))) \wedge (\forall V3x \in \\ & ty\_2Erealax\_2Ereal. ((p (ap V0p V3x)) \Rightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte \\ & V1r) V3x)))))) \Rightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte V1r) (ap c\_2Ereal\_2Einf \\ & V0p)))))) \end{aligned}$$