

thm_2Ereal_2EREAL__LIN__LE__MAX
(TMdkDkcFPmvqHpt1s6pH6PtifqAktLUFn5i)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{3}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})\ ty_2Erealax_2Ereal) \tag{4}$$

Definition 7 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$.

Definition 8 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E_40 (ty$

Let $c_2Erealax_2Etreal_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)) \quad (5)$$

Let $c_2Erealax_2Etreal_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)) \quad (6)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})} \quad (7)$$

Definition 9 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 10 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal$

Let $c_2Erealax_2Etreal_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal))^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (8)$$

Definition 11 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 12 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Let $c_2Erealax_2Etreal_mul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_mul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal))^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (9)$$

Definition 13 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (10)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (11)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum)^{\omega} \quad (12)$$

Definition 14 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 15 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (22)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (23)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. (((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \quad (24)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. ((ap\ c_2Erealax_2Ereal_neg\ (ap\ (ap\ c_2Erealax_2Ereal_add\ V0x)\ V1y)) = (ap\ (ap\ c_2Erealax_2Ereal_add\ (ap\ c_2Erealax_2Ereal_neg\ V0x))\ (ap\ c_2Erealax_2Ereal_neg\ V1y)))))) \quad (25)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. ((ap\ c_2Erealax_2Ereal_neg\ (ap\ c_2Erealax_2Ereal_neg\ V0x)) = V0x)) \quad (26)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. ((ap\ (ap\ c_2Erealax_2Ereal_mul\ V0x)\ (ap\ c_2Erealax_2Ereal_neg\ V1y)) = (ap\ c_2Erealax_2Ereal_neg\ (ap\ (ap\ c_2Erealax_2Ereal_mul\ V0x)\ V1y)))))) \quad (27)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. ((p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ (ap\ c_2Erealax_2Ereal_neg\ V0x))\ (ap\ c_2Erealax_2Ereal_neg\ V1y))) \Leftrightarrow (p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ V1y)\ V0x)))))) \quad (28)$$

Assume the following.

$$\begin{aligned}
& (\forall V0z \in ty_2Erealax_2Ereal. (\forall V1x \in ty_2Erealax_2Ereal. \\
& (\forall V2y \in ty_2Erealax_2Ereal. (((p (ap (ap c_2Ereal_2Ereal_lte \\
& (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) V0z)) \wedge (p (ap (ap c_2Ereal_2Ereal_lte \\
& V0z) (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmic_2ENUMERAL \\
& (ap c_2Earithmic_2EBIT1 c_2Earithmic_2EZERO)))))) \Rightarrow (p (\\
& ap (ap c_2Ereal_2Ereal_lte (ap (ap c_2Ereal_2Emin V1x) V2y)) (\\
& ap (ap c_2Erealax_2Ereal_add (ap (ap c_2Erealax_2Ereal_mul \\
& V0z) V1x)) (ap (ap c_2Erealax_2Ereal_mul (ap (ap c_2Ereal_2Ereal_sub \\
& (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmic_2ENUMERAL (\\
& ap c_2Earithmic_2EBIT1 c_2Earithmic_2EZERO)))) V0z)) V2y))))))))) \\
& \tag{29}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((ap (ap c_2Ereal_2Emin V0x) V1y) = (ap c_2Erealax_2Ereal_neg \\
& (ap (ap c_2Ereal_2Emax (ap c_2Erealax_2Ereal_neg V0x)) (ap c_2Erealax_2Ereal_neg \\
& V1y)))))) \\
& \tag{30}
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& (\forall V0z \in ty_2Erealax_2Ereal. (\forall V1x \in ty_2Erealax_2Ereal. \\
& (\forall V2y \in ty_2Erealax_2Ereal. (((p (ap (ap c_2Ereal_2Ereal_lte \\
& (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) V0z)) \wedge (p (ap (ap c_2Ereal_2Ereal_lte \\
& V0z) (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmic_2ENUMERAL \\
& (ap c_2Earithmic_2EBIT1 c_2Earithmic_2EZERO)))))) \Rightarrow (p (\\
& ap (ap c_2Ereal_2Ereal_lte (ap (ap c_2Erealax_2Ereal_add (ap \\
& (ap c_2Erealax_2Ereal_mul V0z) V1x)) (ap (ap c_2Erealax_2Ereal_mul \\
& (ap (ap c_2Ereal_2Ereal_sub (ap c_2Ereal_2Ereal_of_num (ap \\
& c_2Earithmic_2ENUMERAL (ap c_2Earithmic_2EBIT1 c_2Earithmic_2EZERO)))) \\
& V0z)) V2y)) (ap (ap c_2Ereal_2Emax V1x) V2y))))))))) \\
& \tag{31}
\end{aligned}$$