

thm_2Ereal_2EREAL__MAX__ACI
(TMY7XB3Buohdt5k6VPCenHMf6rrzkBNDbny)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{3}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})\ ty_2Erealax_2Ereal) \tag{4}$$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap\ P\ x))$ then (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})))$

Definition 5 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E_40 (ty$

Let $c_2Erealax_2Etrealt_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealt_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})\ (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)) \tag{5}$$

Definition 6 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 7 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21_2) (\lambda V0t \in 2.V0t))$.

Definition 8 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 9 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

Definition 10 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Definition 11 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21_2) (\lambda V2t \in 2.V2t$

Definition 12 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Definition 13 We define c_2Ereal_2Emax to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$.

Definition 14 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21_2) (\lambda V2t \in 2.V2t$

Assume the following.

$$True \tag{6}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \tag{7}$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \tag{8}$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg(p V0t)))) \tag{9}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \wedge ((p V1t2) \wedge (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \wedge (p V2t3)))))) \tag{10}$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \tag{11}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \tag{12}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \tag{13}$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (14)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (15)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (17)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0t1 \in A.27a.(\forall V1t2 \in A.27a.(((ap (ap (ap (c.2Ebool.2ECOND A.27a) c.2Ebool.2ET) V0t1) V1t2) = V0t1) \wedge ((ap (ap (ap (c.2Ebool.2ECOND A.27a) c.2Ebool.2EF) V0t1) V1t2) = V1t2)))) \quad (18)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0b \in 2.(\forall V1t \in A.27a.((ap (ap (ap (c.2Ebool.2ECOND A.27a) V0b) V1t) V1t) = V1t))) \quad (19)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (p V1B) \vee (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C))))) \quad (20)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))) \quad (21)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A) \vee (\neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B))))) \quad (22)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))) \quad (23)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0b \in 2. (\forall V1f \in (A_27b^{A_27a}). (\forall V2g \in (A_27b^{A_27a}). \\
& \quad (\forall V3x \in A_27a. ((ap\ (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ (A_27b^{A_27a})) \\
& \quad V0b)\ V1f)\ V2g)\ V3x) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27b)\ V0b)\ (ap \\
& \quad \quad V1f\ V3x))\ (ap\ V2g\ V3x)))))) \\
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0f \in (A_27b^{A_27a}). (\forall V1b \in 2. (\forall V2x \in A_27a. \\
& \quad (\forall V3y \in A_27a. ((ap\ V0f\ (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a) \\
& \quad V1b)\ V2x)\ V3y) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27b)\ V1b)\ (ap\ V0f \\
& \quad \quad V2x))\ (ap\ V0f\ V3y)))))) \\
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& (\forall V0b \in 2. (\forall V1t1 \in 2. (\forall V2t2 \in 2. ((p\ (ap\ (ap \\
& (ap\ (c_2Ebool_2ECOND\ 2)\ V0b)\ V1t1)\ V2t2)) \Leftrightarrow (((\neg(p\ V0b)) \vee (p\ V1t1)) \wedge \\
& \quad ((p\ V0b) \vee (p\ V2t2)))))) \\
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\
& \quad (\forall V2x \in A_27a. (\forall V3x_27 \in A_27a. (\forall V4y \in A_27a. \\
& \quad (\forall V5y_27 \in A_27a. (((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge ((p\ V1Q) \Rightarrow (V2x = V3x_27)) \wedge \\
& \quad ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y_27)))) \Rightarrow ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a) \\
& \quad V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ V1Q)\ V3x_27) \\
& \quad \quad V5y_27)))))) \\
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\neg((p\ (ap\ (ap\ c_2Erealax_2Ereal_lt\ V0x)\ V1y)) \wedge (p\ (ap\ (ap\ c_2Erealax_2Ereal_lt \\
& \quad V1y)\ V0x)))))) \\
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((\neg(p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ V0x)\ V1y))) \Leftrightarrow (p\ (ap\ (ap\ c_2Erealax_2Ereal_lt \\
& \quad V1y)\ V0x)))) \\
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& \quad (\forall V2z \in ty_2Erealax_2Ereal. (((p\ (ap\ (ap\ c_2Erealax_2Ereal_lt \\
& \quad V0x)\ V1y)) \wedge (p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ V1y)\ V2z))) \Rightarrow (p\ (ap\ (\\
& \quad \quad ap\ c_2Erealax_2Ereal_lt\ V0x)\ V2z)))))) \\
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. (((p (ap (ap c_2Ereal_2Ereal_lte \\
V0x) V1y)) \wedge (p (ap (ap c_2Erealax_2Ereal_lt V1y) V2z))) \Rightarrow (p (ap \\
& (ap c_2Erealax_2Ereal_lt V0x) V2z))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (((p (ap (ap c_2Ereal_2Ereal_lte V0x) V1y)) \wedge (p (ap (ap c_2Ereal_2Ereal_lte \\
V1y) V0x))) \Leftrightarrow (V0x = V1y)))
\end{aligned} \tag{32}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{33}$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{34}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{36}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \tag{37}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg \\
p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \vee V0p) \Leftrightarrow (\\
& (p \vee V1q) \vee (p \vee V2r))) \Leftrightarrow (((p \vee V0p) \vee \neg(p \vee V1q)) \wedge ((p \vee V0p) \vee \neg(p \vee V2r))) \wedge \\
& ((p \vee V1q) \vee ((p \vee V2r) \vee \neg(p \vee V0p))))))))) \\
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \vee V0p) \Leftrightarrow (\\
& (p \vee V1q) \Rightarrow (p \vee V2r))) \Leftrightarrow (((p \vee V0p) \vee (p \vee V1q)) \wedge ((p \vee V0p) \vee \neg(p \vee V2r))) \wedge ((\\
& \neg(p \vee V1q) \vee ((p \vee V2r) \vee \neg(p \vee V0p))))))))) \\
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \vee V0p) \Leftrightarrow \neg(p \vee V1q)) \Leftrightarrow (((p \vee V0p) \vee \\
& (p \vee V1q)) \wedge (\neg(p \vee V1q) \vee \neg(p \vee V0p)))))) \\
\end{aligned} \tag{42}$$

Theorem 1

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. (((ap (ap c_2Ereal_2Emax V0x) \\
& V1y) = (ap (ap c_2Ereal_2Emax V1y) V0x)) \wedge (((ap (ap c_2Ereal_2Emax \\
& (ap (ap c_2Ereal_2Emax V0x) V1y)) V2z) = (ap (ap c_2Ereal_2Emax V0x) \\
& (ap (ap c_2Ereal_2Emax V1y) V2z))) \wedge (((ap (ap c_2Ereal_2Emax V0x) \\
& (ap (ap c_2Ereal_2Emax V1y) V2z)) = (ap (ap c_2Ereal_2Emax V1y) (\\
& ap (ap c_2Ereal_2Emax V0x) V2z))) \wedge (((ap (ap c_2Ereal_2Emax V0x) \\
& V0x) = V0x) \wedge ((ap (ap c_2Ereal_2Emax V0x) (ap (ap c_2Ereal_2Emax \\
& V0x) V1y)) = (ap (ap c_2Ereal_2Emax V0x) V1y))))))))) \\
\end{aligned}$$