

thm_2Ereal_2EREAL__MUL (TMYZmxGsKSQk- DAQX115pXg9QpKRzQ3ve9TZ)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{2}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow Q)$ of type ι .

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 5 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \tag{3}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \tag{4}$$

Definition 6 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{5}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (6)$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (7)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \quad (8)$$

Definition 7 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ if $(\exists x \in A.p\ (ap\ P\ x))$ then (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 8 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E_40\ (ty$

Let $c_2Erealax_2Etrealmul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealmul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{ty_2Erealax_2Ereal})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)} \quad (9)$$

Let $c_2Erealax_2Etrealeq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealeq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)} \quad (10)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}} \quad (11)$$

Definition 9 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 10 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 11 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (12)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (13)$$

Definition 12 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})_{ty_2Enum_2Enum} \quad (14)$$

Definition 13 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap (ap c_2Earithmetic_2E_2B$

Definition 14 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal)^{ty_2Enum_2Enum} \quad (15)$$

Let $c_2Erealax_2Etreall_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_add \in (((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)_{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})_{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)}) \quad (16)$$

Definition 15 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal. \lambda V1T2 \in ty_2Erealax_2Ereal$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & ((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V0m) = c_2Enum_2E0) \wedge \\ & (((ap (ap c_2Earithmetic_2E_2A V0m) c_2Enum_2E0) = c_2Enum_2E0) \wedge \\ & (((ap (ap c_2Earithmetic_2E_2A (ap c_2Earithmetic_2ENUMERAL \\ & (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) V0m) = V0m) \wedge \\ & (((ap (ap c_2Earithmetic_2E_2A V0m) (ap c_2Earithmetic_2ENUMERAL \\ & (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) = V0m) \wedge (\\ & ((ap (ap c_2Earithmetic_2E_2A (ap c_2Enum_2ESUC V0m)) V1n) = (ap \\ & (ap c_2Earithmetic_2E_2B (ap (ap c_2Earithmetic_2E_2A V0m) V1n)) \\ & V1n)) \wedge ((ap (ap c_2Earithmetic_2E_2A V0m) (ap c_2Enum_2ESUC V1n)) = \\ & (ap (ap c_2Earithmetic_2E_2B V0m) (ap (ap c_2Earithmetic_2E_2A \\ & V0m) V1n)))))))))) \end{aligned} \quad (17)$$

Assume the following.

$$True \quad (18)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (19)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (21)$$

Assume the following.

$$\begin{aligned} & (\forall V0P \in (2^{ty_2Enum_2Enum}). (((p\ (ap\ V0P\ c_2Enum_2E0)) \wedge \\ & (\forall V1n \in ty_2Enum_2Enum. ((p\ (ap\ V0P\ V1n)) \Rightarrow (p\ (ap\ V0P\ (ap\ c_2Enum_2ESUC \\ & V1n)))))) \Rightarrow (\forall V2n \in ty_2Enum_2Enum. (p\ (ap\ V0P\ V2n)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Erealax_2Ereal. ((ap\ (ap\ c_2Erealax_2Ereal_mul \\ & (ap\ c_2Ereal_2Ereal_of_num\ (ap\ c_2Earithmetic_2ENUMERAL\ (\\ & ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO))))\ V0x) = V0x)) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\ & (\forall V2z \in ty_2Erealax_2Ereal. ((ap\ (ap\ c_2Erealax_2Ereal_mul \\ & (ap\ (ap\ c_2Erealax_2Ereal_add\ V0x\ V1y))\ V2z) = (ap\ (ap\ c_2Erealax_2Ereal_add \\ & (ap\ (ap\ c_2Erealax_2Ereal_mul\ V0x\ V2z))\ (ap\ (ap\ c_2Erealax_2Ereal_mul \\ & V1y\ V2z)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Erealax_2Ereal. ((ap\ (ap\ c_2Erealax_2Ereal_mul \\ & (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))\ V0x) = (ap\ c_2Ereal_2Ereal_of_num \\ & c_2Enum_2E0))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty_2Enum_2Enum. ((ap\ c_2Ereal_2Ereal_of_num \\ & (ap\ c_2Enum_2ESUC\ V0n)) = (ap\ (ap\ c_2Erealax_2Ereal_add\ (ap\ c_2Ereal_2Ereal_of_num \\ & V0n))\ (ap\ c_2Ereal_2Ereal_of_num\ (ap\ c_2Earithmetic_2ENUMERAL \\ & (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO)))))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & (ap\ (ap\ c_2Erealax_2Ereal_add\ (ap\ c_2Ereal_2Ereal_of_num \\ & V0m))\ (ap\ c_2Ereal_2Ereal_of_num\ V1n)) = (ap\ c_2Ereal_2Ereal_of_num \\ & (ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ V1n)))) \end{aligned} \quad (27)$$

Theorem 1

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & (ap\ (ap\ c_2Erealax_2Ereal_mul\ (ap\ c_2Ereal_2Ereal_of_num \\ & V0m))\ (ap\ c_2Ereal_2Ereal_of_num\ V1n)) = (ap\ c_2Ereal_2Ereal_of_num \\ & (ap\ (ap\ c_2Earithmetic_2E_2A\ V0m)\ V1n)))) \end{aligned}$$